

सुनवल नगर कार्यपालिकाको कार्यालय

सुनवल नगरपालिका

सुनवल नवलपरासी (ब.सु.प)

लुम्बिनी प्रदेश, नेपाल



सुनवल नगर कार्यपालिकाको कार्यालयको

स्वीकृत दर रेट

आ.ब: २०८०-८१

तयार गर्ने :

सुनवल नगर कार्यपालिकाको कार्यालय

अषाढ २०८०

सुनवल नगर कार्यपालिकाको आ.व.०८०/८१ को स्वीकृत दर रेट

क्र.सं.	विवरण	पेज नं.
	उपस्थिति	i-ii
	निर्णय नं.१	iii
१.	कामदारहरुको ज्याला दर	१-२
२.	ढुवानी दर	३-४
३.	निर्माणमा प्रयोग हुने निर्माण सामग्री	५-८
४.	फलामजन्य निर्माण सामग्री	९-११
५.	सडक निर्माणमा प्रयोग हुने निर्माण सामग्री	१२
६.	रंग रोगन सम्बन्धि सामग्री	१३
७.	खानेपानी तथा सरसफाई सम्बन्धि सामग्री	१४-१७
७.१	एच.डी.पी.पाइप	१८
७.२	यु.पि.भि.सी.पाइप	१९
७.३	पी.पी.आर फिटिङ्स	२०-२१
७.४	यु.पि.भि.सी.फिटिङ्स	२२
७.५	खानेपानी सम्बन्धी फिटिङ्स सामग्री	२३-३०
७.६	ईनार तथा ट्युबेल सम्बन्धी सामग्री	३१
७.७	खानेपानी सम्बन्धी हाते औजारहरु	३२-३३
८.	विद्युत सम्बन्धि सामग्री	३४-३५
९.	लघु जल - विद्युत सम्बन्धि सामग्री	३६
१०.	विविध निर्माण सामग्री	३७
११.	सरकारी कार्यालयमा आवश्यक हुने अन्य माल/सामान सम्बन्धी दर	३८-४०
१२.	मेशिन, औजार तथा उपकरणको भाडा दर सम्बन्धी	४१-४५
१३.	फाइवर ग्लास सम्बन्धी	४६
१४.	मेशिन उपकरणबाट गरीने कार्य	४७
१५.	विद्युतीय सोलार सम्बन्धी	४८
१६.	मेशिन मेड कंक्रीट पेभर्स कार्य	४९-५५
१७	सिंचाई गेट	५६
	निर्णय नं.२	५७

कामदारहरूको ज्याला दर सम्बन्धी

क्र. सं.	विवरण	इकाई	१३ % भ्याट बाहेक					निकटियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
१	सिकर्मी, डकर्मी, नकर्मी, ग्याबियन बून्ने मिस्त्री, ट्युबवेल गाड्ने मिस्त्री, ड्रिलर (दक्ष/सिपालू कामदार)	प्रतिव्यक्ति प्रतिदिन	८००	८२०	८४०	९००	९००	
२	ज्यामी, माली, रनर, सयस (अदक्ष कामदार)	" "	५५०	५६०	५७०	६००	६००	
३	बनज्यामी	" "	५५०	५६०	५७०	६००	६००	
४	बनज्यामी सुपरभाइजर	" "	६५०	६६०	६७०	७००	७००	
५	अग्नी नियन्त्रक वन हेरालू	मासिक	१४००	१४१०	१४२०	१५००	१५००	
६	स्वीपर	प्रतिदिन	५१७	५२७	५३७	५७५	५७५	
७	साधारण सुपरभाइजर (निर्माण कार्यको लागि)	" "	५१७	५२७	५३७	५७५	५७५	
८	सडकमा काम गर्ने साधारण दूरीसंभारकर्ता(लेन्थ पर्सन)	" "	५१७	५२७	५३७	५७५	५७५	
९	चित्रकार (पेन्टर)	" "	६२५	६३५	६४५	६७५	६७५	
१०	विभिन्न प्रकारका सिमेन्टका मृतीहरू कूट्ने/बनाउने विशेष किसिमका कालीगढ	" "	११७५	११८५	११९५	१२५०	१२५०	
११	बार बेण्डर, लोहकर्मी (व्याकस्मीथ)	" "	८००	८१०	८२०	८७०	८७०	
१२	ढुङ्गा/काठमा बुझा भनें, फोटोग्राफर	" "	८००	८१०	८२०	८७०	८७०	
१३	ब्लास्टर	" "	८००	८१०	८२०	८७०	८७०	
१४	ब्लास्टर हेलपर	" "	५४०	५५०	५६०	६००	६००	
१५	फोरम्यान(इलेक्ट्रीक कार्यको लागि)	" "	८००	८१०	८२०	८६०	८६०	
१६	इलेक्ट्रिसियन दक्ष	" "	७७५	७८५	७९५	८४०	८४०	
१७	इलेक्ट्रिसियन हेलपर	" "	६२५	६३५	६४५	६८०	६८०	
१८	फोरम्यान(निर्माण कार्यको लागि)	" "	५१७	५२७	५३७	५७५	५७५	
१९	पीच व्यालर, पम्प अपरेटर, बोरीङ अपरेटर, जुनियर ल्याव. टे., आ. वा. अपरेटर	" "	५५०	५६०	५७०	६००	६००	
२०	सुरक्षा गार्ड, चौकिदार	" "	५४०	५५०	५६०	६००	६००	
२१	पथ प्रदर्शक	" "	५१७	५२७	५३७	५७५	५७५	
२२	डुप्लिकेटर/फोटोकपियर	" "	५१७	५२७	५३७	५७५	५७५	
२३	भरीया	" "	५१७	५२७	५३७	५७५	५७५	
२४	चेनम्यान/टेपम्यान/स्टाफम्यान, नापी सहायक/सर्भे हेलपर(नापीसंग सम्बन्धीत काम)	" "	५४५	५५५	५६५	६००	६००	
२५	सिमा नापी कार्यको लागि चेनमेनको ज्याला	" "	७३५	७४५	७५५	८००	८००	
२६	हेभी ईक्वीपमेन्ट अपरेटर (केन, डोजर, ग्रेडर, लोडर, रोलर, आदि), हेभी ड्राईभर	" "	९२५	९३५	९४५	१०००	१०००	
२७	हेभी ईक्वीपमेन्ट हेलपर	" "	५१७	५२७	५३७	६००	६००	
२८	लाईट ड्राईभर (ह.स.चा.सरह)	" "	५७०	५८०	५९०	६५०	६५०	
२९	ड्राइभर कम मेकानिक्स	" "	७२५	७३५	७४५	८००	८००	
३०	मेकानिक्स	" "	५१७	५२७	५३७	६००	६००	
३१	नर्सरी नाईके, वन हेरालू (दैनिक ८ घण्टा कार्य गर्ने)	मासिक	१४०००	१४३००	१४३१०	१६०००	१६०००	
३२	श्रव कटर (पोर्टेबल मेसिन प्रयोग गरी)	प्रति घण्टा	११०	१२०	१३०	१४०	१४०	

santosh Gaire
Engineer-NEC (11689 Civil)
प्रमुख प्रशासकीय अधिकृत
विमला अर्याल
नगर प्रमुख



१. कामदारहरूको ज्याला दर सम्बन्धी

क्र. सं.	विवरण	इकाई	१३ % भ्याट बाहेक					कैफियत
			आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	आ.व. २०७९/८० को स्वीकृत दर रेट	आ.व. २०८०/८१ को स्वीकृत दर रेट	
३३	गोताखोर	प्रति व्यक्ति/दिन	९००	९१०	९२०	१०००	१०००	
३४	ढल सफा गर्ने कार्य	प्रति सेवर/दिन	६८०	६९०	७००	८००	८००	
३५	सेनेटरी सामानको फिटीङ ज्याला (सामानको पसल मुल्यको आधारमा कायम गर्ने)	प्रतिशत	३०	३०	४०	४५	४५	
३६	ज्यामी नाइके	प्रतिव्यक्ति प्रतिदिन					६२०	
३७	सुपरभाइजर SLC वा सो सरह	प्रतिव्यक्ति प्रतिदिन					६७२	
३८	प्लम्बर हेल्पर	प्रतिव्यक्ति प्रतिदिन					६०९	
३९	सिनियर ल्याब टेक्निसियन	प्रतिव्यक्ति प्रतिदिन					६७२	
४०	जुनियर ल्याब टेक्निसियन	प्रतिव्यक्ति प्रतिदिन					६०९	
४१	सवारी हेल्पर	प्रतिव्यक्ति प्रतिदिन					५५७	
४२	Computer Operator	प्रतिव्यक्ति प्रतिदिन					७०४	
४३	Assistant Sub Engineer	प्रतिव्यक्ति प्रतिदिन					८०९	
४४	Sub Engineer	प्रतिव्यक्ति प्रतिदिन					९५०	
४५	Engineer	प्रतिव्यक्ति प्रतिदिन					१३३९	
४६	अनुबन्धित ज्यामि	प्रतिव्यक्ति प्रतिदिन					५००	
४७	कृषि मजदुर	" "	५१७	५२७	५३७	६००	६००	
खाना सम्बन्धी काम गर्ने (असंगठित क्षेत्रका) कामदारहरू								
४८	खनेल, स्याम्पलर	प्रतिव्यक्ति प्रतिदिन	५४०	५५०	५६०	५८०	५८०	
४९	क्याम्प वर्कर	" "	५४०	५५०	५६०	५८०	५८०	
५०	डिल हेल्पर, पम्प हेल्पर, पाइप फिटर	" "	५४०	५५०	५६०	६००	६००	
ओभरहेड ट्याकी सम्बन्धी								
५१	दक्ष	प्रतिव्यक्ति प्रतिदिन	१२००	१२१०	१२२०	१३००	१३००	
५२	अदक्ष	" "	७००	७१०	७२०	८००	८००	
५३	गेट अपरेटर	" "	५७५	५८५	५९५	६५०	६५०	

नोट :- उपरोक्त पदका कामदारहरू बाहेक अन्य पदहरूमा ज्यालादारीमा काम गराउने भएमा जुन पदमा काम गराउने हो सो को नेपाल सरकारको सुरु तलबलाई आधारमानी दैनिक ज्याला कायम गर्ने । Man/Month हिसाब गर्दा २६ दिनलाई मासिक कार्य दिन मानिनेछ ।

Santosh Gaire
Engineer-NEC (11689 Civil E)


बिमला अर्थाल
नगर प्रमुख

सुनवल नगरपालिका
नगर कार्यपालिकाको कार्यालय
सुनवल, नवलपरासी (बि.सु.पू.)
लुम्बिनी प्रदेश

२. ढुवानी दर सम्बन्धी

क्र. सं.	विवरण	इकाई	१३% भ्याट बाहेक					कैफियत
			आ.व. २०७५/७६ को स्वीकृत दर रेट	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	आ.व. २०७९/८० को स्वीकृत दर रेट	
१	मानिस (भरीया) द्वारा ढुवानी							
	१) सजिलो सामान (डोको, थुन्ने, बोरा, वाक्स, आदिमा राखी १ व्यक्तिले — क्षमता अनुसार तौल पूग्ने गरी — बोक्न सक्ने सामानहरू, जस्तै: सिमेन्ट, बालुवा, रासायनिक मल, दाउरा, खाद्यान्न, आदि)	प्रतिकेजी प्रतिकोश	२.६०	२.६०	२.६०	३.००	३.००	
	२) असजिलो सामान (सामान्य भारी बनाई एक व्यक्तिले बोक्न सक्ने — तर क्षमता अनुसार तौल नपुग्ने — सामानहरू, जस्तै: कर्कटपाता, बूनेको ग्याबियन तारजाली, विस्फोटक पदार्थ, एच. डि. पि. ई. पाईप, इन्सुलेटर, औषधी, काठ, कृषिजन्य फलफूलको विरुवा, आदि)	प्रतिकेजी प्रतिकोश	३.३०	३.३०	३.३०	४.००	४.००	
	३) अति असजिलो सामान (सामान्यतः एक व्यक्तिले मात्र बोक्न नसक्ने सामानहरू जस्तै: जि. आई. पाईप, काँडेतार, फलामे छुड, इलेक्ट्रोमेकानिकल सामान, ३ देखि ८ मीटरसम्म लामो स्टील पार्ट्स/विजुलीको पोल/टेलिफोनको पोल, पि. एस. सि. पोल, आदि)	प्रतिकेजी प्रतिकोश	४.९०	४.९०	४.९०	५.००	५.००	
	४) फो.पू. को लटडा	प्रतिकेजी प्रतिकोश	५.८५	५.८५	५.८५	६.००	६.००	
	५) मानिसद्वारा पोल ढुवानी (८ मीटर भन्दा लामो फलामे ट्युबलर पोल)	प्रतिकेजी प्रतिकोश	६.०५	६.०५	६.०५	७.००	७.००	
	६) मानिसद्वारा ट्रान्सफर्मर ढुवानी	प्रतिकेजी प्रतिकोश	१०.६५	१०.६५	१०.६५	११.००	११.००	
२.	खच्चरद्वारा ढुवानी (सजिलो सामान मात्र)	प्रतिकेजी प्रतिकोश	१.८५	१.८५	१.८५	२.००	२.००	
३.	टायरगाडाद्वारा ढुवानी असजिलो सामान	प्रतिटन प्रतिकिमी	४१५.००	४१५.००	४१५.००	५००.००	५००.००	
४.	ट्रयाक्टरद्वारा ढुवानी (तराइमा)							
	क. सजिलो सामान							
	कच्ची (माटो) सडकमा	प्रतिटन प्रतिकिमी	५५.००	५५.००	५५.००	७५.००	७५.००	
	कच्ची (ग्राभेल) सडकमा	प्रतिटन प्रतिकिमी	४५.००	४५.००	४५.००	७०.००	७०.००	
	पक्की (कालोपत्रे) सडकमा	प्रतिटन प्रतिकिमी	३५.००	३५.००	३५.००	५०.००	५०.००	
	ख. असजिलो सामान							
	कच्ची (माटो) सडकमा	प्रतिटन प्रतिकिमी	७३.००	७३.००	७३.००	१००.००	१००.००	
	कच्ची (ग्राभेल) सडकमा	प्रतिटन प्रतिकिमी	७४.००	७४.००	७४.००	९०.००	९०.००	
	पक्की (कालोपत्रे) सडकमा	प्रतिटन प्रतिकिमी	५९.००	५९.००	५९.००	७०.००	७०.००	
५.	ट्रयाक्टर भाडा (काठ ढुवानी प्रयोजन)							
क.	तेल बाहेक	प्रतिदिन	३,०००.००	३,०००.००	३,०००.००	३,५००.००	३,५००.००	
ख.	तेल सहित	प्रतिदिन	५,०००.००	५,०००.००	५,०००.००	७,०००.००	७,०००.००	
६.	ट्रयाक्टरद्वारा ढुवानी पहाडी कच्ची सडक (टक चल्न नसक्ने) मा	प्रतिटन प्रतिकिमी	१२५.००	१२५.००	१२५.००	१५०.००	१५०.००	
७.	ट्रकद्वारा ढुवानी (५० कि.मी. सम्मको लागि)							
क.	पक्की (कालोपत्रे) सडकमा	प्रति टन प्रतिकिमी	२२.००	२२.००	२२.००	३५.००	३५.००	
ख.	कच्ची (ग्राभेल) सडकमा	प्रतिटन प्रतिकिमी	२७.००	२७.००	२७.००	४०.००	४०.००	
	कच्ची (माटो) सडकमा	प्रतिटन प्रतिकिमी	३३.००	३३.००	३३.००	४५.००	४५.००	


Santosh Gaire
 Engineer-NEC (11689 Civil A)



भक्तिराम मगर/सिनी
 प्रमुख प्रशासकीय अधिकृत
बिमला अर्याल
 नगर प्रमुख

२. ढुवानी दर सम्बन्धी

क्र.सं.	विवरण	इकाई	१३% भ्याट वाहेक					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
७.	ट्रकद्वारा ढुवानी (१०कि.मी. भन्दा बढीको लागि)	प्रतिटन प्रतिकिमी	११.००	११.००	११.००	१५.००	१५.००	
८.	लोड र अनलोड (ढुवै)			-	-		-	
	१) सजिलो सामान	प्रति क्वीन्टल	२०.००	२०.००	२०.००	२१.००	२१.००	
	२) असजिलो सामान	प्रति क्वीन्टल	२२.००	२२.००	२२.००	२३.००	२३.००	
	३) अति असजिलो सामान	प्रति क्वीन्टल	३५.००	३५.००	३५.००	४०.००	४०.००	
९.	सामानको तौलाई र चौकाई	प्रति क्वीन्टल	१९.००	१९.००	१९.००	२०.००	२०.००	
१०.	मल खाद लोड अनलोड	प्रति क्वीन्टल	२०.००	२०.००	२०.००	२१.००	२१.००	
११.	औषधि मिसाइएको बीउ लोड अनलोड	प्रति क्वीन्टल	२०.००	२०.००	२०.००	२१.००	२१.००	
१२.	किटनाशक औषधि (धुलो) लोड अनलोड	प्रति क्वीन्टल	२१.००	२१.००	२१.००	२२.००	२२.००	
१३.	मलखाद रिपेरिड तौलाई, सिलाई, चौकाई	प्रति क्वीन्टल	२०.००	२०.००	२०.००	२२.००	२२.००	
१४.	ढलबाट ढकन हटाई निस्केको फोहोर गिलो माटो ट्र्याक्टरबाट ढुवानी गरी बजारबाट बाहिर फाल्ने कार्य	प्रति घ.मी.	४५०.००	४५०.००	४५०.००	६००.००	६००.००	
१५.	हयुमपाइप तथा पिपसरीपोलको ढुवानी भाडा (कारखाना मुल्यको आधारमा)			-	-		-	
क	५० कि. मी. सम्म	प्रतिशत	१३.००	१३.००	१३.००	१५.००	१५.००	
ख	५० देखि ७५ कि. मी. सम्म	प्रतिशत	१६.५०	१६.५०	१६.५०	१८.००	१८.००	
ग	७५ देखि १०० कि. मी. सम्म	प्रतिशत	२०.००	२०.००	२०.००	२२.००	२२.००	
घ	१०१ देखि २०० कि. मी. सम्म	प्रतिशत	२५.००	२५.००	२५.००	२७.००	२७.००	
१६.	ग्याबियन तारजाली ट्रक वा ट्रैक्टरबाट ढुवानी			-	-		-	
	पक्की सडकमा			-	-	५.००	५.००	
	3x1.5x0.75, 3x1x1	प्रतिजाली/कि.मी.	२.६५	२.६५	२.६५	४.००	४.००	
	3x1x0.75, 2x1x1	प्रतिजाली/कि.मी.	२.३५	२.३५	२.३५	४.००	४.००	
	3x1x0.60, 2x1.5x0.50	प्रतिजाली/कि.मी.	१.८५	१.८५	१.८५	२.००	२.००	
	कच्ची सडकमा			-	-		-	
	3x1.5x0.75, 3x1x1	प्रतिजाली/कि.मी.	३.४०	३.४०	३.४०	५.००	५.००	
	3x1x0.75, 2x1x1	प्रतिजाली/कि.मी.	३.१०	३.१०	३.१०	५.००	५.००	
	3x1x0.60, 2x1.5x0.50	प्रतिजाली/कि.मी.	२.६५	२.६५	२.६५	४.००	४.००	
१७	डुंगा बाट समान ढुवानी गर्ने कार्य						-	
	ग्याबियन जाली	प्रति गोटा			५०.००	६०.००	६०.००	
	डुंगा	प्रति घ.मी.			३५०.००	४००.००	४००.००	
	अन्य सामग्री	प्रति किलो			०.५०	०.६०	०.६०	

नोट :

- गाथि उल्लेख नभएका ढुवानीको हकमा प्रचलित कानून बमोजिम हुने छ ।
- निर्माण सामग्रीको ढुवानी सम्बन्धमा नेपाल सरकारले स्वीकृत गरेको नभैस प्रयोग गरी आवश्यकतानुसार ढुवानी भाडा कायम गर्न बाधा पर्ने छैन ।


Santosh Gaire
 Engineer-NEC (1689 Civil A)



भक्तिराम मरासिनी
 प्रमुख प्रशासकीय अधिकृत



बिमला अर्याल
 नगर प्रमुख

३. निर्माणमा प्रयोग हुने निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ छ भ्याट बाहेक					कीफायत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
१	इटा							
क	चिमनी भट्टाको प्रथम श्रेणीको (हुवानी सहित)	हजार	१३००००	१३३०००	१३३०००	१४६३००	१४६३००	
ख	चिमनी भट्टाको द्वितीय श्रेणीको (हुवानी सहित)	हजार	९५००००	९८००००	९८००००	१०७८००	१०७८००	
ग	मोशन मड (चाडीनज इट्टा) (हुवानी सहित)	हजार	१२९०००	१३००००	१३००००	१४३०००	१४३०००	
घ	स्थानीय भट्टाको इटा	हजार	९५००००	९७००००	९७००००	१०६७००	१०६७००	
ङ	राठ इट्टा (हुवानी सहित)	हजार	८७००००	९०००००	९०००००	९९००००	९९००००	
च	इटाको ढुक्का (हुवानी सहित)	घ.मी.	२२००००	२५००००	२५००००	२७५०००	२७५०००	
२	ढुगा							
क	बाल्डर	घ.मी.	२०५०००	२०५०००	२०५०००	२२५०००	२२५०००	
ख	फोस्वा ढुगा	घ.मी.	२३५०००	२३५०००	२३५०००	२५८५००	२५८५००	
३	गिट्टी, ग्रामेल	घ.मी.						
क	ग्रामेल (लोकल) सडकको लागि (आरविएम)	घ.मी.	१२७५००	१५००००	१५००००	१६५०००	१७३०००	
ख	गोला गिट्टी दाउन्ने पुवे (१० देखि ४० मी.मी.)	घ.मी.	१६००००	१६००००	१६००००	१७६०००	१८५०००	
ग	क्रसरको गिट्टी							
ग.१	२० देखि ४० मी. मी.	घ.मी.	१८५०००	१८५०००	१८५०००	२०३५००	२१४०००	
ग.२	१२ देखि २० मी. मी.	घ.मी.	१८७५००	१८७५००	१८७५००	२०६२५०	२१६५००	
ग.३	१० देखि १२ मी. मी.	घ.मी.	१६२५००	१६२५००	१६२५००	१७८७५०	१८७५००	
ग.४	१० मी. मी. भन्दा मुनि (जिरा)	घ.मी.	१३५०००	१३५०००	१३५०००	१४८५००	१५६०००	
घ	ढुगाको धुला हुवानी समेत	घ.मी.	१५००००	१५००००	१५००००	१६५०००	१७३०००	
४	बालुवा/माटो							
क	बालुवा (लोकल खाला)	घ.मी.	११२०००	११२०००	११२०००	१२३०००	१२३०००	
ख	घाएको बालुवा (क्रसरको)	घ.मी.	२२००००	२२००००	२२००००	२४२०००	२४२०००	
ग	पुने माटो	घ.मी.	३०००००	३०००००	३०००००	३३००००	३३००००	
घ	जोडाईको माटो	घ.मी.	३१००००	३१००००	३१००००	३४१०००	३४१०००	
ङ	विरुवा राजको लागि मलिला माटो	घ.मी.	४०००००	४०००००	४०००००	४४००००	४४००००	
५	सिमन्ट							
क	नपाली सिमन्ट (N/S OPC) (50 kg)	बारा	७२५००	७२५००	७२५००	७२५००	७५५००	
ख	सिमन्ट (N/S PPC) (50kg)	बारा	६२०००	६२०००	६२०००	६२०००	६५०००	
ग	भारतीय सिमन्ट (OPC 50kg)	"	७३०००	७३०००	७३०००	७३०००	७२०००	
घ	भारतीय सिमन्ट (PPC 50kg)	"	६७०००	६७०००	६७०००	६७०००	६६०००	
ङ	सता सिमन्ट (40 kg)	"	९७५००	९७५००	९७५००	९७५००	९६५००	
च	कंक्रीट एडमिक्स्चर							
च.१	कंक्रीट एडमिक्स्चर	कं.जी.	३४०००	३४०००	३४०००	३७४००	३७४००	
च.२	प्लाष्टसाइजर	लिट्र	३५५००	३५५००	३५५००	३९०५०	३९०५०	
च.३	एन्ट टरमाइट	लिट्र	८५८०००	८५८०००	८५८०००	९४३८००	९४३८००	
च.४	वाटर रिपिलिङ कम्पाउण्ड	लिट्र	५७५००	५७५००	५७५००	६३२५०	६३२५०	
च.५	क्रयाक रिड्यूसर	कं.जी.	५९०००	५९०००	५९०००	६४९००	६४९००	
च.६	वाटर प्रूफिङ कम्पाउण्ड	लिट्र	२८०००	२८०००	२८०००	३०८००	३०८००	
च.७	सिलिका सिमन्ट एडमिक्स्चर	कं.जी.	३३०००	३३०००	३३०००	३६३००	३६३००	
६	काठ							
क	सालको काठ (चिरान वाला)	घ.मी.	१५०००००	१५०००००	१५०००००	१६५००००	१६५००००	
ख	सिसौ काठ (चिरान वाला) आवादी	"	१०८००००	१०८००००	१०८००००	११८८०००	११८८०००	
ग	अन्य काठ (कुकाठ) चिरान वाला	"	४५३००००	४५३००००	४५३००००	४९८३०००	४९८३०००	
घ	दाउरा	कं.जी.	११५०	११५०	११५०	१२६५	१२६५	
७	सिमन्ट कंक्रीट (आर.सि.सी.)बाट निर्मित (भ्याल, ढोका/ भेल्टीलेसनका फेमहरु (size 4"x2.75" Concrete mix Design- 1:1:1_ proportion & 2 no of 7mmRe-bBar_							
क	भ्याल, ढोका र भेल्टीलेसनका फेमहरु	र.फी.	२२९००	२२९००	२२९००	२४३९०	२४३९०	
ख	भ्याल, ढोका र भेल्टीलेसनका आर्क फेमहरु	र.फी.	४९५००	४९५००	४९५००	४५६५०	४५६५०	
८	छोस्कनी							
८.१	छोस्कनी १०० मि.मि.	गाटा	३३००	३३००	३३००	३६३०	३६३०	
८.२	छोस्कनी १५० मि.मि.	"	४९००	४९००	४९००	४५९०	४५९०	
८.३	छोस्कनी २०० मि.मि.	"	५८००	५८००	५८००	६३८०	६३८०	
८.४	छोस्कनी २२५ मि.मि.	"	६९००	६९००	६९००	७५९०	७५९०	
८.५	छोस्कनी ३००	"	९०००	९०००	९०००	९९००	९९००	
९	कब्जा							
९.१	कब्जा ७५ मि.मि.	गाटा	१२००	१२००	१२००	१३२०	१३२०	


santosh Gaire
 Engineer-NEC (11689 Civil A)


भक्तिराम गैरासिनी
 प्रमुख प्रशासकीय अधिकृत
 बिमला गैराल
 नगर प्रमुख



३. निर्माणमा प्रयोग हुने निसर्ग सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ छ भ्याट बाहेक					कैफियत
			२०७६/७७ को स्वीकृत दर रेट	२०७७/७८ को स्वीकृत दर रेट	२०७८/७९ को स्वीकृत दर रेट	२०७९/८० को स्वीकृत दर रेट	२०८०/८१ को स्वीकृत दर रेट	
८.२	कच्चा १००मि.मि.	"	२२००	२२००	२२००	२४२०	२४२०	
८.३	कच्चा १५०मि.मि.	"	४८००	४८००	४८००	५२८०	५२८०	
१०	होण्डल तथा अन्य			०१००	०१००	०१००	०१००	
१०.१	होण्डल फलाम (मुठ) ८"/१६ मि.मि. मोटा	गांटा	२२००	२२००	२२००	२४२०	२४२०	
१०.२	होण्डल आलुमिनियम ८"/१६ मि.मि. मोटा	"	२५००	२५००	२५००	२९१०	२९१०	
१०.३	होण्डल ठुलो १०"/१६ मि.मि. मोटा	"	१९४००	१९४००	१९४००	२१३४०	२१३४०	
१०.४	होण्डल सानो ८"/१६ मि.मि. मोटा	"	१८४००	१८४००	१८४००	२०२४०	२०२४०	
१०.५	पच (Screw nails)	"	१००	१००	१००	११०	११०	
१०.६	ज हुक	"	२३००	२३००	२३००	२५३०	२५३०	
१०.७	विटामिन वासर	"	२००	२००	२००	२२०	२२०	
१०.८	मोर्टिस लक	"	१२०८००	१२०८००	१२०८००	१३२८००	१३२८००	
१०.९	होल्ड फास्ट	"	१९००	१९००	१९००	२०९०	२०९०	
१०.१०	डार स्प्रिङ फलाम	"	१५८००	१५८००	१५८००	१७३८०	१७३८०	
१०.११	डार स्प्रिङ ब्रास	"	२७८००	२७८००	२७८००	३०५८०	३०५८०	
१०.१२	मस्कुटा नेट (भारतीय, हेभी)	व.मि.	२८४००	२८४००	२८४००	३१२४०	३१२४०	
१०.१३	एक्सपेन्डेड मेटल नेट (हेभी)	"	१७५००	१७५००	१७५००	१९२५०	१९२५०	
१०.१४	चिकन वायर मस	"	१३९००	१३९००	१३९००	१५२९०	१५२९०	
१०.१५	नेट वाल्ट वासर सहित	क.जी.	१६८००	१६८००	१६८००	१८४८०	१८४८०	
११	१" स्ववायर पाइप रेलिङ बनाई त्यसमा साल वा सिसो काठको हेण्डरेल राखी जडान गर्ने कार्य	व.मी.	२३९०१००	२३९०१००	२३९०१००	२५४९१००	२५४९१००	
१२	एना पारदर्शक			०१००	०१००	०१००	०१००	
	३ मि.मि.	व.मि.	८२४००	८२४००	८२४००	९०६४०	९०६४०	
	४ मि.मि.	व.मि.	९३५००	९३५००	९३५००	१०२८५०	१०२८५०	
	५ मि.मि.	व.मि.	१३२३००	१३२३००	१३२३००	१४५५३०	१४५५३०	
१३	एना अपारदर्शक			०१००	०१००	०१००	०१००	
	३ मि.मि.	व.मि.	७९४००	७९४००	७९४००	८८५४०	८८५४०	
	४ मि.मि.	व.मि.	१०६६१००	१०६६१००	१०६६१००	११७२६०	११७२६०	
१३.१	एना कालो			०१००	०१००	०१००	०१००	
	४ मि.मि.	व.मि.	१०२४००	१०२४००	१०२४००	११२४४०	११२४४०	
१४क	प्लाइउड			०१००	०१००	०१००	०१००	
	३ मि.मि.	व.मि.	३९५००	३९५००	३९५००	४४६५०	४४६५०	
	४ मि.मि.	व.मि.	३६८००	३६८००	३६८००	४०४८०	४०४८०	
	६ मि.मि.	व.मि.	३९४००	३९४००	३९४००	४३३४०	४३३४०	
	८ मि.मि.	व.मि.	४७३००	४७३००	४७३००	५२०३०	५२०३०	
	१० मि.मि. (शिखर वा सो भन्दा माथो)	व.मि.	९९२००	९९२००	९९२००	१०९१२०	१०९१२०	
	१२ मि.मि.	व.मि.	१०९७००	१०९७००	१०९७००	१२०६७०	१२०६७०	
	१८ मि.मि.	व.मि.	१५७५००	१५७५००	१५७५००	१७३२५०	१७३२५०	
१४ख	टिक प्लाइ उड			०१००	०१००	०१००	०१००	
	३ मि.मि.	व.मि.	२४२००	२४२००	२४२००	२६६२०	२६६२०	
	४ मि.मि.	व.मि.	३५२००	३५२००	३५२००	३८७२०	३८७२०	
	६ मि.मि.	व.मि.	९०८००	९०८००	९०८००	९९८८०	९९८८०	
	१२ मि.मि.को वाटरपूफ (शिखर)	व.मि.	१३०२००	१३०२००	१३०२००	१४३२२०	१४३२२०	
	३२ मि.मि.को वाटरपूफ (शिखर) खापाको लागि	व.मि.	२७७२००	२७७२००	२७७२००	३०४९२०	३०४९२०	
	३२ मि.मि.को वाटरपूफ(शिखर) खापाको लागि टिक सहित	व.मि.	३०९८००	३०९८००	३०९८००	३४०७८०	३४०७८०	
१५	सिमन्ट ब्लक			०१००	०१००	०१००	०१००	
क	हाला सिमन्ट ब्लक ८"x८"x१६"	गांटा	५१००	५१००	५१००	५६१०	५६१०	
ख	हाला सिमन्ट ब्लक ४"x८"x१६"	गांटा	३८००	३८००	३८००	४१८०	४१८०	
ग	हाला सिमन्ट ब्लक ६"x८"x१६"	गांटा	४५००	४५००	४५००	४९५०	४९५०	
घ	हाला सिमन्ट ब्लक ५"x८"x१२"	गांटा	२८००	२८००	२८००	३०८०	३०८०	
ङ	हाला सिमन्ट ब्लक ४"x६"x१२"	गांटा	१७००	१७००	१७००	१८७०	१८७०	
च	इन्टरलाक ब्लक(फलोरीडको लागि)			०१००	०१००	०१००	०१००	
च.१	आकारको सादा (६"x८"x८०मि.मि.)	गांटा	२२००	२२००	२२००	२४२०	२४२०	
च.२	आकारको कलर (६"x८"x८०मि.मि.)	गांटा	२५००	२५००	२५००	२७८०	२७८०	
च.३	आकारको सादा (६"x८"x६०मि.मि.)	गांटा	१९००	२०००	२१००	२३१०	२३१०	
च.४	आकारको कलर (६"x८"x६०मि.मि.)	गांटा	२१००	२२००	२३००	२५३०	२५३०	
च.५	गोला आकारको सादा (८"x८"x८०मि.मि.)	गांटा	२४००	२५००	२६००	२८६०	२८६०	
च.६	गोला आकारको कलर (८"x८"x८०मि.मि.)	गांटा	२६००	२७००	२८००	३०८०	३०८०	
च.७	गोला आकारको सादा (८"x८"x६०मि.मि.)	गांटा	२०००	२१००	२२००	२४२०	२४२०	
च.८	गोला आकारको कलर (८"x८"x६०मि.मि.)	गांटा	२२००	२३००	२४००	२६४०	२६४०	

santosh Gaire
Engineer-NEC (11689 Civil E)

महोदय प्रशासकीय अधिकृत

सिगिला प्रमुख



३. निर्माणमा प्रयोग हुने सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ छ भ्याट बाहेक					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
छ	सिमन्ट ब्लक १०"x४"x६०सा.मा.	गाटा	१३१००	१४१००	१४१००	१६१००	१६१००	
ज	सिमन्ट ब्लक १०"x४"x८०सा.मा.	गाटा	२०१००	२११००	२११००	२४१२०	२४१२०	
झ	सिमन्टको टायल सादा (प्लार) १०"x१०"x२५सा.मा.	गाटा	२६१००	२७०००	२८०००	३०१८०	३०१८०	
ञ	सिमन्टको टायल कलर १०"x१०"x२५सा.मा.	गाटा	२९१००	३०१००	३११००	३४१९०	३४१९०	
१६	सिमन्ट प्रिकास्ट जाली			०१००	०१००	०१००	०१००	
क	२' x २'	गाटा	२७६१००	२७६१००	२७६१००	३०३६०	३०३६०	
ख	२' x १ १/२'	गाटा	१९३१००	१९३१००	१९३१००	२१२३३०	२१२३३०	
ग	२' x १'	गाटा	१६६१००	१६६१००	१६६१००	१८२६६०	१८२६६०	
घ	१ १/२' x १'	गाटा	१३८१००	१३८१००	१३८१००	१५११८०	१५११८०	
ङ	१' x १'	गाटा	८९१००	८९१००	८९१००	९७१९०	९७१९०	
१७	Readymade teak wood doors (Seasoned and poison treated), (excluding the cost of fitting, transportation and painting)							
क	Readymade door shutter Recon. Ordinary (1 side teak)	व.फि.	२००१००	२००१००	२२५१००	२४४५०	२४४५०	
ख	Readymade door shutter Recon. Special (1 side teak)	व.फि.	२७५१००	२७५१००	३००१००	३३०१००	३३०१००	
१८	If One side waterproof ply fitting							
क	Readymade door shutter Recon. Ordinary (1 side teak)	व.फि.	२२५१००	२२५१००	२५०१००	२७५१००	२७५१००	
ख	Readymade door shutter Recon. Special (1 side teak)	व.फि.	३००१००	३००१००	३५०१००	३८५१००	३८५१००	
१९	Aluminium Windows/ Door Partaitaiton							
१९.०१	Aluminium sliding window without Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size->30sf)	व.फि.	५९०१००	५९०१००	५९०१००	५६९१००	५९०१००	
१९.०२	Aluminium sliding window with fixed Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size->30sf)	व.फि.	५३५१००	५३५१००	५३५१००	५८८१५०	६१५१००	
१९.०३	Aluminium sliding window with sliding Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size->30sf)	व.फि.	४३०१००	४३०१००	४३०१००	४७३१००	५२०१००	
१९.०४	Aluminium sliding window without Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size->30sf)	व.फि.	४८५१००	४८५१००	४८५१००	५३३१५०	५६०१००	
१९.०५	Aluminium sliding window with fixed Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size->30sf)	व.फि.	५९०१००	५९०१००	५९०१००	५६९१००	५९०१००	
१९.०६	Aluminium sliding window with sliding Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size->30sf)	व.फि.	५८५१००	५८५१००	५८५१००	६४३१५०	६४५१००	
१९.०७	Aluminium Swing door with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm thick clear glass including materials, labour, fixing & fittings all complete (size->21sf)	व.फि.	५३५१००	५३५१००	५३५१००	५८८१५०	६१५१००	
१९.०८	Aluminium ventilation louver with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm thick clear glass including materials, labour, fixing & fittings all complete	व.फि.	६६५१००	६६५१००	६६५१००	७३९१५०	७०५१००	
१९.०९	Aluminium Partation aluminium (section 62mm x38mmx1.5mm)with 5mm thick clear glass with water proof sheet including materials, labour, fixing & fittings all complete	व.फि.	३७०१००	३७०१००	३७०१००	४०७१००	४००१००	
१९.१०	Aluminium sliding window without Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.2mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size->30sf)	व.फि.					४९६१४६	
१९.११	Aluminium sliding window with fixed Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.2mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size->30sf)	व.फि.					५२०१८०	
१९.१२	Aluminium sliding window with sliding Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.2mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size->30sf)	व.फि.					४९८१५८	
१९.१३	Aluminium sliding window without Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.2mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size->30sf)	व.फि.					४७२१२२	

Santosh Gaire
Engineer-NEC (11689) Civil

प्रमुख प्रशासकीय अधिकृत
नगर प्रमुख



३. निर्माणमा प्रयोग हुने निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ व्ष भ्याट बाहेक					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
१९.१४	Aluminium sliding window with fixed Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.2mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size-<30sf)	व.फि.					४९६।४६	
१९.१५	Aluminium sliding window with sliding Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.2mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size-<30sf)	व.फि.					५६९।४७	
१९.१६	Aluminium Swing door with naturally anodized aluminium (section 101.6mm x44mmx1.2mm) with 5mm thick clear glass including materials, labour, fixing & fittings all complete (size->21sf)	व.फि.					५२०।८०	
१९.१७	Aluminium ventilation louver with naturally anodized aluminium (section 101.6mm x44mmx1.2mm) with 5mm thick clear glass including materials, labour, fixing & fittings all complete	व.फि.					६४७।३५	
१९.१८	Aluminium Partation aluminium (section 62mm x38mmx1.2mm)with 5mm thick clear glass with water proof sheet including materials, labour, fixing & fittings all complete	व.फि.					३६०।१८	
२०	UPVC Door/Window							
क	UPVC Sliding window frame (88x52mm) sliding window sash (57x42mm) with net frame size(25mmx50mm) all complete inside 1.2mm. Galvanized steel for reinforcement, 5 mm clear glass(white colour) including the cost of material, labour, fixing & fitting all Complete.	व.फि.	४५०।००	४५०।००	६००।००	६६०।००	६६०।००	
ख	UPVC Door frame (60x58mm) door sash (104x60mm)panel, inside 1.2mm galvanized steel used for reinforcement, 5 mm clear glass (white colour) including the cost of material, labour, fixing & fitting all Complete.	व.फि.	४५०।००	४५०।००	६००।००	६६०।००	६६०।००	
ग	UPVC fixed ventilation frame (60x58mm), inside 1.2mm galvanized steel used for reinforcement, 5 mm clear glass (white colour) including the cost of material, labour, fixing & fitting all Complete.	व.फि.	४२५।००	४२५।००	६००।००	६६०।००	६६०।००	
घ	UPVC Door frame (60x58mm), sash (104x60mm)(special, door pannel 18*200mm, inside 1.2 mm galvanized steel for reinforcement, 5 mm clear glass (white colour) including the cost of material, labour, fixing & fitting all Complete.	व.फि.	५२५।००	५२५।००	७००।००	७७०।००	७७०।००	
२१	Stainless/Stainless steel railing			०।००	०।००	०।००	०।००	
क	Stainless steel pipe 1"ø	र.फि.	१४९।००	१४९।००	१४९।००	१७१।३५	१७१।३५	
ख	Stainless steel pipe 1.5"ø	र.फि.	१७६।००	१७६।००	१७६।००	२०२।४०	२०२।४०	
ग	Stainless steel pipe 2"ø	र.फि.	२३१।००	२३१।००	२३१।००	२६५।६५	२६५।६५	
घ	Stainless steel railing with 2"ø top, 1.5"ø middle & buttam pipe in 4 rows, 2"ø post @ 1mtr. c/c finish clear height including the cost of materials, labor & fixing & fitting all complete	र.फि.	१३७५।००	१३७५।००	१४००।००	१६१०।००	१६१०।००	
ङ	Stainless steel railing with 2"ø top, 1"ø middle & buttam pipe in 4 rows, 2"ø post @ 1mtr. c/c finish clear height including the cost of materials, labor & fixing & fitting all complete	र.फि.	१२६५।००	१२६५।००	१३००।००	१४९५।००	१४९५।००	
च	Stainless steel railing with 2"ø top, 1"ø middle & buttam pipe in 3 rows, 2"ø post @ 1mtr. c/c finish clear height including the cost of materials, labor & fixing & fitting all complete	र.फि.	१०८९।००	१०८९।००	११००।००	१२६५।००	१२६५।००	
छ	Stainless steel railing with 1.5"ø top, 1"ø middle & buttam pipe in 2 rows, 1.5"ø post @ 1mtr. c/c finish clear height including the cost of materials, labor & fixing & fitting all complete	र.फि.	९१९।००	९१९।००	१०००।००	११५०।००	११५०।००	
ज	Steel Tube for Railing work	के.जी.	३१९।००	३१९।००	३२०।००	४०२।५०	४०२।५०	
२२	जिप्सम बोर्ड			०।००	०।००	०।००	०।००	
क	५ मी.मी. जिप्सम बोर्ड (वाटर प्रूफ)	व.फि.	९८।००	९८।००	९८।००	१०७।८०	१०७।८०	
ख	१० मी.मी. जिप्सम बोर्ड (वाटर प्रूफ नभएको)	व.फि.	५१।००	५१।००	५१।००	५६।१०	५६।१०	
२३	Aero-lite AAC Block							
	Size 600*200*100 mm	गोटा					१४४।००	
	Size 600*200*150 mm	गोटा					२१६।००	
	Size 600*200*200 mm	गोटा					२८८।००	
२४	UPVC Roofing							
	3mm Thick composition carbon fiber UPVC Roofing Sheet (Weight 5.5 to 6kg/sqm) with PMMA coating and glass fiber mesh (Regular Profile)	SQFT					१३८।००	

Santosh Gaire
Engineer-NEC(1689 Civil A)

मातिराम बरसिनी
प्रमुख प्रशासकीय अधिकारी
बिमला अर्याल
नगर प्रमुख

३. निर्माणमा प्रयोग हुने निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ छ भ्याट बाहेक					कैफियत
			आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	आ.व. २०७९/८० को स्वीकृत दर रेट	आ.व. २०८०/८१ को स्वीकृत दर रेट	
	3mm Thick composition carbon fiber UPVC Roofing Sheet (Weight 5.5 to 6kg/sqm) with PMMA coating and glass fiber mesh (Tile Profile)	SQFT					१४३००	
	3mm thick Composition carbon fiber UPVC Ridge Cover sheet (Regular Profile)	R.Ft					३८१००	
	3mm thick Composition carbon fiber UPVC Ridge Cover sheet (TileProfile)	R.Ft					४०१००	
२५	Fiber Door							
	Fiber Single Simple Panel	SQFT					७०८००	
	Fiber Double Simply Designed Panel	SQFT					७९६००	
	Fiber Double Designed Panel	SQFT					११९५००	
	28mm fiber lamination Board	SQFT					३१०००	

Santos Gaire
Engineer-NEC (1689 Civil &)

भक्तिराम मराम
प्रमुख प्रशासकीय अधिकृत

बिमला अर्याल
नगर प्रमुख



४. फलामजन्य निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % भ्याट बाहेक					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
१	फलाम							
१.१	विभिन्न साइजको फलाम डपडी (Fe 500) (एन.एस.चिन्ह प्राप्त)							
	८, २८ र ३२ मी.मी.	के.जी.	७८१००	७८१००	८०१००	९६१००	९६१००	
	१० देखि २० मी.मी.	के.जी.	७६१००	७६१००	८०१००	९६१००	९६१००	
	२५ मी.मी.	के.जी.	७७१००	७७१००	८०१००	९६१००	९६१००	
	४.७५ देखि ७ मी.मी. Dia (इकोबार)	के.जी.	७०१००	७०१००	८११००	९७२०	९७२०	
१.२	वाइन्डिङ वायर	के.जी.	९०१००	९०१००	९०१००	१०८१००	१०८१००	
१.४	कांडे तार	के.जी.						
	क कांडे तार १२ गेज (हेभि कोटेड) NS168	के.जी.	९५१००	९५१००	९५१००	११४१००	११४१००	
	ख कांडे तार १४ गेज (हेभि कोटेड) NS168	के.जी.	९३१००	९३१००	९३१००	११११६०	११११६०	
१.५	विभिन्न साइजको किल्ला काटी	के.जी.	११५१००	११५१००	११५१००	१३८१००	१३८१००	
१.६	फलाम ग्रील/गेट/सटर आदि							
	क कोल्याप्सिबल गेट (जडान र पन्ट समेत)	के.जी.	१२०१००	१२०१००	१२५१००	१५०१००	१५०१००	
	ख रोलिङ सटर (जडान र पन्ट समेत)	व.मि.	३२५०१००	३२५०१००	३४००१००	४०८०१००	४०८०१००	
	ग फलाम गेट (जडान र पन्ट समेत)	के.जी.	१३५१००	१३५१००	१४५१००	१७४१००	१७४१००	
	घ स्क्वायर पाइप गेट/रोलिङ जडान र पन्ट समेत	के.जी.	१४०१००	१४०१००	१४५१००	१७४१००	१७४१००	
	ङ एमएस व्याक पाइपको तयारी ट्युबलर टुस	के.जी.	१३५१००	१३५१००	१४५१००	१७४१००	१७४१००	
	च फलाम ग्रील जडान समेत पाताको	के.जी.	११०१००	११०१००	११५१००	१३८१००	१३८१००	
	छ फलाम ग्रील जडान समेत स्क्वायर रडको	के.जी.	११४१००	११४१००	१२०१००	१४४१००	१४४१००	
	ज विभिन्न साइजको एम.एस.एड्ल, एम.एस.च्यानल वेल्डीङसमेत	"	१०७१००	१०७१००	११०१००	१३४१००	१३४१००	
	झ विभिन्न साइजको एम.एस. सीट	के.जी.	९५१००	९५१००	१००१००	१२०१००	१२०१००	
१.७	जि. आई. वायर (ग्यावियन, विभिन्न गेज ८, १०)							
	क हेभी कोटेड	के.जी.	१०४१००	१०४१००	१०४१००	१२४१८०	१२४१८०	
	ख मिडियम कोटेड	"	१०११००	१०११००	१०११००	१२११२०	१२११२०	
	ग कमासियल	"	९५१००	९५१००	९५१००	११४१००	११४१००	
१.८	जि. आई. वायर (ग्यावियन, १२ गेज)							
	क हेभी कोटेड	के.जी.	१०४१००	१०४१००	१०४१००	१२४१८०	१२४१८०	
	ख मिडियम कोटेड	"	१००१००	१००१००	१००१००	१२०१००	१२०१००	
	ग कमासियल	"	९५१००	९५१००	९५१००	११४१००	११४१००	
२	Machinemade Ready Made Gabion Boxes (Factory Price)							
२.१	एन.एस.१६३/१६९ अनुसारको हेवि जिङ्ग कोटेड जि.आई. मेस तार ३.० मि.मि., सेलभेज तार ३.९० मि.मि., लेसिङ्ग तार २.४० मि.मि. प्रयोग गरी डबल टिक्स्टेड हेक्सागनल मेस साइज १००x१२० मि.मि. को मेसिनबाट बनेको ग्यावियन बक्स(डबानी बाहेकको एक्स फेक्ट्री मल्य)							
२.१.१	बक्स साइज १.५x१x०.५	प्रति बक्सा	१७११००	१५५१००	१५५१००	१७९०१५	१७९०१५	
२.१.२	बक्स साइज २x१x०.५ (एक डायफ्राम समेत)	प्रति बक्सा	२३२९१००	२११८१००	२११८१००	२४३५१००	२४३५१००	
२.१.३	बक्स साइज ३x१x०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	३३२५१००	३०२३१००	३०२३१००	३४७६१५	३४७६१५	
२.१.४	बक्स साइज ४x१x०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	४१९८१००	३८१७१००	३८१७१००	४३८९१५	४३८९१५	
२.१.५	बक्स साइज १.५x१x१	प्रति बक्सा	२४८९१००	२२६३१००	२२६३१००	२६०२१५	२६०२१५	
२.१.६	बक्स साइज २x१x१ (एक डायफ्राम समेत)	प्रति बक्सा	३००८१००	३००८१००	३००८१००	३४५९१२०	३४५९१२०	
२.१.७	बक्स साइज ३x१x१ (दुई डायफ्राम समेत)	प्रति बक्सा	४६९५१००	४२६९१००	४२६९१००	४९०९१३५	४९०९१३५	
२.१.८	बक्स साइज ४x१x१ (तीन डायफ्राम समेत)	प्रति बक्सा	६०४६१००	५४९७१००	५४९७१००	६३२९१५	६३२९१५	
२.१.९	बक्स साइज ३x२x०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	६१८४१००	५६२२१००	५६२२१००	६४६५१३०	६४६५१३०	
२.१.१०	बक्स साइज ४x२x०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	७८३४१००	७१२२१००	७१२२१००	८१९०१३०	८१९०१३०	
२.१.११	बक्स साइज ५x२x०.५ (चार डायफ्राम समेत)	प्रति बक्सा	९६९६१००	८८१५१००	८८१५१००	१०१३७२५	१०१३७२५	
२.१.१२	बक्स साइज ३x२x१ (दुई डायफ्राम समेत)	प्रति बक्सा	८५०७१००	७७३४१००	७७३४१००	८८९४१०	८८९४१०	
२.१.१३	बक्स साइज ४x२x१ (तीन डायफ्राम समेत)	प्रति बक्सा	१०७०३१००	९७३०१००	९७३०१००	१११८१५०	१११८१५०	
२.१.१४	बक्स साइज ३x१.५x०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	४८८५१००	४४४११००	४४४११००	५१०७१५	५१०७१५	

Santosh Jaire
Engineer-NEC (11689 Civil)

महिराम नारायणी
प्रमुख प्रशासकीय अधिकृत
बिजुला अर्याल
नगर प्रमुख



४. फलामजन्य निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % भ्याट बाहेक					कैफियत
			आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	आ.व. २०७९/८० को स्वीकृत दर रेट	आ.व. २०८०/८१ को स्वीकृत दर रेट	
२.१.१५	बक्स साईज ४X१.५X०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	६१८४।००	५६२२।००	५६२२।००	६४६५।३०	६४६५।३०	
२.१.१६	बक्स साईज ५X१.५X०.५ (चार डायफ्राम समेत)	प्रति बक्सा	७६६५।००	६९६९।००	६९६९।००	८०१४।३५	८०१४।३५	
२.१.१७	बक्स साईज ३X१.५X१ (दुई डायफ्राम समेत)	प्रति बक्सा	५७९८।००	६२५४।००	६२५४।००	७१९२।१०	७१९२।१०	
२.१.१८	बक्स साईज ४X१.५X१ (तीन डायफ्राम समेत)	प्रति बक्सा	८६७१।००	७८८३।००	७८८३।००	९०६५।४५	९०६५।४५	
२.१.१९	बक्स साईज ५X१.५X१ (चार डायफ्राम समेत)	प्रति बक्सा	१०७२१।००	९७४७।००	९७४७।००	११२०९।०५	११२०९।०५	
२.२	एन.एस.१६३/१६९ अनुसारको हेवि जिङ्ग कोटेड जि.आई. मेस तार २.७० मि.मि., सेलभेज तार ३.४० मि.मि., लेसिङ्ग तार २.२० मि.मि. प्रयोग गरी डबल टिबस्टेड हेक्सागनल मेस साइज १००X१२० मि.मि. को मेसिनबाट बनेको ग्याबियन बक्स (ढुवानी बाहेकको एक्स फेक्ट्री मल्य)							
२.२.१	बक्स साईज १.५X१X०.५	प्रति बक्सा	१५१९।००	१३८१।००	१३८१।००	१५८८।१५	१५८८।१५	
२.२.२	बक्स साईज २X१X०.५ (एक डायफ्राम समेत)	प्रति बक्सा	२०७१।००	१८८३।००	१८८३।००	२१६५।४५	२१६५।४५	
२.२.३	बक्स साईज ३X१X०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	२९७३।००	२७०३।००	२७०३।००	३१०८।४५	३१०८।४५	
२.२.४	बक्स साईज ४X१X०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	३९२१।००	३४११।००	३४११।००	३९२२।६५	३९२२।६५	
२.२.५	बक्स साईज १.५X१X१	प्रति बक्सा	२२०८।००	२००८।००	२००८।००	२३०९।२०	२३०९।२०	
२.२.६	बक्स साईज २X१X१ (एक डायफ्राम समेत)	प्रति बक्सा	२९७३।००	२७०३।००	२७०३।००	३१०८।४५	३१०८।४५	
२.२.७	बक्स साईज ३X१X१ (दुई डायफ्राम समेत)	प्रति बक्सा	४१९९।००	३८१८।००	३८१८।००	४३९०।७०	४३९०।७०	
२.२.८	बक्स साईज ४X१X१ (तीन डायफ्राम समेत)	प्रति बक्सा	५२८७।००	४८०७।००	४८०७।००	५५२८।०५	५५२८।०५	
२.२.९	बक्स साईज ३X२X०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	५४८५।००	४९८७।००	४९८७।००	५७३५।०५	५७३५।०५	
२.२.१०	बक्स साईज ४X२X०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	६९०३।००	६२७६।००	६२७६।००	७२१७।४०	७२१७।४०	
२.२.११	बक्स साईज ५X२X०.५ (चार डायफ्राम समेत)	प्रति बक्सा	८५५९।००	७७८१।००	७७८१।००	८९४८।१५	८९४८।१५	
२.२.१२	बक्स साईज ३X२X१ (दुई डायफ्राम समेत)	प्रति बक्सा	७१७८।००	६५२६।००	६५२६।००	७४०४।९०	७४०४।९०	
२.२.१३	बक्स साईज ४X२X१ (तीन डायफ्राम समेत)	प्रति बक्सा	९३८७।००	८५३४।००	८५३४।००	९८१४।१०	९८१४।१०	
२.२.१४	बक्स साईज ३X१.५X०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	४१४१।००	३७६५।००	३७६५।००	४३२९।७५	४३२९।७५	
२.२.१५	बक्स साईज ४X१.५X०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	५४५२।००	४९५४।००	४९५४।००	५७००।५५	५७००।५५	
२.२.१६	बक्स साईज ५X१.५X०.५ (चार डायफ्राम समेत)	प्रति बक्सा	६७६५।००	६१५०।००	६१५०।००	७०७२।५०	७०७२।५०	
२.२.१७	बक्स साईज ३X१.५X१ (दुई डायफ्राम समेत)	प्रति बक्सा	५७९८।००	५२७१।००	५२७१।००	६०६१।६५	६०६१।६५	
२.२.१८	बक्स साईज ४X१.५X१ (तीन डायफ्राम समेत)	प्रति बक्सा	७९९३।००	६९०३।००	६९०३।००	७९३८।४५	७९३८।४५	
२.२.१९	बक्स साईज ५X१.५X१ (चार डायफ्राम समेत)	प्रति बक्सा	९३८७।००	८५३४।००	८५३४।००	९८१४।१०	९८१४।१०	
२.३	एन.एस.१६३/१६९ अनुसारको हेवि जिङ्ग कोटेड जि.आई. मेस तार २.७०(ID)/३.७(OD) मि.मि., सेलभेज तार ३.४०(ID)/४.४(OD) मि.मि., लेसिङ्ग तार २.२०(ID)/३.२(OD) मि.मि. प्रयोग गरी डबल टिबस्टेड हेक्सागनल मेस साइज १००X१२० मि.मि. को मेसिनबाट बनेको ग्याबियन बक्स (पिभिसी कोटिंग सहित) (ढुवानी बाहेकको एक्स फेक्ट्री मल्य)							
२.२.१	बक्स साईज १.५X१X०.५	प्रति बक्सा	१८८२।००	१६६२।००	१६६२।००	१९११।३०	१९११।३०	
२.२.२	बक्स साईज २X१X०.५ (एक डायफ्राम समेत)	प्रति बक्सा	२४९२।००	२२६६।००	२२६६।००	२६०५।९०	२६०५।९०	
२.२.३	बक्स साईज ३X१X०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	३६५५।००	३३२३।००	३३२३।००	३८२१।४५	३८२१।४५	
२.२.४	बक्स साईज ४X१X०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	४८१८।००	४३८०।००	४३८०।००	५०३७।००	५०३७।००	
२.२.५	बक्स साईज १.५X१X१	प्रति बक्सा	२६५८।००	२४१७।००	२४१७।००	२७७९।५५	२७७९।५५	
२.२.६	बक्स साईज २X१X१ (एक डायफ्राम समेत)	प्रति बक्सा	३६५५।००	३३२३।००	३३२३।००	३८२१।४५	३८२१।४५	
२.२.७	बक्स साईज ३X१X१ (दुई डायफ्राम समेत)	प्रति बक्सा	५५१७।००	४८३४।००	४८३४।००	५५५९।१०	५५५९।१०	
२.२.८	बक्स साईज ४X१X१ (तीन डायफ्राम समेत)	प्रति बक्सा	६९७८।००	६३४४।००	६३४४।००	७२९५।६०	७२९५।६०	
२.२.९	बक्स साईज ३X२X०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	६३१४।००	५७४०।००	५७४०।००	६६०१।००	६६०१।००	

Santosh Gaire
 Engineer-NEC (11689 Civil & E)

प्रमुख प्रशासकीय अधिकृत

बिर्ज प्रसाद
 नगर प्रमुख

४. फलामजन्य निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % म्याट बाहेक					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
२.२.१०	बक्स साईज ४X२X०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	८३०८१००	७५५३१००	७५५३१००	८६८५१९५	८६८५१९५	
२.२.११	बक्स साईज ५X२X०.५ (चार डायफ्राम समेत)	प्रति बक्सा	१०३०२१००	९३६५१००	९३६५१००	१०७६९१७५	१०७६९१७५	
२.२.१२	बक्स साईज ३X२X१ (दुई डायफ्राम समेत)	प्रति बक्सा	८६४०१००	७८५५१००	७८५५१००	९०३३१२५	९०३३१२५	
२.२.१३	बक्स साईज ४X२X१ (तीन डायफ्राम समेत)	प्रति बक्सा	११२९८१००	१०२७१००	१०२७१००	११८११६५	११८११६५	
२.२.१४	बक्स साईज ३X१.५X०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	४९८५१००	४५३३१००	४५३३१००	५२११८०	५२११८०	
२.२.१५	बक्स साईज ४X१.५X०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	६५६३१००	५९६७१००	५९६७१००	६८६२१०५	६८६२१०५	
२.२.१६	बक्स साईज ५X१.५X०.५ (चार डायफ्राम समेत)	प्रति बक्सा	८१४११००	७४०११००	७४०११००	८५१११५	८५१११५	
२.२.१७	बक्स साईज ३X१.५X१ (दुई डायफ्राम समेत)	प्रति बक्सा	९९७८१००	९३४४१००	९३४४१००	७२९५६०	७२९५६०	
२.२.१८	बक्स साईज ४X१.५X१ (तीन डायफ्राम समेत)	प्रति बक्सा	९९३८१००	८३०८१००	८३०८१००	९५५४१२०	९५५४१२०	
२.२.१९	बक्स साईज ५X१.५X१ (चार डायफ्राम समेत)	प्रति बक्सा	११२९८१००	१०२७१००	१०२७१००	११८११६५	११८११६५	
२.४	Sack Gabions/Cylindrical Gabions		११२९८१००	१०२७१००	१०२७१००	११८११६५	११८११६५	
२.४.१	एन.एस.१६३/१६९ अनुसारको हेवि जिङ्ग कोटेड जि.आई. मेस तार ३.० मि.मि., सेलभेज तार ३.९० मि.मि., लेसिङ्ग तार २.४० मि.मि. प्रयोग गरी डबल ट्विस्टेड हेक्सागनल मेस साइज १००x१२० मि.मि. को मेसिनबाट बुनेको ग्याबियन बक्स(ढुवानी बाहेकको एक्स फेक्ट्री मूल्य							
	1.5m*0.74m (0.74m dia)	प्रति बक्सा	१७९३१००	१६३०१००	१६३०१००	१८७४१५०	१८७४१५०	
२.४.२	एन.एस.१६३/१६९ अनुसारको हेवि जिङ्ग कोटेड जि.आई. मेस तार २.७० मि.मि., सेलभेज तार ३.४० मि.मि., लेसिङ्ग तार २.२० मि.मि. प्रयोग गरी डबल ट्विस्टेड हेक्सागनल मेस साइज १००x१२० मि.मि. को मेसिनबाट बुनेको ग्याबियन बक्स(ढुवानी बाहेकको एक्स फेक्ट्री मूल्य							
	1.5m*0.74m (0.74m dia)	प्रति बक्सा	१५१११००	१३७४१००	१३७४१००	१५८०१०	१५८०१०	
२.४.३	एन.एस.१६३/१६९ अनुसारको हेवि जिङ्ग कोटेड जि.आई. मेस तार २.७०(ID)/३.७(OD) मि.मि., सेलभेज तार ३.४०(ID)/४.४(OD) मि.मि., लेसिङ्ग तार २.२०(ID)/३.२(OD) मि.मि. प्रयोग गरी डबल ट्विस्टेड हेक्सागनल मेस साइज १००x१२० मि.मि. को मेसिनबाट बुनेको ग्याबियन बक्स (पिभिसी कोटिंग सहित) (ढुवानी बाहेकको एक्स फेक्ट्री मूल्य)							
	1.5m*0.74m (0.74m dia)	प्रति बक्सा	१९१४१००	१७४०१००	१७४०१००	२००११००	२००११००	
२.३.१३	तारजाली	व.मी	२४५१००	२४५१००	२४५१००	२८११७५	२८११७५	
२.३.१४	Heavy Coated Gabion Wire chain link (fencing) With:							
	Mesh size 1"x1" 12 gauge	SQM					६१८१००	
	Mesh size 2"x2" 10 gauge	SQM					४६३१००	
	Mesh size 3"x3" 10 gauge	SQM					३७४१००	
३	सि.जि.आई. सिट (सादा)							
	२४ गज हेभी ०.५२ एम.एम.	बण्डल					११३५८१००	
	०.५० एम.एम.	बण्डल					१०६७४१००	
	०.४६ एम.एम.	बण्डल					९७९१००	
	०.४१ एम.एम.	बण्डल					८९१०१००	
	०.३८ एम.एम.	बण्डल					८१२६१००	
	०.३५ एम.एम.	बण्डल					७७८११००	
	०.३१ एम.एम.	बण्डल					७०२११००	
	०.२८ एम.एम.	बण्डल					६४०३१००	
	०.२६ एम.एम.	बण्डल					६०२९१००	
	०.२४ एम.एम.	बण्डल					५७८६१००	
	०.२२ एम.एम.	बण्डल					५३६४१००	

santosh Gaire
Engineer-NEC (1689 Civil A)

महिराम मरासिनी
प्रमुख प्रशासकीय अधिकारी
नगर प्रमुख

४. फलामजन्य निर्माण सामग्री



क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % भ्याट बाहेक					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
	सि.जि.आई. सिट (रङ्गीन)							
	२४ गज हेभी ०.५२ एम.एम.	बण्डल					१३६२७००	
	०.५० एम.एम.	बण्डल					१३१८७००	
	०.४६ एम.एम.	बण्डल					१२२५२००	
	०.४१ एम.एम.	बण्डल					११३१६१००	
	०.३५ एम.एम.	बण्डल					९९५५१००	
	०.३१ एम.एम.	बण्डल					९०१७००	
	०.२६ एम.एम.	बण्डल					७९३५१००	
	०.२४ एम.एम.	बण्डल					७५३८१००	
	H-Span Galvalum Sheet							
	0.55 mm (105kg/bundle)	बण्डल					२१९८०१००	
	0.46 mm (89kg/bundle)	बण्डल					१८५३०१००	
४	छानाछाउने स्पाण्डविच प्यानल							
	३० मिमि प्यानल	व.फि.	१९९११२	१९९११२	१९९११२	२२८१९८	२२८१९८	
	४० मिमि प्यानल	व.फि.	१९९११२	१९९११२	१९९११२	२२८१९८	२२८१९८	
	७५ मिमि प्यानल	व.फि.	१९९११२	१९९११२	१९९११२	२२८१९८	२२८१९८	
४.१	स्पाण्डविच बालप्यानल							
	३० मिमि प्यानल	व.फि.	१६८११४	१६८११४	१६८११४	१९३३६६	१९३३६६	
	४० मिमि प्यानल	व.फि.	१६८११४	१६८११४	१६८११४	१९३३६६	१९३३६६	
	५० मिमि प्यानल	व.फि.	१६८११४	१६८११४	१६८११४	१९३३६६	१९३३६६	
	६५ मिमि प्यानल	व.फि.	१६८११४	१६८११४	१६८११४	१९३३६६	१९३३६६	
	७५ मिमि प्यानल	व.फि.	१६८११४	१६८११४	१६८११४	१९३३६६	१९३३६६	
४.२	PPGI Roofing Sheet (0.5mm/kg)	व.फि.	१२५१६६	१२५१६६	१२५१६६	१४४१५१	१४४१५१	
४.३	Ridge Cap (0.5mm/kg)	र.फि.	१२५१६६	१२५१६६	१२५१६६	१४४१५१	१४४१५१	
४.४	जि. आई. प्लेनसिट (मिडियम)							
	२२ गज	व.मि.	६१११००	६१११००	६१११००	७०२१६५	७०२१६५	
	२४ गज	व.मि.	६०६१००	६०६१००	६०६१००	६९६१९०	६९६१९०	
	२६ गज	व.मि.	४६४१००	४६४१००	४६४१००	५३३६०	५३३६०	
	२८ गज	व.मि.	३६७१००	३६७१००	३६७१००	४२२१०५	४२२१०५	
५	एम.एस.ब्ल्याक पाइप NS standard	केजी	७५१००	७५१००	७५१००	८६१२५	८६१२५	
६	Roofing Works							
	Corrugated/Plain Fiber Glass Sheet							
	0.8mm thick plain	SQFT					११५१००	
	0.8mm thick corrugated	SQFT					१२७००	
	1.2mm thick plain	SQFT					१२७००	
	1.2mm thick corrugated	SQFT					१४६१००	
	2mm thick plain	SQFT					२१६१००	
	2mm thick corrugated	SQFT					२५५१००	
	3mm thick plain	SQFT					२९३१००	
	3mm thick corrugated	SQFT					३८२१००	
७	Fiber glass sheet छाउनको लागि Aluminium strip (25x1.5)mm	Rm					६७००	
८	Fiber glass sheet छाउनको लागि Aluminium strip (25x1.5)mm	No					७००	

santosh Gaire
Engineer-NEC (11689 Civil &)

महोदय महोदय
प्रमुख प्रशासकीय अधिकृत

बिमला अधिकृत
नगर प्रमुख



५. सडक निर्माणमा प्रयोग हुने निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % भ्याट बाहेक					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
१	विट्रुमिन ८०/१०० ग्रेड VG-10 कारखानाको मुल्य अमलेखगंजको	के.जी.	७३१००	७३१००	७५१००	९०१००	९५१००	
२	विट्रुमिन ६०/७० ग्रेड VG-30 कारखानाको मुल्य अमलेखगंजको	के.जी.	७३१००	७३१००	७५१००	९०१००	९५१००	
३	रबर बेस विट्रुमिन (CRMB-DIGO 50) कारखानाको मुल्य	के.जी.	७०११०	७०११०	७०११०	८४१२	९०१००	
४	रबर बेस विट्रुमिन (CRMB-DIGO 55) कारखानाको मुल्य	के.जी.	७०१७०	७०१७०	७०१७०	८४१८४	९०१००	
५	रबर बेस विट्रुमिन (PMB-40) कारखानाको मुल्य	के.जी.	८५१००	८५१००	८५१००	१०४१४०	११०१००	
३.१	विट्रुमिन इमल्सन कारखानाको मुल्य							
३.१.१	छिटो जम्ने ६० प्रतिशत विट्रुमिन	के.जी.	६३३३०	६३३३०	६३३३०	७५१९६	८०१००	
३.१.२	छिटो जम्ने ६५ प्रतिशत विट्रुमिन	के.जी.	६३३२०	६३३२०	६३३२०	७५१६४	८०१००	
३.१.३	छिटो जम्ने ७० प्रतिशत विट्रुमिन	के.जी.	७१११०	७१११०	७१११०	८५१३२	९०१००	
३.१.४	मध्यम जम्ने ६० प्रतिशत विट्रुमिन	के.जी.	६४११०	६४११०	६४११०	७५१९२	८०१००	
३.१.५	मध्यम जम्ने ६५ प्रतिशत विट्रुमिन	के.जी.	६८११०	६८११०	६८११०	८११७२	८५१००	
३.१.६	ढिलो जम्ने ६० प्रतिशत विट्रुमिन	के.जी.	६५१३०	६५१३०	६५१३०	७८१३६	८२१००	
३.१.७	सलरो सिल ६० प्रतिशत विट्रुमिन	के.जी.	७०१४०	७०१४०	७०१४०	८४१४८	८८१००	
३.२	Antistripping Agent (Liquid)							
३.३.१	Anstrip'	के.जी.	३२०१००	३२०१००	३२०१००	३८४१००	३८४१००	
४	अन्य पेट्रोलियम पदार्थ(डिजेल, पेट्रोल, मट्टीतेल)	लि.	नेपाल आयल निगमको दर अनुसार					
५	हयुम पाइप							
५.१	15cm ø (NP3 class)	र मी.	१४१५१००	१४१५१००	१५००१००	१६५०१००	१६५०१००	
५.२	20cm ø (NP3 class)	र मी.	१८९०१००	१८९०१००	१९५०१००	२१४५१००	२१४५१००	
५.३	25cm ø (NP3 class)	र मी.	२३६५१००	२३६५१००	२४५०१००	२६९५१००	२६९५१००	
५.४	30 cm ø (NP3 class)	र मी.	३४१५१००	३४१५१००	३५५०१००	३९०५१००	३९०५१००	
५.५	40 cm ø (NP3 class)	र मी.	४५७०१००	४५७०१००	४८००१००	५२८०१००	५२८०१००	
५.६	45 cm ø (NP3 class)	र मी.	४८९५१००	४८९५१००	५०००१००	५४००१००	५४००१००	
५.७	50 cm ø (NP3 class)	र मी.	५४६०१००	५४६०१००	५६००१००	६१६०१००	६१६०१००	
५.८	60 cm ø (NP3 class)	र मी.	६७५५१००	६७५५१००	६८५०१००	७५३५१००	७५३५१००	
५.९	75 cm ø (NP3 class)	र मी.	९२४०१००	९२४०१००	९५००१००	१०४५०१००	१०४५०१००	
५.१०	90 cm ø (NP3 class)	र मी.	१२२४०१००	१२२४०१००	१२४००१००	१३६४०१००	१३६४०१००	
५.११	100 cm ø (NP3 class)	र मी.	१३१६५१००	१३१६५१००	१३४००१००	१४७४०१००	१४७४०१००	
५.१२	120 cm ø (NP3 class)	र मी.	१६१२०१००	१६१२०१००	१६५००१००	१८१५०१००	१८१५०१००	
५.१३	150cm ø (NP3 class)	र मी.	२४७५१००	२४७५१००	२५०००१००	२७५००१००	२७५००१००	
५.१४	15 cm ø (NP2 class)	र मी.	६५५१००	६५५१००	७००१००	७७०१००	७७०१००	
५.१५	20 cm ø (NP2 class)	र मी.	८७५१००	८७५१००	९००१००	९९०१००	९९०१००	
५.१६	25 cm ø (NP2 class)	र मी.	१०५०१००	१०५०१००	११००१००	१२१०१००	१२१०१००	
५.१७	30 cm ø (NP2 class)	र मी.	१२३५१००	१२३५१००	१३५०१००	१४८५१००	१४८५१००	
५.१८	40 cm ø (NP2 class)	र मी.	२०२५१००	२०२५१००	२१००१००	२३१०१००	२३१०१००	
५.१९	45cm ø (NP2 class)	र मी.	२१२५१००	२१२५१००	२२००१००	२४२०१००	२४२०१००	
६	हयुमपाइपको सकेट (क्लर) को मुल्य (पाइपको मूल्यको आधारमा)	प्रतिशत	१०१००	१०१००	१०१००	१११००	१११००	
७	जियो टेबस्टायल(१००० teram)	व. मी.	९४१५०	९४१५०	९४१५०	१०३१५५	१०३१५५	
८	जियो टेबस्टायल(२००० teram)	व. मी.	९९१७५	९९१७५	९९१७५	१०९१७३	१०९१७३	
९	Ready mix concrete works including lead upto 5 km							
९.१	M-60 Grade	घ. मी.	(	(	२१६८५१००	२३८५३५०	२३८५३५०	
९.२	M-55 Grade	घ. मी.	(	(	२१२४०१००	२३३६४१००	२३३६४१००	
९.३	M-50 Grade	घ. मी.	(	(	२०३५५१००	२२३९०५०	२२३९०५०	
९.४	M-45 Grade	घ. मी.	(	(	१९४७०१००	२१४१७००	२१४१७००	
९.५	M-40 Grade	घ. मी.	(	(	१८५८५१००	२०४४३५०	२०४४३५०	
९.६	M-35 Grade	घ. मी.	(	(	१७७००१००	१९४७०१००	१९४७०१००	
९.७	M-30 Grade	घ. मी.	(	(	१७२६०१००	१८९८६१००	१८९८६१००	
९.८	M-25 Grade	घ. मी.	(	(	१४४९०१००	१५९३९१००	१५९३९१००	
९.९	M-20 Grade	घ. मी.	(	(	१३७२०१००	१५०९२१००	१५०९२१००	

santosh Gaire
Engineer-NPC (11699/Chila)

महिराम बरिसिनी
प्रमुख प्रशासकीय अधिकृत
बिमला अग्रवाल
नगर प्रमुख



५. सडक निर्माणमा प्रयोग हुने निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१२ % भ्याट बाहेक					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
९९	M-15 Grade	घ मी.	(	(	१२३९०।००	१३६२९।००	१३६२९।००	
९९९	M-10 Grade	घ मी.	(	(	११०६५।००	१२१७१।५०	१२१७१।५०	

santosh Gaire
Engineer-NEC (11689 Civil A)


बिक्रम ठाकुरी
प्रमुख प्रशासकीय अधिकृत

बिमला अर्याल
नगर प्रमुख



६. रंग रोगन सम्बन्धि सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % भ्याट बाहेक					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
१	रङ्गरोगन							
क	इनामेल पेन्ट	लिटर	५३४।००	५३४।००	५३४।००	५८७।४०	५८७।४०	
ख	बाराँनिस	लिटर	३९२।००	३९२।००	३९२।००	३४३।२०	३४३।२०	
ग	प्लास्टिक इमल्सन पेन्ट	"	५३४।००	५३४।००	५३४।००	५८७।४०	५८७।४०	
घ	एलुमिनियम पेन्ट	"	५९०।००	५९०।००	५९०।००	६४९।००	६४९।००	
ङ	फाइनर इनामेल	"	५३४।००	५३४।००	५३४।००	५८७।४०	५८७।४०	
च	मेटल प्राइमर	"	३४३।००	३४३।००	३४३।००	३७७।३०	३७७।३०	
छ	उडन प्राइमर	"	३४९।००	३४९।००	३४९।००	३८३।९०	३८३।९०	
ज	रोन्सल पेन्ट	के.जी.	१९५।००	१९५।००	१९५।००	२१४।५०	२१४।५०	
झ	लिन्सड आयल	लिटर	१३९।००	१३९।००	१३९।००	१५२।९०	१५२।९०	
ञ	स्पीट	"	८७।००	८७।००	८७।००	९५।७०	९५।७०	
ट	अलकत्रा पेन्ट	"	१५६।००	१५६।००	१५६।००	१७१।६०	१७१।६०	
ठ	टारपेन्टाइन आयल	"	१५६।००	१५६।००	१५६।००	१७१।६०	१७१।६०	
ड	वाटर पुफ सिमेन्ट पेन्ट (स्लोसिम)	के.जी.	६५।००	६५।००	६५।००	७१।५०	७१।५०	
ढ	ब्ल्याकवाड पेन्ट	के.जी.	४४५।००	४४५।००	४४५।००	४८९।५०	४८९।५०	
ण	डिस्टम्पर	के.जी.	१५६।००	१५६।००	१५६।००	१७१।६०	१७१।६०	
त	डिस्टम्पर (बासेवल)	लिटर	१९५।००	१९५।००	१९५।००	२१४।५०	२१४।५०	
थ	प्लास्टर अफ पेरिस पेन्ट	के.जी.	२२।००	२२।००	२२।००	२४।२०	२४।२०	
द	सरस	के.जी.	२८९।००	२८९।००	२८९।००	३१७।९०	३१७।९०	
ध	वाटर पुफ कम्पाउण्ड	के.जी.	७९।००	७९।००	७९।००	८६।९०	८६।९०	
न	सेफाकट	लिटर	१७८।००	१७८।००	१७८।००	१९५।८०	१९५।८०	
प	चप्परा पालिस	के.जी.	१७२५।००	१७२५।००	१७२५।००	१८९७।५०	१८९७।५०	
फ	चुना	"	२०।००	२०।००	२०।००	२२।००	२२।००	
ब	गम	"	१४५।००	१४५।००	१४५।००	१५९।५०	१५९।५०	
भ	पुटन	"	५६।००	५६।००	५६।००	६१।६०	६१।६०	
म	मैनपालिस	"	५३४।००	५३४।००	५३४।००	५८७।४०	५८७।४०	
य	अक्जालिक एसिड	लिटर	१६७।००	१६७।००	१६७।००	१८३।७०	१८३।७०	
र	खाक्सी	गाटा	१७०।००	१७०।००	१७०।००	१८१।७०	१८१।७०	
ल	सिमेन्ट प्राइमर	लिटर	१९५।००	१९५।००	१९५।००	२१४।५०	२१४।५०	
व	इपेक्सकोट(वाटरप्रूफिङ पेन्ट)	लिटर	५९५।००	५९५।००	५९५।००	६५४।५०	६५४।५०	
श	Apex coat (water proofing paint)	लिटर					५७२	


Santosh Gaire
 Engineer-NEC (11689 Civil A)


भक्तिराम मगरसिनी
 प्रमुख प्रशासकीय अधिकृत
बिमला अर्याल
 नगर प्रमुख



७. खानेपानी तथा सरसफाई सम्बन्धि सामाग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % भ्याट बाहेक					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
१	स्यानिटरी/वाटर सप्लाई							
क	डब्लु. सि. प्यान फुटरस्ट र साइफन समेत							
क.१	१२"X१२"	गांटा	७७०।००	७७०।००	७७०।००	८४७।००	८४७।००	
क.२	१२"X१८"	गांटा	११८५।००	११८५।००	११८५।००	१३०३।५०	१३०३।५०	
क.३	१२"X२०"	गांटा	१२६५।००	१२६५।००	१२६५।००	१३९१।५०	१३९१।५०	
ख	कमांड प्यान कभर सहित	गांटा	२६४५।००	२६४५।००	२६४५।००	२९०९।५०	२९०९।५०	
ग	कमांड कभर	गांटा	७५।००	७५।००	७५।००	७८६।५०	७८६।५०	
घ	सिस्टन							
ङ	कमांड फ्लोसिड सिस्टन सहित ४ लाइन भएको	गांटा				१२००।००	१२००।००	
च.१	लो लेभल पोसलीन सिस्टन	गांटा	१२६५।००	१२६५।००	१२६५।००	१३९१।५०	१३९१।५०	
च.२	हाइ लेभल पोसलीन सिस्टन	गांटा	१६५।००	१६५।००	१६५।००	१८१५।००	१८१५।००	
च.३	लो लेभल प्लास्टिक सिस्टन	गांटा	१०४५।००	१०४५।००	१०४५।००	११४९।५०	११४९।५०	
छ	वास बसिन							
ड.१	१२"X१८"	गांटा	८२५।००	८२५।००	८२५।००	९०७।५०	९०७।५०	
ड.२	१६"X२०"	गांटा	१२१।००	१२१।००	१२१।००	१३३१।००	१३३१।००	
ड.३	१६"X२२"	गांटा	१४३।००	१४३।००	१४३।००	१५७३।००	१५७३।००	
च	किचन सिङ्क स्ट्याण्डर्ड			०।००	०।००	०।००	०।००	
च.१	किचन सिङ्क जनरल १६"X१८"	गांटा	२५३५।००	२५३५।००	२५३५।००	२७८८।५०	२७८८।५०	
च.२	किचन सिङ्क जनरल ३७"X१८"	गांटा	४४१।००	४४१।००	४४१।००	४८५१।००	४८५१।००	
छ	ल्याव सिङ्क	गांटा	२८६५।००	२८६५।००	२८६५।००	३१५१।५०	३१५१।५०	
ज	सिङ्क (अस्पतालमा वच्चा सफागर्ने)	गांटा	३३६०।००	३३६०।००	३३६०।००	३६९६।००	३६९६।००	
झ	सोप केस बक्स	गांटा	२७५।००	२७५।००	२७५।००	३०२।५०	३०२।५०	
ञ	टावल रड							
ञ.१	फेन्सी टाइप हेमि	गांटा	६०५।००	६०५।००	६०५।००	६६५।५०	६६५।५०	
ञ.२	साधारण	गांटा	२८५।००	२८५।००	२८५।००	३१३।५०	३१३।५०	
ञ	एना							
ञ.१	१८"X२२"	गांटा	६०५।००	६०५।००	६०५।००	६६५।५०	६६५।५०	
ञ.२	१६"X२०"	गांटा	५२५।००	५२५।००	५२५।००	५७७।५०	५७७।५०	
ट	टुथ ब्रस सेट (टगलर सेट)	गांटा	२७५।००	२७५।००	२७५।००	३०२।५०	३०२।५०	
ठ	१/२" धारा							
ठ.१	पितल	गांटा	२७५।००	२७५।००	२७५।००	३०२।५०	३०२।५०	
ठ.२	प्लास्टिक	गांटा	८५।००	८५।००	८५।००	९३।५०	९३।५०	
ठ.३	अटोस्टप	गांटा	४९५।००	४९५।००	४९५।००	५४४।५०	५४४।५०	
ठ.४	सि. पि. फेन्सी टाइप (राम्रा)	गांटा	९३५।००	९३५।००	९३५।००	१०२८।५०	१०२८।५०	
ड	सावर							
ड.१	सावर साधारण	गांटा	६६।००	६६।००	६६।००	७२६।००	७२६।००	
ड.२	सावर टेलिफोनिक	गांटा	९९।००	९९।००	९९।००	१०८१।००	१०८१।००	
ड	फ्लोट भल्व	गांटा	६६।००	६६।००	६६।००	७२६।००	७२६।००	
ण	पोसलिन युरिनल							
ण.१	लोडिज	गांटा	१३८।००	१३८।००	१३८।००	१५१।५०	१५१।५०	
ण.२	जेन्स	गांटा	१३८।००	१३८।००	१३८।००	१५१।५०	१५१।५०	
त	पेपर होल्डर	गांटा	४४।००	४४।००	४४।००	४८।५०	४८।५०	
थ	रोप हुक	गांटा	२४।००	२४।००	२४।००	२६।५०	२६।५०	
द	फ्लोर टुयाप साइफन समेत	गांटा	३४।००	३४।००	३४।००	३७४।००	३७४।००	
ध	पि. वि. सि. हुक	गांटा	६८।००	६८।००	६८।००	७४।५०	७४।५०	
न	Orisa pan set with cistern and long band	Set	३६९।००	३६९।००	३६९।००	४०५१।००	४०५१।००	
प	Commode with cistern with long band	set	४६८५।००	४६८५।००	४६८५।००	५१५३।५०	५१५३।५०	
२.	वाटर सप्लाई/सिचाई सम्बन्धी							
क	डिजल पम्पसेट- 4x4" 5H.P.(water cool) वा सासरह	थान	६७३८३।७५	६७३८३।७५	६७३८३।७५	७४१२२।३३	७४१२२।३३	
ख	डिजल पम्पसेट- 3x3" 5H.P (ISI)	थान	४६७२५।००	४६७२५।००	४६७२५।००	५१३९७।५०	५१३९७।५०	
ग	डिजल पम्पसेट- 3x3" 5H.P(air cool) वा सासरह	थान	४४९९२।५०	४४९९२।५०	४४९९२।५०	४९४९१।७५	४९४९१।७५	
घ	डिजल पम्पसेट- 3x3" 4H.P(air cool) वा सासरह	थान	४२६८७।७५	४२६८७।७५	४२६८७।७५	४६९५६।५३	४६९५६।५३	
ङ	डिजल पम्पसेट- 3x2.5" 5H.P(water cool) वा सासरह	थान	५०८५६।७५	५०८५६।७५	५०८५६।७५	५५९४२।४३	५५९४२।४३	

santosh Ghire
Engineer-NEC (11689 Civil & E)

महोदय महोदय
प्रमुख प्रशासकीय अधिकारी
विमला नगर प्रमुख



७. खानेपानी तथा सरसफाई सम्बन्धि सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % म्याट बाहेक					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
अ	विद्युतिय मोटर पम्पसेट (किलोस्कर वा सो सरह/ 2"x2" 1.5 H.P./ 1phase pump)	थान					१७६००।००	
ब	विद्युतिय मोटर पम्पसेट (किलोस्कर वा सो सरह/ 3"x3" 2H.P./ 1phase pump)	थान	२८६००।००	२८६००।००	२८६००।००	३१४६०।००	२३१००।००	
ब	विद्युतिय मोटर पम्पसेट (किलोस्कर वा सो सरह/ 3"x3" 4"x4" 3H.P./ 1phase pump)	थान					३८३९०।००	
ब	विद्युतिय मोटर पम्पसेट (किलोस्कर वा सो सरह/ 4"x4" 5H.P./ 1phase pump)	थान					४६०००।००	
क	१/२ हर्ष पावर मोटर इन्डियन (ISI)	थान	५५०।००	५५०।००	५५०।००	६०५।००	५२२।००	
ज	१ हर्ष पावर मोटर इन्डियन (ISI)	थान	९९००।००	९९००।००	९९००।००	१०८३०।००	१०८९०।००	
ट	१/२ हर्ष पावर मोटर चाइनिज	थान	२२००।००	२२००।००	२२००।००	२४२०।००	२४२०।००	
ठ	१ हर्ष पावर मोटर चाइनिज	थान	५५००।००	५५००।००	५५००।००	६०५०।००	६०५०।००	
३	जि. आई. पाइप थ्रेडेड (लाइट ६ र. मि.)							
	1/2" Ø	गोटा	८३५।००	८३५।००	८३५।००	९१८।५०	९१८।५०	
	3/4" Ø	गोटा	११६१।००	११६१।००	११६१।००	१२७७।००	१२७७।००	
	1" Ø	गोटा	१६१२।००	१६१२।००	१६१२।००	१७७३।२०	१७७३।२०	
	1 1/4" Ø	गोटा	२०६८।००	२०६८।००	२०६८।००	२२७४।८०	२२७४।८०	
	1 1/2" Ø	गोटा	२५४१।००	२५४१।००	२५४१।००	२७९५।१०	२७९५।१०	
	2" Ø	गोटा	३१७०।००	३१७०।००	३१७०।००	३४८७।००	३४८७।००	
	2 1/2" Ø	गोटा	४४२८।००	४४२८।००	४४२८।००	४८७०।८०	४८७०।८०	
	3" Ø	गोटा	५२०३।००	५२०३।००	५२०३।००	५७२३।३०	५७२३।३०	
	4" Ø	गोटा	७४२९।००	७४२९।००	७४२९।००	८१७१।९०	८१७१।९०	
	5" Ø	गोटा	१११८।००	१११८।००	१११८।००	१२७३।००	१२७३।००	
	6" Ø	गोटा	१३४६।००	१३४६।००	१३४६।००	१४८१।३०	१४८१।३०	
	8" Ø	गोटा	१८३९।००	१८३९।००	१८३९।००	२०२३।००	२०२३।००	
४	जि. आई. पाइप थ्रेडेड (मिडियम ६ र. मि.)							
	1/2" Ø	गोटा	९९०।००	९९०।००	९९०।००	१०८९।००	१०८९।००	
	3/4" Ø	गोटा	१२६०।००	१२६०।००	१२६०।००	१३८६।००	१३८६।००	
	1" Ø	गोटा	१८८७।००	१८८७।००	१८८७।००	२०७५।७०	२०७५।७०	
	1 1/4" Ø	गोटा	२४५९।००	२४५९।००	२४५९।००	२७०४।९०	२७०४।९०	
	1 1/2" Ø	गोटा	२८२२।००	२८२२।००	२८२२।००	३१०४।२०	३१०४।२०	
	2" Ø	गोटा	३८५०।००	३८५०।००	३८५०।००	४२३५।००	४२३५।००	
	2 1/2" Ø	गोटा	४९१७।००	४९१७।००	४९१७।००	५४०८।७०	५४०८।७०	
	3" Ø	गोटा	६०९४।००	६०९४।००	६०९४।००	६७०३।४०	६७०३।४०	
	4" Ø	गोटा	९०५३।००	९०५३।००	९०५३।००	९९५८।३०	९९५८।३०	
	5" Ø	गोटा	१२३४।००	१२३४।००	१२३४।००	१३५७।२०	१३५७।२०	
	6" Ø	गोटा	१४६४।००	१४६४।००	१४६४।००	१६१०।५०	१६१०।५०	
	8" Ø	गोटा	२०३६।००	२०३६।००	२०३६।००	२२४०।४०	२२४०।४०	
५	जी. आई. पाइप थ्रेडेड (होमि ड्युटि ६ र. मि.)							
	1/2" Ø	गोटा	११६२।००	११६२।००	११६२।००	१२७८।२०	१२७८।२०	
	3/4" Ø	गोटा	१४७४।००	१४७४।००	१४७४।००	१६२१।४०	१६२१।४०	
	1" Ø	गोटा	२२११।००	२२११।००	२२११।००	२४३२।००	२४३२।००	
	1 1/4" Ø	गोटा	२८२२।००	२८२२।००	२८२२।००	३१०४।२०	३१०४।२०	
	1 1/2" Ø	गोटा	३२५६।००	३२५६।००	३२५६।००	३५८१।६०	३५८१।६०	
	2" Ø	गोटा	४७४१।००	४७४१।००	४७४१।००	५२१५।००	५२१५।००	
	2 1/2" Ø	गोटा	५९३५।००	५९३५।००	५९३५।००	६५२८।५०	६५२८।५०	
	3" Ø	गोटा	६९९१।००	६९९१।००	६९९१।००	७६९०।००	७६९०।००	
	4" Ø	गोटा	१०८४।००	१०८४।००	१०८४।००	११९२।५०	११९२।५०	
	5" Ø	गोटा	१३९१।००	१३९१।००	१३९१।००	१५३०।६५०	१५३०।६५०	
	6" Ø	गोटा	१६०३।००	१६०३।००	१६०३।००	१७६३।३०	१७६३।३०	
	8" Ø	गोटा	२१६३।००	२१६३।००	२१६३।००	२३७९।८५०	२३७९।८५०	
६	१/२" जि. आई. पाइप फिटिङ्स							
	क्रस टि	गोटा	१०३।००	१०३।००	१०३।००	११३।३०	११३।३०	

santosh Gaire
Engineer-NEC (11689 Civil A)

महोदय नगरपालिका
प्रमुख प्रशासकीय अधिकृत
विमला नगरपालिका
नगर प्रमुख



७. खानेपानी तथा सरसफाई सम्बन्धि सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % भ्याट बाहेक					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
	जाम नट	गाटा	१४१००	१४१००	१४१००	१४१४०	१४१४०	
	फ्लोट भल्व (ब्रास)	गाटा	९९०१००	९९०१००	९९०१००	१००११००	१००११००	
	फ्लोट भल्व (फलाम)	गाटा	२९७००	२९७००	२९७००	३२६१००	३२६१००	
७	स्यालो ट्युबवेल् (हण्ड्याड पम्प)							
	४ नं. हेड	गाटा	१६६५१००	१६६५१००	१६६५१००	१८३९१४०	१८३९१४०	
	६ नं. हेड Lower	गाटा	२६४५१००	२६४५१००	२६४५१००	२९०९१४०	२९०९१४०	
	Medium	गाटा	३३०५१००	३३०५१००	३३०५१००	३६३९१४०	३६३९१४०	
	Heavy	गाटा	४४९०१००	४४९०१००	४४९०१००	४८५९१४०	४८५९१४०	
	ढिकी पम्प	गाटा	१३६५१००	१३६५१००	१३६५१००	१५०९१४०	१५०९१४०	
८	ट्युबवेल् फिटिङ							
	सकेट	गाटा	१३८१००	१३८१००	१३८१००	१५९१८०	१५९१८०	
	जाली (५ र. फी.) PVC	गाटा	५५९१००	५५९१००	५५९१००	६०६१०	६०६१०	
	होण्डल	गाटा	१८७००	१८७००	१८७००	२०५१००	२०५१००	
	रड. पलन्जर	गाटा	१३८१००	१३८१००	१३८१००	१५९१८०	१५९१८०	
९	वाटर ट्यांक							
	स्टील (१००० लि.)	गाटा	१९३००१००	१९३००१००	१९३००१००	२१२३०१००	२१२३०१००	
	स्टील (५०० लि.)	गाटा	१५९००१००	१५९००१००	१५९००१००	१६६९०१००	१६६९०१००	
	प्लास्टिक (हभी)	लिट्र	१११००	१११००	१११००	१२१०	१२१०	
१०	जि.आई.पाईपमा चूडिकाटन काम (९थ्रड/पिस)							
	½" to ¾"	गाटा	३०१००	३०१००	३०१००	३३०१००	३३०१००	
	1" to 2"	गाटा	३०१००	३०१००	३०१००	३३०१००	३३०१००	
	3" to 5"	गाटा	६९१००	६९१००	६९१००	६७१०	६७१०	
	above 5"	गाटा	९९१००	९९१००	९९१००	१०८१०	१०८१०	
११	भल्वको स्पाइडलमा पितलको माल भर्ने ३" भन्दा माथि	गाटा	१२१३००	१२१३००	१२१३००	१३३३०३०	१३३३०३०	
१२	मालभरेको स्पाइडलमा चूडि काटन र गोठि काटने काम	गाटा	८२७००	८२७००	८२७००	९०९१००	९०९१००	
१३	वास बेसिनको वेस्ट पाईप	गाटा	४९३००	४९३००	४९३००	४५४३०	४५४३०	
१४	पि. वि. सि वाटर ट्याप	गाटा	३५३००	३५३००	३५३००	३८८३०	३८८३०	
	सि. पि. बिब कक, स्टपकक, सट बाड, एगल							
१५	आदिको छुट्टाछुट्टै	गाटा	६६२००	६६२००	६६२००	७२८२०	७२८२०	
	सि. पि. बिब कक, स्टपकक, लड बडी, एगल							
१६	आदिको छुट्टाछुट्टै	गाटा	१०९९१००	१०९९१००	१०९९१००	११२०१०	११२०१०	
१७	पि.पि.आर. पाईप							
१७.१	पि.पि.आर. पाईप (S-5.0, PN 10)							
	२० मी.मी.	र.मी.	५४१००	५४१००	५४१००	५९१४०	५९१४०	
	२५ मी.मी.	र.मी.	८२१००	८२१००	८२१००	९०१२०	९०१२०	
	३२ मी.मी.	र.मी.	१३९१००	१३९१००	१३९१००	१४४१०	१४४१०	
	४० मी.मी.	र.मी.	२०७००	२०७००	२०७००	२२७००	२२७००	
	५० मी.मी.	र.मी.	३२९१००	३२९१००	३२९१००	३५३९०	३५३९०	
	६३ मी.मी.	र.मी.	५०३००	५०३००	५०३००	५५३००	५५३००	
	७५ मी.मी.	र.मी.	७०९१००	७०९१००	७०९१००	७७९१०	७७९१०	
	९० मी.मी.	र.मी.	१०२९१००	१०२९१००	१०२९१००	११२३९०	११२३९०	
	११० मी.मी.	र.मी.	१५९४१००	१५९४१००	१५९४१००	१६६५१४०	१६६५१४०	
१७.२	पि.पि.आर. पाईप (S-3.2, PN 16)							
	२० मी.मी.	र.मी.	७३००	७३००	७३००	८०३०	८०३०	
	२५ मी.मी.	र.मी.	११३००	११३००	११३००	१२४३०	१२४३०	
	३२ मी.मी.	र.मी.	१८०१००	१८०१००	१८०१००	१९८१००	१९८१००	
	४० मी.मी.	र.मी.	२८९१००	२८९१००	२८९१००	३१७९०	३१७९०	
	५० मी.मी.	र.मी.	४५९१००	४५९१००	४५९१००	४९६९०	४९६९०	
	६३ मी.मी.	र.मी.	७०९१००	७०९१००	७०९१००	७७९१०	७७९१०	
	७५ मी.मी.	र.मी.	१०९०१००	१०९०१००	१०९०१००	११९१००	११९१००	
	९० मी.मी.	र.मी.	१४४३००	१४४३००	१४४३००	१५८७३०	१५८७३०	
	११० मी.मी.	र.मी.	२९६१००	२९६१००	२९६१००	३२७६०	३२७६०	
१७.३	पि.पि.आर. पाईप (S-2.5, PN 20)							

Santosh Gaire
 Engineer-NEC (11689 Civil E)

भक्तिराम मगर सिनी
 प्रमुख प्रशासकीय अधिकृत
बिबला अर्याल
 नगर प्रमुख



७. खानेपानी तथा सरसफाई सम्बन्धि सामाग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % म्याट वाहेक					कैफियत
			आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	आ.व. २०७९/८० को स्वीकृत दर रेट	आ.व. २०८०/८१ को स्वीकृत दर रेट	
	२० मी.मी.	र.मी.	८६१००	८६१००	८६१००	९४६०	९४६०	
	२५ मी.मी.	र.मी.	१३४१००	१३४१००	१३४१००	१४७४०	१४७४०	
	३२ मी.मी.	र.मी.	२१८१००	२१८१००	२१८१००	२३९१८०	२३९१८०	
	४० मी.मी.	र.मी.	३३७००	३३७००	३३७००	३७०१७०	३७०१७०	
	५० मी.मी.	र.मी.	५२३१००	५२३१००	५२३१००	५७५१३०	५७५१३०	
	६३ मी.मी.	र.मी.	८३०१००	८३०१००	८३०१००	९१३१००	९१३१००	
	७५ मी.मी.	र.मी.	११७७००	११७७००	११७७००	१२९४१७०	१२९४१७०	
	९० मी.मी.	र.मी.	१६९०१००	१६९०१००	१६९०१००	१८५९१००	१८५९१००	
	११० मी.मी.	र.मी.	२५१९१००	२५१९१००	२५१९१००	२७७०१९०	२७७०१९०	
१८	सी. आई. पाइप ३" Ø	र.मी.	२५५१००	२५५१००	२५५१००	२८०१५०	२८०१५०	
	सी. आई. पाइप ४" Ø	र.मी.	२९११००	२९११००	२९११००	३२०११०	३२०११०	
	सी. आई. टो. ३" x ४" Ø	गाटा	३०३१००	३०३१००	३०३१००	३३३३३०	३३३३३०	
	सी. आई. जक्सन ३" Ø	गाटा	३४०१००	३४०१००	३४०१००	३७४१००	३७४१००	
	सी. आई. जक्सन ४" Ø	गाटा	४१८१००	४१८१००	४१८१००	४५९१८०	४५९१८०	
	सी. आई. भन्ट पाइप ३" Ø	गाटा	७२८१००	७२८१००	७२८१००	८००१८०	८००१८०	
	सी. आई. भन्ट पाइप ४" Ø	गाटा	८६७००	८६७००	८६७००	९५३१७०	९५३१७०	
१९	एस. डब्लु पाइप ४" Ø	र.मी.	६११००	६११००	६११००	६७१०	६७१०	
	एस. डब्लु पाइप ६" Ø	र.मी.	८५१००	८५१००	८५१००	९३५०	९३५०	
	एस. डब्लु टो. ४" Ø	गाटा	१२७००	१२७००	१२७००	१३९१७०	१३९१७०	
	एस. डब्लु टो. ६" Ø	गाटा	१७०१००	१७०१००	१७०१००	१८७००	१८७००	
	एस. डब्लु. बन्ट ४" Ø	गाटा	१०९१००	१०९१००	१०९१००	११९१९०	११९१९०	
	एस. डब्लु. बन्ट ६" Ø	गाटा	१५८१००	१५८१००	१५८१००	१७३८०	१७३८०	
२०	फ्लोरिड सम्बन्धि							
२०.१	३ मी. मी. मावल चिप्स (२५ के. जी.)	बोरा	२८७००	२८७००	२८७००	३१५१७०	३१५१७०	
२०.२	काबोरिन्डम ढुगा	गाटा	१८७००	१८७००	१८७००	२०५१७०	२०५१७०	
२०.३	पोसीलीन ग्लेज्ड टाइल							
२०.३.१	सर्तो.	व. मी.	६२८१००	६२८१००	६२८१००	६९०१८०	६९०१८०	
२०.३.२	रंगीन	व. मी.	७१२१००	७१२१००	७१२१००	७८३१२०	७८३१२०	
२०.४	Vetrified Tile Floor tile 2'x2'	व. मी.	१००३१००	१००३१००	१००३१००	११०३३३०	११०३३३०	
२०.५	स्पार्टेक टाइल	व. मी.	८३८१००	८३८१००	८३८१००	९२११८०	९२११८०	
२०.६	पोलीथिन सिट	र.मी.	२८१००	२८१००	२८१००	३०८८०	३०८८०	
२०.७	वाटर पुफ कम्पाउन्ड	के. जी.	९९१००	९९१००	९९१००	१०८१९०	१०८१९०	
२०.८	टारफ्लट सिट	व. मी.	१४९१००	१४९१००	१४९१००	१६३१९०	१६३१९०	
२०.९	कल टाइल ४" x ४"	गाटा	१३१००	१३१००	१३१००	१४३३०	१४३३०	
२०.१०	मावल टाइल	व. मी.	१८७४१००	१८७४१००	१८७४१००	२०६१४०	२०६१४०	
२१	मावल							
२१.१	सर्तो	व. मी.	२०९४१००	२०९४१००	२०९४१००	२३०४५०	२३०४५०	
२१.२	हरिया	व. मी.	१५७७००	१५७७००	१५७७००	१७३४१७०	१७३४१७०	
२१.३	राता	व. मी.	१२५७००	१२५७००	१२५७००	१३८२१७०	१३८२१७०	
२२	Miscellaneous PVC Item							
क	4" Ø PVC Filter	र.मी.	१३५३१००	१३५३१००	१३५३१००	१४८८३३०	१४८८३३०	
ख	4" Ø PVC Sand trap	र.मी.	१२७७००	१२७७००	१२७७००	१४०४१७०	१४०४१७०	
ग	1½" Ø PVC 3.6 mm	र.मी.	१८६१००	१८६१००	१८६१००	२०४१६०	२०४१६०	
घ	1½" Ø PVC filter 4 mm	र.मी.	६९६१००	६९६१००	६९६१००	७६५१६०	७६५१६०	
ड	1½" Ø PVC sand trap	र.मी.	२९२१००	२९२१००	२९२१००	३२११२०	३२११२०	
च	1½" Ø PVC adppter	र.मी.	९७००	९७००	९७००	१०६१७०	१०६१७०	
२३	PVC bottle trap	No	३४२१००	३४२१००	३४२१००	३७६१२०	३७६१२०	
२४	Connection pipe	No	१४३१००	१४३१००	१४३१००	१५७३३०	१५७३३०	
२५	Angle cock	No	८८२१००	८८२१००	८८२१००	९७०१२०	९७०१२०	
२६	Concealed cock	No	९९२१००	९९२१००	९९२१००	१०९११२०	१०९११२०	
२७	Sink tap	No	१७०९१००	१७०९१००	१७०९१००	१८७९१९०	१८७९१९०	
२८	Bib cock tap (ISO)	No	७७२१००	७७२१००	७७२१००	८४९१२०	८४९१२०	
२९	Coplin for basin	No	१२११००	१२११००	१२११००	१३३११०	१३३११०	

santosh Gaire
Engineer-NEC (11689 Civil &)

महिराम नारायण
प्रमुख प्रशासकीय अधिकारी
बिमला अर्याल
नगर प्रमुख



७. खानेपानी तथा सरसफाई सम्बन्धि सामाग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % म्याट बाहेक					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
३०	इनारको लागि आरसीसी रिड 90x30x5 cm	गोटा	५५११००	५५११००	५५११००	६०६१०	६०६१०	
३१	इनारको लागि आरसीसी रिड कभर 90x5 cm	गोटा	२२११००	२२११००	२२११००	२४३१०	२४३१०	
३२	६०० मी.मी.को म्यानहोल कभर फ्रेम कि समेत	गोटा	२९७७००	२९७७००	२९७७००	३२७४१७०	३२७४१७०	
३३	४५X४५ से.मी. वर्गाकार आकारको फलामको म्यानहोल कभर	गोटा	२९७७००	२९७७००	२९७७००	३२७४१७०	३२७४१७०	
३४	सि.आई. म्यानहोल कभर (२४X२४ से.मी.) (२४ के.जी. वेट)	गोटा	५७३३००	५७३३००	५७३३००	६३०६३०	६३०६३०	

Santosh Gaire
Engineer-NEC (1169 Civil E)

महिराम मरासिनी
प्रमुख प्रशासकीय अधिकृत
बिमला अर्याल
नगर प्रमुख

७.१ एच.डी.पी. पाइप (NS-40)

क.सं.	पाइप साइज		इकाई	स्वीकृत जिल्ला दर 080/81 (१३% भ्याट बाहेक)				कैफियत
	मी.मी.	इन्च		2.5 kg/cm ²	4 kg/cm ²	6 kg/cm ²	10 kg/cm ²	
१	१६	१/४"	प्रति र.मी.	-	-	-	२६.३१	प्रति के.जी. रु. २८६१-
२	२०	१/२"	प्रति र.मी.	-	-	-	३८.३२	
३	२५	३/४"	प्रति र.मी.	-	-	-	५७.७७	
४	३२	१"	प्रति र.मी.	-	-	६४.६४	९५.५२	
५	४०	१.२५"	प्रति र.मी.	-	६९.०३	९६.२५	१४१.३५	
६	५०	१.५"	प्रति र.मी.	-	१०३.९५	१४९.०५	२१८.९०	
७	६३	२"	प्रति र.मी.	११०.८३	१६०.८८	२३३.७५	३४८.९८	
८	७५	२.५"	प्रति र.मी.	१५३.१८	२३२.६५	३२७.५३	४९०.०५	
९	९०	३"	प्रति र.मी.	२१९.७३	३३५.५०	४७२.१८	७०६.२०	
१०	११०	४"	प्रति र.मी.	३२५.८८	४६८.३३	६९९.८८	१०४५.२८	
११	१२५	४.५"	प्रति र.मी.	४२०.७५	६२९.४८	९०५.५८	१३६४.५५	
१२	१४०	५"	प्रति र.मी.	५२१.६८	७९७.७८	११४१.२५	१७०७.४८	
१३	१६०	६"	प्रति र.मी.	६७४.५८	१०३७.५८	१४७२.६३	२२२१.७३	
१४	१८०	७"	प्रति र.मी.	८६५.७०	१३०९.५५	१८७०.००	२८२०.४०	
१५	२००	८"	प्रति र.मी.	१०६५.६३	१६१९.७५	२३०७.५३	३४७०.५०	
१६	२२५	९"	प्रति र.मी.	१३२६.०५	२०४७.३८	२८९९.६०	४४०३.८५	
१७	२५०	१०"	प्रति र.मी.	१६५३.३०	२५२६.४३	३५८६.२८	५४३३.१८	
१८	२८०	११"	प्रति र.मी.	२०५४.५३	३१५०.१३	४४८९.९३	६७९४.७०	
१९	३१५	१२"	प्रति र.मी.	२६९३.२६	४१४९.२९	५९१८.४८	८९११.७६	
२०	३५५	१४"	प्रति र.मी.	३४१९.७०	५२५७.२५	७५०५.५०	११३३५.६१	
२१	४००	१६"	प्रति र.मी.	४३७०.३७	६६७५.८१	९५२६.३७	१४३९८.३८	

santosh Gaire
Engineer-NEC (21689 Civil A)

महेश्वराम मरासिनी
प्रमुख प्रशासकीय अधिकारी
नगर प्रमुख



७.२ यु.पि.भि.सी पाइप (NS-206/046)

क.सं.	पाइप साइज		इकाई	स्वीकृत जिल्ला दर रेट ०८०/०८१ (१३% भ्याट बाहेक)				कैफियत
	मी.मी.	इन्च		2.5 kg/cm ²	4 kg/cm ²	6 kg/cm ²	10 kg/cm ²	
१	२०	१/२"	प्रति र.मी.	-	-	-	३०.८०	
२	२५	३/४"	प्रति र.मी.	-	-	-	४८.४०	
३	३२	१"	प्रति र.मी.	-	-	-	७९.२०	
४	४०	१.२५"	प्रति र.मी.	-	-	११०.००	१८७.००	
५	५०	१.५"	प्रति र.मी.	-	-	१५४.००	२२०.००	
६	६३	२"	प्रति र.मी.	-	२०९.००	३१९.००	४४०.००	
७	७५	२.५"	प्रति र.मी.	-	२७५.००	४२९.००	६३८.००	
८	९०	३"	प्रति र.मी.	२२०.००	३५७.५०	५५०.००	८८०.००	
९	११०	४"	प्रति र.मी.	३८५.००	५५०.००	८२५.००	१४३०.००	
१०	१२५	४.५"	प्रति र.मी.	४६२.००	७१५.००	११००.००	१६५०.००	
११	१४०	५"	प्रति र.मी.	६६०.००	९४६.००	१३४७.५०	२०९०.००	
१२	१६०	६"	प्रति र.मी.	७७०.००	१२१०.००	१८७०.००	२९७०.००	
१३	१८०	७"	प्रति र.मी.	९९०.००	१५६२.००	२२००.००	३३००.००	
१४	२००	८"	प्रति र.मी.	१३२०.००	२०९०.००	३१९०.००	६२७०.००	


Santosh Gaire
Engineer-MEC (11689 Civil A)


महिराम मरासिनी
प्रमुख प्रशासकीय अधिकृत
बिमला मरासिनी
नगर प्रमुख




७.२ सि.पि.भि.सी.पाइप


सि.नं	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट
			आ.व ८०-८१
	CPVC Pipe SDR 13.5 (22.5 Kg/cm ²)-ASTM F-493 2846		
	1/2" dia र.मी		१२२.००
	3/4" dia र.मी		१७०.००
	1" dia र.मी		२२३.००
	1-1/4" dia र.मी		२७८.००
	1-1/2" dia र.मी		३९०.००
	2" dia र.मी		५९६.००
	CPVC Pipe SDR 11 (28.1 Kg/cm ²)-ASTM F-493 2846		
	1/2" dia र.मी		१३९.००
	3/4" dia र.मी		१८९.००
	1" dia र.मी		२६४.००
	1-1/4" dia र.मी		३१९.००
	1-1/2" dia र.मी		४४५.००
	2" dia र.मी		७२१.००
	CPVC Ball Valve (CTS Sockets)		
	1/2" र.मी		२३५.००
	3/4" र.मी		३६३.००
	1" र.मी		५९७.००
	1-1/4" र.मी		१०५९.००
	1-1/2" र.मी		१७२५.००
	2" र.मी		२२२२.००
	CPVC Reducer Brass Coupling		
	3/4" X 1/2" गोटा		१४७.००
	1" X 1/2" गोटा		१९२.००
	CPVC Tee		
	1/2" गोटा		३८.००
	3/4" गोटा		८२.००
	1" गोटा		१२४.००



Santosh Gaire
 Engineer-NEC (11689 Civil & E)


भक्तिराम मरासिनी
 प्रमुख प्रशासकीय अधिकृत
 बिमला अस्पताल
 नगर प्रमुख



	1-1/4" गोटा	२३४.००
	1-1/2" गोटा	३४१.००
	2" गोटा	७३२.००
CPVC Reducer Tee		
	1/2" X 1/2" X 3/4" गोटा	७४.००
	3/4" X 3/4" x 1/2" गोटा	११४.००
	3/4" X 1/2" X 3/4" गोटा	१४२.००
	3/4" X 1/2" X 1/2" गोटा	१६३.००
	1"x1"x3/4" गोटा	१७१.००
	1-1/2" X 1-1/2" X 1" गोटा	२६७.००
	2"x2"x 1" गोटा	४६४.००
	1-1/4" X 1-1/4" X 1/2" गोटा	१५१.००
	1-1/4" X 1-1/4" X 1" गोटा	१६३.००
	2" X 2" X 1/2" गोटा	४५६.००
	1" X 1" X 1/2" गोटा	१०४.००
CPVC Brass FPT Tee		
	1/2" X 1/2" X 1/2" गोटा	१२७.००
	3/4" X 3/4" X 1/2" गोटा	१३३.००
	1" X 1" X 1/2" गोटा	१४८.००
	1-1/4" X 1-1/4" X 1-1/4" गोटा	५३४.००
	1-1/4" X 1-1/4" X 1/2" गोटा	२९०.००
CPVC Elbow 90°		
	1/2" गोटा	१८.००
	3/4" गोटा	३३.००
	1" गोटा	६१.००
	1-1/4" गोटा	१२४.००
	1-1/2" गोटा	१८०.००
	2" गोटा	३९६.००
CPVC Reducer Elbow 90°		
	3/4" X 1/2" गोटा	५६.००
CPVC Brass FPT Elbow 90°		
	1/2" X 1/2" गोटा	२३९.००


santosh Gaire
 Engineer-NEC (11689 Civil A)



भक्तिराम बज्रासिनी
 प्रमुख प्रशासकीय अधिकारी
 नगर प्रमुख



	3/4" X 1/2"	गोटा	
	3/4" X 3/4"	गोटा	२८७.००
	1" X 1/2"	गोटा	४२४.००
	1" X 1"	गोटा	५०२.००
	1-1/4" X 1-1/4"	गोटा	९९९.००
CPVC Elbow 45°			
	1/2"	गोटा	३९.००
	3/4"	गोटा	५७.००
	1"	गोटा	८२.००
	1-1/4"	गोटा	९४५.००
	1-1/2"	गोटा	२९०.००
	2"	गोटा	४५५.००
CPVC Male Adapter (CPVC Threads)			
	1/2"	गोटा	२३.००
	3/4"	गोटा	४९.००
	1"	गोटा	६२.००
	1-1/4"	गोटा	९९३.००
	1-1/2"	गोटा	९५८.००
	2"	गोटा	३०९.००
CPVC Reducing Male Adapter (CPVC Threads)			
	3/4" X 1/2"	गोटा	४३.००
CPVC Male Adapters (Brass Threads)			
	1/2"	गोटा	२९९.००
	3/4"	गोटा	२८४.००
	1"	गोटा	४४८.००
	1-1/4"	गोटा	९८७.००
	1-1/2"	गोटा	९९५९.००
	2"	गोटा	२३७९.००
CPVC Reducing Male Adapter (Brass Threads)			
	3/4" X 1/2"	गोटा	२४४.००
CPVC Female Adapter (CPVC Threads)			

Santosh Gaire
Engineer-NEC (14689 Civil A)


महिराम बिरासिनी
प्रमुख प्रशासकीय अधिकृत
बिजुला अग्रवाल
नगर प्रमुख




1/2"	गोटा	३३.००
3/4"	गोटा	५४.००
1"	गोटा	८२.००
CPVC Female Adapters Brass Threads		
1/2"	गोटा	२११.००
3/4"	गोटा	२८६.००
1"	गोटा	३७२.००
1-1/4"	गोटा	९७७.००
1-1/2"	गोटा	१०७१.००
2"	गोटा	२०९३.००
CPVC Caps		
1/2"	गोटा	१३.००
3/4"	गोटा	२६.००
1"	गोटा	३९.००
1-1/4"	गोटा	७६.००
1-1/2"	गोटा	११३.००
2"	गोटा	२३९.००
CPVC Union		
1/2"	गोटा	२८७.००
3/4"	गोटा	४२४.००
1"	गोटा	५०२.००
1-1/4"	गोटा	९१९.००
1-1/2"	गोटा	१००४.००
2"	गोटा	१४१९.००
CPVC Cross Tee		
1/2"	गोटा	५२.००
3/4"	गोटा	११३.००
CPVC Step Over Bend		
1/2"	गोटा	६७.००
3/4"	गोटा	११०.००
CPVC Ball Valve (CTS Sockets)		
1/2"	गोटा	७०४.००



santosh Ghire
Engineer-NEC (11689 Civil E)


महिराम बरासिनी
प्रमुख प्रशासकीय अधिकृत
बिर्गला अञ्चल
नगर प्रमुख




3/4" गोटा	८५८.००
1" गोटा	९८१.००
1-1/4" गोटा	१९७२.००
1-1/2" गोटा	२५१०.००
2" गोटा	३२२८.००
CPVC Solvent Cement	
50 ML गोटा	२१२.००
118 ML गोटा	३५०.००
237 ML गोटा	५६८.००
473 ML गोटा	८९३.००
946 ML गोटा	१५४४.००
Plastic Strap	
1/2" गोटा	५.००
3/4" गोटा	५.००
1" गोटा	८.००
1-1/4" गोटा	११.००
1-1/2" गोटा	१५.००
2" गोटा	१९.००
Metal Strap	
1/2" गोटा	१३.००
3/4" गोटा	१७.००
1" गोटा	२२.००
1-1/4" गोटा	२६.००
1-1/2" गोटा	२८.००
2" गोटा	३०.००
Tee Holder	
1/2" X 1/2" X 1/2" गोटा	५.००
3/4" X 3/4" X 1/2" गोटा	८.००
Elbow Holder	
1/2" X 1/2" गोटा	५.००
1/2" X 3/4" गोटा	७.००
Snap Fix Repair Coupling	


santosh Gaire
 Engineer-NEC (11689 Civil &)


भक्तिराम मरासिनी
 प्रमुख प्रशासकीय अधिकृत
बिमला अर्याल
 नगर प्रमुख



1/2"	गोटा	२४४.००
3/4"	गोटा	२६४.००
End plug threaded 1/2"	गोटा	११.००


santosh Gaire
Engineer-NEC (1689 Civil E)


मन्तराम मरसिनी
प्रमुख प्रशासकीय अधिकृत
बिमला अर्याल
नगर प्रमुख



७.३ पी.पी.आर फिटिंग्स (आ.व.०८०/८१ को स्वीकृत जिल्ला दर रेट १३% प्याट बाहेक)										कैफियत
Description	20mm	25mm	32mm	40mm	50mm	63mm	75mm	90mm	110mm	
Elbow 90°	12.10	22.00	37.00	78.00	130.00	229.00	430.00	726.00	1352.00	
Elbow 45°	15.00	24.00	38.00	70.00	118.00	195.00	382.00	645.00	1127.00	
Tee	15.00	27.00	46.00	89.00	151.00	275.00	478.00	645.00	1127.00	
Coupler (socket)	9.00	11.00	22.00	42.00	70.00	123.00	239.00	353.00	1519.00	
End cap	12.00	19.00	29.00	43.00	76.00	146.00	234.00	-	-	
Stop valve	336.00	406.00	535.00	573.00	955.00	1435.00	-	-	-	
Ball valve (Plastic)	91.00	124.00	215.00	458.00	664.00	1123.00	-	-	-	
Low footed pipe clip	6.00	7.00	14.00	19.00	30.00	38.00	-	-	-	
High footed pipe clip	12.00	14.00	22.00	24.00	27.00	36.00	-	-	-	
"Y" type pipe clip	19.00	22.00	27.00				-	-	-	
Union (plastic)	57.00	97.00	157.00	238.00	373.00	445.00	-	-	-	
Ball valve (Brass)	329.00	406.00	552.00	912.00	-	-	-	-	-	
Short Passover	73.00	105.00	163.00	-	-	-	-	-	-	
Long Bypass	84.00	138.00	203.00	-	-	-	-	-	-	
Cross tee	25.00	38.00	65.00	-	-	-	-	-	-	
End plug	6.00	18.00	23.00	-	-	-	-	-	-	
Long End plug	9.00	-	-	-	-	-	-	-	-	
End plug with Ring	22.00	-	-	-	-	-	-	-	-	
Concealed valve (Nor)	902.00	-	-	-	-	-	-	-	-	
Concealed valve (Lux)	1072.00	-	-	-	-	-	-	-	-	

Description	25*20mm	32*20mm	32*25mm	-	-	-	-	-	-
Reducing elbow	22.00	39.00	48.00	-	-	-	-	-	-
Reducing coupler	25*20mm	32*20mm	32*25mm	40*20mm	40*25mm	40*32mm	50*20mm	50*25mm	50*32mm
	16.00	20.00	22.00	33.00	34.00	46.00	61.00	59.00	67.00
	50*40mm	63*20mm	63*25mm	63*32mm	63*40mm	63*50mm	75*40mm	75*50mm	75*63mm
	71.00	96.00	119.00	120.00	120.00	120.00	239.00	244.00	246.00
	90*50mm	90*63mm	90*75mm	110*75mm	110*90mm	-	-	-	-
	454.00	487.00	573.00	803.00	893.00	-	-	-	-

Description	25*20*25	32*20*32	32*25*32	40*20*40	40*25*40	40*32*40	50*20*50	50*25*50	50*32*50
Reducing Tee	29.00	43.00	46.00	61.00	69.00	74.00	126.00	129.00	138.00
	50*40*50	63*20*63	63*25*63	63*32*63	63*40*63	63*50*63	75*50*75	75*63*75	90*63*90
	143.00	187.00	208.00	215.00	220.00	227.00	550.00	552.00	907.00
	90*75*90	110*75*110	110*90*110	-	-	-	-	-	-
	1003.00	1624.00	1672.00	-	-	-	-	-	-

santosh Gaire
Engineer-NEC (11689 Civil &)

महिराम मगरसिनी
प्रमुख प्रशासकीय अधिकारी
बिमला अर्याल
नगर प्रमुख



७.३ पी.पी.आर फिटिङ्स (आ.व.०८०/८१ को स्वीकृत जिल्ला दर रेट १३% भ्याट बाहेक)										कैफियत
Description	20"1/2"	20"3/4"	25"1/2"	25"3/4"	32"1/2"	32"3/4"	32"1"	40"11/4"	50"11/2"	
Female coupling	105.00	124.00	138.00	140.00	119.00	127.00	300.00	519.00	672.00	
	901.00	2675.00								
Male coupling	20"1/2"	20"3/4"	25"1/2"	25"3/4"	32"1/2"	32"3/4"	32"1"	40"11/4"	50"11/2"	
	129.00	136.00	157.00	181.00	163.00	174.00	350.00	591.00	891.00	
	63"2"	75"2"1/2"								
	1176.00	2923.00								
Female union	20"1/2"	20"3/4"	25"1/2"	25"3/4"	32"1/2"	32"3/4"	32"1"	40"11/4"	50"11/2"	
	281.00			364.00			589.00	812.00	1388.00	
	63"2"	75"2"1/2"								
	2531.00									
Male union	20"1/2"	20"3/4"	25"1/2"	25"3/4"	32"1/2"	32"3/4"	32"1"	40"11/4"	50"11/2"	
	292.00			419.00			615.00	1108.00	1431.00	
	63"2"	75"2"1/2"								
	3821.00									
Description	20"1/2"	20"3/4"	25"1/2"	25"3/4"	32"1/2"	32"3/4"	32"1"	40"11/4"	50"11/2"	
Metal Ball Valve double	621.00	910.00	1123.00	3198.00	4394.00	-				
Metal Ball Valve Single	573.00	917.00	1266.00							
Female Elbow:	109.00		178.00	146.00	195.00	229.00	321.00			
Male Elbow	133.00		146.00	179.00	301.00	239.00	396.00			
Female Tee	112.00	-	146.00	170.00	167.00	219.00	381.00	-	-	
Male Tee	138.00	-	146.00	174.00	211.00	219.00	381.00	-	-	
Female Base Elbow	148.00	-	182.00	179.00	-	-	-	-	-	
Male Base Elbow	151.00	-	186.00	186.00	-	-	-	-	-	

Santosh Gaire
Engineer-NEC (1169 Civil A)

महिराम मरासिनी
प्रमुख प्रशासकीय अधिकृत

Bhup
बिमला अर्याल
नगर प्रमुख



७.४ U-PVC SWR Fittings (आ.व.०८०/८१ को स्वीकृत दर रेट १३ % भ्याट बाहेक)

S.N.	Description	Unit	Rate				Rem
			50mm	75mm	110mm	160mm	
1	Coupler	Pc	34.00	83.00	141.00	377.00	
2	Bend 87.5°	Pc	51.00	120.00	221.00	500.00	
3	Bend 45°	Pc	49.00	96.00	175.00	530.00	
4	Single Tee	Pc	75.00	162.00	308.00	683.00	
5	Pipe Clip	Pc	16.00	31.00	41.00	79.00	
6	Bend 87.5° with Door	Pc	-	153.00	267.00	774.00	
7	Single Tee with Door	Pc	-	219.00	407.00	1023.00	
8	Double Tee	Pc	-	356.00	563.00	-	
9	Double Tee with Door	Pc	-	473.00	732.00	-	
10	Vent Cowl	Pc	-	58.00	97.00	-	
11	Socket Plug	Pc	-	73.00	119.00	-	
12	Single 'Y'	Pc	-	208.00	401.00	-	
13	Single 'Y' with Door	Pc	-	254.00	484.00	-	
14	Double 'Y'	Pc	-	280.00	552.00	-	
15	Double 'Y' with Door	Pc	-	358.00	578.00	-	
16	Cleaning pipe	Pc	-	163.00	314.00	-	
17	Reducer 160*110mm	Pc	-	-	-	365.00	
18	Reducer 110*75mm	Pc	-	-	145.00	-	
19	Reducer 75*50mm	Pc	-	77.00	-	-	
20	P' Trap 125*110mm	Pc	-	-	596.00	-	
21	P' Trap 110*110mm	Pc	-	-	558.00	-	
22	P' Trap 75*75mm	Pc	-	214.00	-	-	
23	Multi floor Trap 110*75mm	Pc	-	-	310.00	-	
24	Nahani Trap 110*75mm	Pc	-	-	282.00	-	
25	W.C. Connector (Bent type)	Pc	-	-	421.00	-	
26	Square Tile with Jali	Pc	-	-	93.00	-	
27	Round Jali	Pc	-	-	42.00	-	
28	End Cap (50mm)	Pc	27.00	-	-	-	

santosh Gaire
Engineer-NEC (1689 Civil A)

महिराम बरासिनी
प्रमुख प्रशासकीय अधिकृत
बिमला अर्याल
नगर प्रमुख



७.५ खानेपानी सम्बन्धी फिटीङ्स सामाग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% भ्याट बाहेकको दररेट (रु.)					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
१	पाइप फिटीङ्स एनएस							
	१५ मि.मि.पज.एम.वास फेरोल	प्रति गोटा	८५०१००	८५०१००	८५०१००	९३५१००	९३५१००	
	२० मि.मि.व्यास जि.एम.वास फेरोल	प्रति गोटा	२५२०१००	२५२०१००	२५२०१००	२७७२१००	२७७२१००	
	२५ मि.मि.व्यास जि.एम.वास फेरोल	प्रति गोटा	४५००१००	४५००१००	४५००१००	४९५०१००	४९५०१००	
	१५ मि.मि.जि.एम.ल्फो रेगुलेटिड फेरोल	प्रति गोटा	१०५०१००	१०५०१००	१०५०१००	११५५१००	११५५१००	
	१५ मि.मि. पित्तलको धारा ४०० गैमको	प्रति गोटा	५७५१००	५७५१००	५७५१००	६३२१५०	६३२१५०	
२	जि.आई. सकेट NS Mark (ISI Heavy)			०१००	०१००	०१००	०१००	
	१५ मि.मि. व्यास	प्रति गोटा	४९१००	४९१००	४९१००	४५१००	४५१००	
	२० मि.मि. व्यास	प्रति गोटा	६४१००	६४१००	६४१००	७०१४०	७०१४०	
	२५ मि.मि. व्यास	प्रति गोटा	८२१००	८२१००	८२१००	९०१२०	९०१२०	
	३२ मि.मि. व्यास	प्रति गोटा	१२९१००	१२९१००	१२९१००	१४९१००	१४९१००	
	४० मि.मि. व्यास	प्रति गोटा	१७३१००	१७३१००	१७३१००	१९०१३०	१९०१३०	
	५० मि.मि. व्यास	प्रति गोटा	२६८१००	२६८१००	२६८१००	२९४१८०	२९४१८०	
	६५ मि.मि. व्यास	प्रति गोटा	३७५१००	३७५१००	३७५१००	४१२१५०	४१२१५०	
	८० मि.मि. व्यास	प्रति गोटा	६००१००	६००१००	६००१००	६६०१००	६६०१००	
	१०० मि.मि. व्यास	प्रति गोटा	९५०१००	९५०१००	९५०१००	१०४५१००	१०४५१००	
३	जि.आई. एलबो NS Mark (ISI Heavy)			०१००	०१००	०१००	०१००	
	१५ मि.मि. व्यास	प्रति गोटा	४५१००	४५१००	४५१००	४९१५०	४९१५०	
	२० मि.मि. व्यास	प्रति गोटा	७११००	७११००	७११००	७८११०	७८११०	
	२५ मि.मि. व्यास	प्रति गोटा	११३१००	११३१००	११३१००	१२४१३०	१२४१३०	
	३२ मि.मि. व्यास	प्रति गोटा	१७६१००	१७६१००	१७६१००	१९३१६०	१९३१६०	
	४० मि.मि. व्यास	प्रति गोटा	२४२१००	२४२१००	२४२१००	२६६१२०	२६६१२०	
	५० मि.मि. व्यास	प्रति गोटा	३६८१००	३६८१००	३६८१००	४०४१८०	४०४१८०	
	६५ मि.मि. व्यास	प्रति गोटा	६८५१००	६८५१००	६८५१००	७४३१५०	७४३१५०	
	८० मि.मि. व्यास	प्रति गोटा	९७८१००	९७८१००	९७८१००	१०७५१८०	१०७५१८०	
	१०० मि.मि. व्यास	प्रति गोटा	१७५३१००	१७५३१००	१७५३१००	१९२८३०	१९२८३०	
४	जि.आई.टी (एन.एस.३८३)			०१००	०१००	०१००	०१००	
	१५ मि.मि. व्यास	प्रति गोटा	७०१००	७०१००	७०१००	७७०००	७७०००	
	२० मि.मि. व्यास	प्रति गोटा	११०१००	११०१००	११०१००	१२११००	१२११००	
	२५ मि.मि. व्यास	प्रति गोटा	१५०१००	१५०१००	१५०१००	१६५१००	१६५१००	
	३२ मि.मि. व्यास	प्रति गोटा	२४०१००	२४०१००	२४०१००	२६४१००	२६४१००	
	४० मि.मि. व्यास	प्रति गोटा	२९५१००	२९५१००	२९५१००	३२४१५०	३२४१५०	
	५० मि.मि. व्यास	प्रति गोटा	४६०१००	४६०१००	४६०१००	५०६१००	५०६१००	
	६५ मि.मि. व्यास	प्रति गोटा	९०५१००	९०५१००	९०५१००	९९५१५०	९९५१५०	
	८० मि.मि. व्यास	प्रति गोटा	१२०५१००	१२०५१००	१२०५१००	१३२५१५०	१३२५१५०	
	१०० मि.मि. व्यास	प्रति गोटा	२०५३१००	२०५३१००	२०५३१००	२२५८३०	२२५८३०	
५	जि.आई.युनियन			०१००	०१००	०१००	०१००	
	१५ मि.मि. व्यास	प्रति गोटा	१२४१००	१२४१००	१२४१००	१३६१४०	१३६१४०	
	२० मि.मि. व्यास	प्रति गोटा	१७३१००	१७३१००	१७३१००	१९०१३०	१९०१३०	
	२५ मि.मि. व्यास	प्रति गोटा	२३०१००	२३०१००	२३०१००	२५३१००	२५३१००	
	३२ मि.मि. व्यास	प्रति गोटा	३४५१००	३४५१००	३४५१००	३७९१५०	३७९१५०	
	४० मि.मि. व्यास	प्रति गोटा	४५५१००	४५५१००	४५५१००	५००१५०	५००१५०	
	५० मि.मि. व्यास	प्रति गोटा	६३०१००	६३०१००	६३०१००	६९३१००	६९३१००	
	६५ मि.मि. व्यास	प्रति गोटा	१२३०१००	१२३०१००	१२३०१००	१३५३१००	१३५३१००	
	८० मि.मि. व्यास	प्रति गोटा	१६८०१००	१६८०१००	१६८०१००	१८४८१००	१८४८१००	
	१०० मि.मि. व्यास	प्रति गोटा	२३०८१००	२३०८१००	२३०८१००	२५३८१००	२५३८१००	
६	जि.आई. इण्डक्याप			०१००	०१००	०१००	०१००	
	१५ मि.मि. व्यास	प्रति गोटा	२५१००	२५१००	२५१००	२७५०	२७५०	
	२० मि.मि. व्यास	प्रति गोटा	४०१००	४०१००	४०१००	४४१००	४४१००	
	२५ मि.मि. व्यास	प्रति गोटा	६५१००	६५१००	६५१००	७१५०	७१५०	
	३२ मि.मि. व्यास	प्रति गोटा	८०१००	८०१००	८०१००	८८१००	८८१००	
	४० मि.मि. व्यास	प्रति गोटा	१०५१००	१०५१००	१०५१००	११२१५०	११२१५०	
	५० मि.मि. व्यास	प्रति गोटा	२५०१००	२५०१००	२५०१००	२७५१००	२७५१००	
७	जि.आई. रेड्डीसर टी			०१००	०१००	०१००	०१००	
	२० मि.मि. व्यास	प्रति गोटा	१२०१००	१२०१००	१२०१००	१३२१००	१३२१००	
	२५ मि.मि. व्यास	प्रति गोटा	१६२१००	१६२१००	१६२१००	१७८२०	१७८२०	
	३२ मि.मि. व्यास	प्रति गोटा	१४८१००	१४८१००	१४८१००	१६२१८०	१६२१८०	

santosh Gaire
Engineer-NEC (11689 Civil A)

महिराम नरसिनी
प्रमुख प्रशासकीय अधिकृत

बिमला अर्याल
नगर प्रमुख



७.५ खानेपानी सम्बन्धी फिटीङ्स सामाग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% भ्याट बाहेकको दररेट (रु.)					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
	४० मि.मि. ब्यास	प्रति गोटा	३२५।००	३२५।००	३२५।००	३२५।००	३२५।००	
	५० मि.मि. ब्यास	प्रति गोटा	५१७।००	५१७।००	५१७।००	५१७।००	५१७।००	
	६५ मि.मि. ब्यास	प्रति गोटा	९१८।००	९१८।००	९१८।००	९१८।००	९१८।००	
	८० मि.मि. ब्यास	प्रति गोटा	१४५०।००	१४५०।००	१४५०।००	१४५०।००	१४५०।००	
	१०० मि.मि. ब्यास	प्रति गोटा	२७५०।००	२७५०।००	२७५०।००	२७५०।००	२७५०।००	
८	जि.आई. रेड्सुर सकेट			०।००	०।००	०।००	०।००	
	२० मि.मि. ब्यास	प्रति गोटा	६४।००	६४।००	६४।००	७०।४०	७०।४०	
	२५ मि.मि. ब्यास	प्रति गोटा	८७।००	८७।००	८७।००	९५।७०	९५।७०	
	३२ मि.मि. ब्यास	प्रति गोटा	१३४।००	१३४।००	१३४।००	१४७।४०	१४७।४०	
	४० मि.मि. ब्यास	प्रति गोटा	१६८।००	१६८।००	१६८।००	१८४।८०	१८४।८०	
	५० मि.मि. ब्यास	प्रति गोटा	२८०।००	२८०।००	२८०।००	३०८।००	३०८।००	
	६५ मि.मि. ब्यास	प्रति गोटा	४३०।००	४३०।००	४३०।००	४७३।००	४७३।००	
	८० मि.मि. ब्यास	प्रति गोटा	६७५।००	६७५।००	६७५।००	७४२।४०	७४२।४०	
	१०० मि.मि. ब्यास	प्रति गोटा	१०२०।००	१०२०।००	१०२०।००	११२३।००	११२३।००	
९	जि.आई. रेड्सुर एल्बो			०।००	०।००	०।००	०।००	
	२० मि.मि. ब्यास	प्रति गोटा	७७।००	७७।००	७७।००	८४।७०	८४।७०	
	२५ मि.मि. ब्यास	प्रति गोटा	१२०।००	१२०।००	१२०।००	१३३।००	१३३।००	
	३२ मि.मि. ब्यास	प्रति गोटा	१९०।००	१९०।००	१९०।००	२०९।००	२०९।००	
	४० मि.मि. ब्यास	प्रति गोटा	२५५।००	२५५।००	२५५।००	२८०।४०	२८०।४०	
	५० मि.मि. ब्यास	प्रति गोटा	३९८।००	३९८।००	३९८।००	४३७।८०	४३७।८०	
	६५ मि.मि. ब्यास	प्रति गोटा	७०५।००	७०५।००	७०५।००	७७५।४०	७७५।४०	
	८० मि.मि. ब्यास	प्रति गोटा	१००५।००	१००५।००	१००५।००	११०५।४०	११०५।४०	
	१०० मि.मि. ब्यास	प्रति गोटा	१८५०।००	१८५०।००	१८५०।००	२०३५।००	२०३५।००	
१०	जि.आई.सर्ट वेण्ड			०।००	०।००	०।००	०।००	
	१५ मि.मि. ब्यास		१३०।००	१३०।००	१३०।००	१४३।००	१४३।००	
	२० मि.मि. ब्यास	प्रति गोटा	१५०।००	१५०।००	१५०।००	१६५।००	१६५।००	
	२५ मि.मि. ब्यास	प्रति गोटा	१९०।००	१९०।००	१९०।००	२०९।००	२०९।००	
	३२ मि.मि. ब्यास	प्रति गोटा	२९०।००	२९०।००	२९०।००	३१९।००	३१९।००	
	४० मि.मि. ब्यास	प्रति गोटा	४००।००	४००।००	४००।००	४४०।००	४४०।००	
	५० मि.मि. ब्यास	प्रति गोटा	५९०।००	५९०।००	५९०।००	६४९।००	६४९।००	
११	जि.आई. निप्ल २ इन्च लामो			०।००	०।००	०।००	०।००	
	१५ मि.मि. ब्यास	प्रति गोटा	२२।००	२२।००	२२।००	२४।२०	२४।२०	
	२० मि.मि. ब्यास	प्रति गोटा	३४।००	३४।००	३४।००	३७।४०	३७।४०	
	२५ मि.मि. ब्यास	प्रति गोटा	४४।००	४४।००	४४।००	४८।४०	४८।४०	
	३२ मि.मि. ब्यास	प्रति गोटा	५६।५०	५६।५०	५६।५०	६२।१५	६२।१५	
	४० मि.मि. ब्यास	प्रति गोटा	७०।५०	७०।५०	७०।५०	७७।५५	७७।५५	
१२	जि.आई. निप्ल ३ इन्च लामो			०।००	०।००	०।००	०।००	
	१५ मि.मि. ब्यास	प्रति गोटा	३४।००	३४।००	३४।००	३७।४०	३७।४०	
	२० मि.मि. ब्यास	प्रति गोटा	४७।२५	४७।२५	४७।२५	५१।९८	५१।९८	
	२५ मि.मि. ब्यास	प्रति गोटा	६६।२०	६६।२०	६६।२०	७२।८२	७२।८२	
	३२ मि.मि. ब्यास	प्रति गोटा	८५।००	८५।००	८५।००	९३।५०	९३।५०	
	४० मि.मि. ब्यास	प्रति गोटा	१०६।००	१०६।००	१०६।००	११६।००	११६।००	
	५० मि.मि. ब्यास	प्रति गोटा	१३४।००	१३४।००	१३४।००	१४७।४०	१४७।४०	
	६५ मि.मि. ब्यास	प्रति गोटा	१८६।००	१८६।००	१८६।००	२०४।६०	२०४।६०	
	८० मि.मि. ब्यास	प्रति गोटा	२२०।००	२२०।००	२२०।००	२४२।००	२४२।००	
१३	जि.आई. निप्ल ४ इन्च लामो			०।००	०।००	०।००	०।००	
	१५ मि.मि. ब्यास	प्रति गोटा	४५।००	४५।००	४५।००	४९।५०	४९।५०	
	२० मि.मि. ब्यास	प्रति गोटा	६३।००	६३।००	६३।००	६९।३०	६९।३०	
	२५ मि.मि. ब्यास	प्रति गोटा	८८।३०	८८।३०	८८।३०	९४।१३	९४।१३	
	३२ मि.मि. ब्यास	प्रति गोटा	११३।००	११३।००	११३।००	१२४।३०	१२४।३०	
	४० मि.मि. ब्यास	प्रति गोटा	१४१।५०	१४१।५०	१४१।५०	१५५।५५	१५५।५५	
	५० मि.मि. ब्यास	प्रति गोटा	१७९।००	१७९।००	१७९।००	१९६।९०	१९६।९०	
	६५ मि.मि. ब्यास	प्रति गोटा	२४८।००	२४८।००	२४८।००	२७२।८०	२७२।८०	
	८० मि.मि. ब्यास	प्रति गोटा	२०४।००	२०४।००	२०४।००	२२४।४०	२२४।४०	
	१०० मि.मि. ब्यास	प्रति गोटा	४२२।००	४२२।००	४२२।००	४६४।२०	४६४।२०	
	१२५ मि.मि. ब्यास	प्रति गोटा	६४३।५०	६४३।५०	६४३।५०	७०७।८५	७०७।८५	
	१५० मि.मि. ब्यास	प्रति गोटा	७६३।००	७६३।००	७६३।००	८३१।३०	८३१।३०	
१४	जि.आई. निप्ल ६ इन्च लामो			०।००	०।००	०।००	०।००	

Santosh Gaire
Engineer-NEC (11689 Civil A)

महोदय प्रमुख
प्रमुख प्रशासकीय अधिकृत
विमानतः
नगर प्रमुख



७.५ खानेपानी सम्बन्धी फिटीङ्स सामाग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% ब्याट बाहेकको दररेट (रु.)					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
	१५ मि.मि. ब्यास	प्रति गोटा	६८२५	६८२५	६८२५	७५१०८	७५१०८	
	२० मि.मि. ब्यास	प्रति गोटा	९४४०	९४४०	९४४०	१०३८४	१०३८४	
	२५ मि.मि. ब्यास	प्रति गोटा	१३२३५	१३२३५	१३२३५	१४५१५९	१४५१५९	
	३२ मि.मि. ब्यास	प्रति गोटा	१६९८०	१६९८०	१६९८०	१८६१८८	१८६१८८	
	४० मि.मि. ब्यास	प्रति गोटा	१२९१५०	१२९१५०	१२९१५०	१३३६५	१३३६५	
	५० मि.मि. ब्यास	प्रति गोटा	२६८५०	२६८५०	२६८५०	२९५१३५	२९५१३५	
	६५ मि.मि. ब्यास	प्रति गोटा	३७३२०	३७३२०	३७३२०	४१०१२	४१०१२	
	८० मि.मि. ब्यास	प्रति गोटा	४३८५०	४३८५०	४३८५०	४८२३५	४८२३५	
	१०० मि.मि. ब्यास	प्रति गोटा	६३८८०	६३८८०	६३८८०	६९६१०८	६९६१०८	
	१२५ मि.मि. ब्यास	प्रति गोटा	९६५४०	९६५४०	९६५४०	१०६९१९४	१०६९१९४	
	१५० मि.मि. ब्यास	प्रति गोटा	११४५१५	११४५१५	११४५१५	१२६०३३	१२६०३३	
१५ जि.आई. निप्ल ९ इन्च लामो				०१००	०१००	०१००	०१००	
	१५ मि.मि. ब्यास	प्रति गोटा	१०२३३०	१०२३३०	१०२३३०	११२३३	११२३३	
	२० मि.मि. ब्यास	प्रति गोटा	१४११७०	१४११७०	१४११७०	१५५८८	१५५८८	
	२५ मि.मि. ब्यास	प्रति गोटा	१९८६०	१९८६०	१९८६०	२१८४६	२१८४६	
	३२ मि.मि. ब्यास	प्रति गोटा	२५४१७०	२५४१७०	२५४१७०	२८०११	२८०११	
	४० मि.मि. ब्यास	प्रति गोटा	३१८६५	३१८६५	३१८६५	३४०१२	३४०१२	
	५० मि.मि. ब्यास	प्रति गोटा	४०२१७५	४०२१७५	४०२१७५	४४३०३	४४३०३	
	६५ मि.मि. ब्यास	प्रति गोटा	५५९८०	५५९८०	५५९८०	६१५१८	६१५१८	
	८० मि.मि. ब्यास	प्रति गोटा	६५७८०	६५७८०	६५७८०	७२३५८	७२३५८	
	१०० मि.मि. ब्यास	प्रति गोटा	९४९२०	९४९२०	९४९२०	१०४४१२	१०४४१२	
	१२५ मि.मि. ब्यास	प्रति गोटा	१४४८००	१४४८००	१४४८००	१५९२८०	१५९२८०	
	१५० मि.मि. ब्यास	प्रति गोटा	१७८५०	१७८५०	१७८५०	१८९०३५	१८९०३५	
१६ जि.आई. निप्ल १२ इन्च लामो				०१००	०१००	०१००	०१००	
	१५ मि.मि. ब्यास	प्रति गोटा	१३६३०	१३६३०	१३६३०	१४९१३	१४९१३	
	२० मि.मि. ब्यास	प्रति गोटा	१८८८५	१८८८५	१८८८५	२०७७४	२०७७४	
	२५ मि.मि. ब्यास	प्रति गोटा	२६४१७५	२६४१७५	२६४१७५	२९१२३	२९१२३	
	३२ मि.मि. ब्यास	प्रति गोटा	३३९६०	३३९६०	३३९६०	३७३५६	३७३५६	
	४० मि.मि. ब्यास	प्रति गोटा	४२४८०	४२४८०	४२४८०	४६७२८	४६७२८	
	५० मि.मि. ब्यास	प्रति गोटा	५३७८०	५३७८०	५३७८०	५९०१७	५९०१७	
	६५ मि.मि. ब्यास	प्रति गोटा	७४६३५	७४६३५	७४६३५	८२०१९	८२०१९	
	८० मि.मि. ब्यास	प्रति गोटा	८७७१०	८७७१०	८७७१०	९६४८९	९६४८९	
	१०० मि.मि. ब्यास	प्रति गोटा	१२६५५०	१२६५५०	१२६५५०	१३९२०५	१३९२०५	
	१२५ मि.मि. ब्यास	प्रति गोटा	१९३०७०	१९३०७०	१९३०७०	२१२३७७	२१२३७७	
	१५० मि.मि. ब्यास	प्रति गोटा	२२९१४०	२२९१४०	२२९१४०	२५२०५४	२५२०५४	
१७ जि.आई. प्लग				०१००	०१००	०१००	०१००	
	१५ मि.मि. ब्यास	प्रति गोटा	१५१००	१५१००	१५१००	१६५०	१६५०	
	२० मि.मि. ब्यास	प्रति गोटा	२५१००	२५१००	२५१००	२७५०	२७५०	
	२५ मि.मि. ब्यास	प्रति गोटा	३५१००	३५१००	३५१००	३८५०	३८५०	
	३२ मि.मि. ब्यास	प्रति गोटा	४०१००	४०१००	४०१००	४५१००	४५१००	
	४० मि.मि. ब्यास	प्रति गोटा	५५१००	५५१००	५५१००	६०१००	६०१००	
	५० मि.मि. ब्यास	प्रति गोटा	१२०१००	१२०१००	१२०१००	१३२१००	१३२१००	
	६५ मि.मि. ब्यास	प्रति गोटा	१५०१००	१५०१००	१५०१००	१६५१००	१६५१००	
	८० मि.मि. ब्यास	प्रति गोटा	२२०१००	२२०१००	२२०१००	२४२१००	२४२१००	
	१०० मि.मि. ब्यास	प्रति गोटा	४५०१००	४५०१००	४५०१००	४९५१००	४९५१००	
१८ गन मेटल गेटभल्व				०१००	०१००	०१००	०१००	
	१५ मि.मि. ब्यास	प्रति गोटा	९००१००	९००१००	९००१००	९९०१००	९९०१००	
	२० मि.मि. ब्यास	प्रति गोटा	१२७५१००	१२७५१००	१२७५१००	१४०२५०	१४०२५०	
	२५ मि.मि. ब्यास	प्रति गोटा	१८५०१००	१८५०१००	१८५०१००	२०३५१००	२०३५१००	
	३२ मि.मि. ब्यास	प्रति गोटा	२५५०१००	२५५०१००	२५५०१००	२८०५१००	२८०५१००	
	४० मि.मि. ब्यास	प्रति गोटा	४२५०१००	४२५०१००	४२५०१००	४६७५१००	४६७५१००	
	५० मि.मि. ब्यास	प्रति गोटा	६३००१००	६३००१००	६३००१००	६९३०१००	६९३०१००	
	६५ मि.मि. ब्यास	प्रति गोटा	१३२२०१००	१३२२०१००	१३२२०१००	१४५४२१००	१४५४२१००	
	८० मि.मि. ब्यास	प्रति गोटा	२०६९५१००	२०६९५१००	२०६९५१००	२२६७५१००	२२६७५१००	
१९ गन मेटल ग्लोब भल्व				०१००	०१००	०१००	०१००	
	१५ मि.मि. ब्यास	प्रति गोटा	८५०१००	८५०१००	८५०१००	९३५१००	९३५१००	
	२० मि.मि. ब्यास	प्रति गोटा	१२००१००	१२००१००	१२००१००	१३२०१००	१३२०१००	
	२५ मि.मि. ब्यास	प्रति गोटा	१८५०१००	१८५०१००	१८५०१००	२०३५१००	२०३५१००	


santosh Gaire
 Engineer-NEC (11689 Civil E)


मतिराम ज्ञानसिनी
 प्रमुख प्रशासकीय अधिकारी
 नगर प्रमुख



७.५ खानेपानी सम्बन्धी फिटीङ्स सामाग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% भ्याट बाहेकको दररेट (रु.)					कैफियत
			आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	आ.व. २०७९/८० को स्वीकृत दर रेट	आ.व. २०८०/८१ को स्वीकृत दर रेट	
२०	१०० मि.मि. ब्यास गन मेटल ल्फोट भल्ब	प्रति गोटा	२५५००।००	२५५००।००	२५५००।००	२८०५०।००	२८०५०।००	
	१५ मि.मि. ब्यास	प्रति गोटा	८००।००	८००।००	८००।००	८८०।००	८८०।००	
	२० मि.मि. ब्यास	प्रति गोटा	१५५०।००	१५५०।००	१५५०।००	१७०५।००	१७०५।००	
	२५ मि.मि. ब्यास	प्रति गोटा	२५५०।००	२५५०।००	२५५०।००	२८०५।००	२८०५।००	
२१	सि.आई.एयर भल्ब			०।००	०।००	०।००	०।००	
	१५ मि.मि. ब्यास	प्रति गोटा	३८५०।००	३८५०।००	३८५०।००	४२३५।००	४२३५।००	
	२० मि.मि. ब्यास	प्रति गोटा	४२५०।००	४२५०।००	४२५०।००	४६७५।००	४६७५।००	
२२	गन मेटल चेक भल्ब Horizontal Flow			०।००	०।००	०।००	०।००	
	१५ मि.मि. ब्यास	प्रति गोटा	५७५।००	५७५।००	५७५।००	६३१।००	६३१।००	
	२० मि.मि. ब्यास	प्रति गोटा	९००।००	९००।००	९००।००	९९०।००	९९०।००	
	२५ मि.मि. ब्यास	प्रति गोटा	१५५०।००	१५५०।००	१५५०।००	१७०५।००	१७०५।००	
२३	गन मेटल चेक भल्ब Vertical Flow			०।००	०।००	०।००	०।००	
	१५ मि.मि. ब्यास	प्रति गोटा	३५०।००	३५०।००	३५०।००	३८५।००	३८५।००	
	२० मि.मि. ब्यास	प्रति गोटा	४५०।००	४५०।००	४५०।००	४९५।००	४९५।००	
	२५ मि.मि. ब्यास	प्रति गोटा	५००।००	५००।००	५००।००	५५०।००	५५०।००	
२४	जि.आई./जि.आई.ल्फेन्ज			०।००	०।००	०।००	०।००	
	३२ मि.मि. ब्यास	प्रति गोटा	६६०।००	६६०।००	६६०।००	७२६।००	७२६।००	
	४० मि.मि. ब्यास	प्रति गोटा	८८०।००	८८०।००	८८०।००	९६८।००	९६८।००	
	५० मि.मि. ब्यास	प्रति गोटा	१३७५।००	१३७५।००	१३७५।००	१५१२।००	१५१२।००	
	६५ मि.मि. ब्यास	प्रति गोटा	१७७५।००	१७७५।००	१७७५।००	१९५२।००	१९५२।००	
	८० मि.मि. ब्यास	प्रति गोटा	२३५०।००	२३५०।००	२३५०।००	२५८५।००	२५८५।००	
	१०० मि.मि. ब्यास	प्रति गोटा	२७२०।००	२७२०।००	२७२०।००	२९९२।००	२९९२।००	
२५	जि.आई./एच.डी.पी.ल्फेन्ज			०।००	०।००	०।००	०।००	
	५० मि.मि. ब्यास		१२८०।००	१२८०।००	१२८०।००	१४०८।००	१४०८।००	
	६५ मि.मि. ब्यास	प्रति गोटा	१९८०।००	१९८०।००	१९८०।००	२१७८।००	२१७८।००	
	८० मि.मि. ब्यास	प्रति गोटा	२४२०।००	२४२०।००	२४२०।००	२६६२।००	२६६२।००	
	१०० मि.मि. ब्यास	प्रति गोटा	२७७५।००	२७७५।००	२७७५।००	३०५२।००	३०५२।००	
२६	एच.डी.पी./एच.डी.पी.ल्फेन्ज			०।००	०।००	०।००	०।००	
	४० मि.मि. ब्यास	प्रति गोटा	१५४०।००	१५४०।००	१५४०।००	१६९४।००	१६९४।००	
	५० मि.मि. ब्यास	प्रति गोटा	१६५०।००	१६५०।००	१६५०।००	१८१४।००	१८१४।००	
	६३ मि.मि. ब्यास	प्रति गोटा	१७६०।००	१७६०।००	१७६०।००	१९३६।००	१९३६।००	
	७५ मि.मि. ब्यास	प्रति गोटा	२४७५।००	२४७५।००	२४७५।००	२७२२।००	२७२२।००	
	८० मि.मि. ब्यास	प्रति गोटा		०।००	०।००	०।००	०।००	
	११० मि.मि. ब्यास	प्रति गोटा	२७२८।००	२७२८।००	२७२८।००	३०००।००	३०००।००	
२७	वास युनियन एडेप्टर समेत			०।००	०।००	०।००	०।००	
	१५ मि.मि. ब्यास	प्रति गोटा	३००।००	३००।००	३००।००	३३०।००	३३०।००	
	२० मि.मि. ब्यास	प्रति गोटा	४५०।००	४५०।००	४५०।००	४९५।००	४९५।००	
	२५ मि.मि. ब्यास	प्रति गोटा	७५०।००	७५०।००	७५०।००	८२५।००	८२५।००	
	३२ मि.मि. ब्यास	प्रति गोटा	१२५०।००	१२५०।००	१२५०।००	१३७५।००	१३७५।००	
	४० मि.मि. ब्यास	प्रति गोटा	१७५०।००	१७५०।००	१७५०।००	१९२५।००	१९२५।००	
	५० मि.मि. ब्यास	प्रति गोटा	२३५०।००	२३५०।००	२३५०।००	२५८५।००	२५८५।००	
	६५ मि.मि. ब्यास	प्रति गोटा	५५००।००	५५००।००	५५००।००	६०५०।००	६०५०।००	
२८	स्याडल फेरोल			०।००	०।००	०।००	०।००	
	४०मिमि. स्याडल फेरोल 1 ^{1/2} x1/2" PVC	प्रति गोटा	२५०।००	२५०।००	२५०।००	२७५।००	२७५।००	
	५०मिमि. स्याडल फेरोल २x1/2" PVC	प्रति गोटा	२५०।००	२५०।००	२५०।००	२७५।००	२७५।००	
	६५मिमि. स्याडल फेरोल २ ^{1/2} x1/2" PVC	प्रति गोटा	२७५।००	२७५।००	२७५।००	३०२।००	३०२।००	
	८०मिमि. स्याडल फेरोल 3x1/2" PVC	प्रति गोटा	३५०।००	३५०।००	३५०।००	३८५।००	३८५।००	
	१००मिमि. स्याडल फेरोल 4x1/2" PVC	प्रति गोटा	४००।००	४००।००	४००।००	४४०।००	४४०।००	
२९	जि.आई.स्याडल			०।००	०।००	०।००	०।००	
	50mmx32mm	प्रति गोटा	९३६।००	९३६।००	९३६।००	१०२९।६०	१०२९।६०	
	50mmx40mm	प्रति गोटा	११२०।००	११२०।००	११२०।००	१२३३।००	१२३३।००	
	63mmx32mm	प्रति गोटा	९८४।००	९८४।००	९८४।००	१०८२।४०	१०८२।४०	
	63mmx40mm	प्रति गोटा	११७०।००	११७०।००	११७०।००	१२८७।००	१२८७।००	
	63mmx50mm	प्रति गोटा	१३००।००	१३००।००	१३००।००	१४३०।००	१४३०।००	
	75mmx32mm	प्रति गोटा	१०९२।००	१०९२।००	१०९२।००	११९३।२०	११९३।२०	
	75mmx40mm	प्रति गोटा	११९६।००	११९६।००	११९६।००	१३१५।६०	१३१५।६०	
	75mmx50mm	प्रति गोटा	१३२८।००	१३२८।००	१३२८।००	१४६०।८०	१४६०।८०	

santosh Gaire
 Engineer-NEC (11689 Civil A)

बिमला बन्धारी
 प्रमुख प्रशासकीय अधिकृत
 नगर प्रमुख



७.५ खानेपानी सम्बन्धी फिटिङ्स सामाग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% भ्याट बाहेकको दररेट (रु.)					कीफायत
			आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	आ.व. २०७९/८० को स्वीकृत दर रेट	आ.व. २०८०/८१ को स्वीकृत दर रेट	
	75mmx63mm	प्रति गोटा	१५०८००	१५०८००	१५०८००	१६५८००	१६५८००	
	90mmx32mm	प्रति गोटा	१३४४००	१३४४००	१३४४००	१४७८००	१४७८००	
	90mmx40mm	प्रति गोटा	१५२८००	१५२८००	१५२८००	१६८०००	१६८०००	
	90mmx50mm	प्रति गोटा	१६६०००	१६६०००	१६६०००	१८२६००	१८२६००	
	90mmx63mm	प्रति गोटा	१८४०००	१८४०००	१८४०००	२०२४००	२०२४००	
	90mmx75mm	प्रति गोटा	२२०८००	२२०८००	२२०८००	२४२८००	२४२८००	
	110mmx32mm	प्रति गोटा	१४५६००	१४५६००	१४५६००	१६०१६०	१६०१६०	
	110mmx40mm	प्रति गोटा	१६४०००	१६४०००	१६४०००	१८०४००	१८०४००	
	110mmx50mm	प्रति गोटा	१७७२००	१७७२००	१७७२००	१९४९२०	१९४९२०	
	110mmx63mm	प्रति गोटा	१९९२००	१९९२००	१९९२००	२१९१२०	२१९१२०	
	110mmx75mm	प्रति गोटा	२३२०००	२३२०००	२३२०००	२५५२००	२५५२००	
	110mmx90mm	प्रति गोटा	२४६२००	२४६२००	२४६२००	२७०८२०	२७०८२०	
	125mmx32mm	प्रति गोटा	१५४०००	१५४०००	१५४०००	१६६४००	१६६४००	
	125mmx40mm	प्रति गोटा	१७२४००	१७२४००	१७२४००	१८९६४०	१८९६४०	
	125mmx50mm	प्रति गोटा	१८५६००	१८५६००	१८५६००	२०४१६०	२०४१६०	
	125mmx63mm	प्रति गोटा	२०३६००	२०३६००	२०३६००	२२३९६०	२२३९६०	
	125mmx75mm	प्रति गोटा	२४०४००	२४०४००	२४०४००	२६४४४०	२६४४४०	
	125mmx90mm	प्रति गोटा	२६५६००	२६५६००	२६५६००	२९२१६०	२९२१६०	
	125mmx110mm	प्रति गोटा	३३०४००	३३०४००	३३०४००	३६३४४०	३६३४४०	
	140mmx32mm	प्रति गोटा	१६४४००	१६४४००	१६४४००	१८०८४०	१८०८४०	
	140mmx40mm	प्रति गोटा	१८२८००	१८२८००	१८२८००	२०१०८०	२०१०८०	
	140mmx50mm	प्रति गोटा	१९६०००	१९६०००	१९६०००	२१५६००	२१५६००	
	140mmx63mm	प्रति गोटा	२१४०००	२१४०००	२१४०००	२३५४००	२३५४००	
	140mmx75mm	प्रति गोटा	२५०८००	२५०८००	२५०८००	२७५८००	२७५८००	
	140mmx90mm	प्रति गोटा	२७६०००	२७६०००	२७६०००	३०३६००	३०३६००	
	140mmx110mm	प्रति गोटा	३४०८००	३४०८००	३४०८००	३७४८००	३७४८००	
	160mmx32mm	प्रति गोटा	१७४८००	१७४८००	१७४८००	१९२८००	१९२८००	
	160mmx40mm	प्रति गोटा	१९३२००	१९३२००	१९३२००	२१२४२०	२१२४२०	
	160mmx50mm	प्रति गोटा	२०६४००	२०६४००	२०६४००	२२७०४०	२२७०४०	
	160mmx63mm	प्रति गोटा	२२४४००	२२४४००	२२४४००	२४६८४०	२४६८४०	
	160mmx75mm	प्रति गोटा	२६१२००	२६१२००	२६१२००	२८७३२०	२८७३२०	
	160mmx90mm	प्रति गोटा	२८६४००	२८६४००	२८६४००	३१५४००	३१५४००	
	160mmx110mm	प्रति गोटा	३५१२००	३५१२००	३५१२००	३८६३२०	३८६३२०	
	180mmx32mm	प्रति गोटा	१८८४००	१८८४००	१८८४००	२०७२४०	२०७२४०	
	180mmx40mm	प्रति गोटा	२०६८००	२०६८००	२०६८००	२२७४८०	२२७४८०	
	180mmx50mm	प्रति गोटा	२२००००	२२००००	२२००००	२४२०००	२४२०००	
	180mmx63mm	प्रति गोटा	२३८०००	२३८०००	२३८०००	२६१८००	२६१८००	
	180mmx75mm	प्रति गोटा	२७४८००	२७४८००	२७४८००	३०२२८०	३०२२८०	
	180mmx90mm	प्रति गोटा	३०००००	३०००००	३०००००	३३००००	३३००००	
	180mmx110mm	प्रति गोटा	३६५८००	३६५८००	३६५८००	४०२३८०	४०२३८०	
	200mmx32mm	प्रति गोटा	१९६४००	१९६४००	१९६४००	२१६०४०	२१६०४०	
	200mmx40mm	प्रति गोटा	२१६८००	२१६८००	२१६८००	२३८४८०	२३८४८०	
	200mmx50mm	प्रति गोटा	२३००००	२३००००	२३००००	२५३०००	२५३०००	
	200mmx63mm	प्रति गोटा	२४००००	२४००००	२४००००	२६४०००	२६४०००	
	200mmx75mm	प्रति गोटा	२८४८००	२८४८००	२८४८००	३१३२८०	३१३२८०	
	200mmx90mm	प्रति गोटा	३१००००	३१००००	३१००००	३४१०००	३४१०००	
	200mmx110mm	प्रति गोटा	३७४८००	३७४८००	३७४८००	४१२२८०	४१२२८०	
	225mmx32mm	प्रति गोटा	२१२८००	२१२८००	२१२८००	२३३०८०	२३३०८०	
	225mmx40mm	प्रति गोटा	२३१०००	२३१०००	२३१०००	२५४१००	२५४१००	
	225mmx50mm	प्रति गोटा	२४४४००	२४४४००	२४४४००	२६८८४०	२६८८४०	
	225mmx63mm	प्रति गोटा	२६२४००	२६२४००	२६२४००	२८८६४०	२८८६४०	
	225mmx75mm	प्रति गोटा	२९९२००	२९९२००	२९९२००	३२९१२०	३२९१२०	
	225mmx90mm	प्रति गोटा	३२४०००	३२४०००	३२४०००	३५६४००	३५६४००	
	225mmx110mm	प्रति गोटा	३८९२००	३८९२००	३८९२००	४२८१२०	४२८१२०	
३०	टंकिको निष्पल			०१००	०१००	०१००	०१००	
	१५मि.मि ब्यास	प्रति गोटा	११२०००	११२०००	११२०००	१२३२००	१२३२००	
	२०मि.मि ब्यास	प्रति गोटा	१८००००	१८००००	१८००००	१९८०००	१९८०००	
	२५मि.मि ब्यास	प्रति गोटा	२७५०००	२७५०००	२७५०००	३०२५४०	३०२५४०	

santosh Gaire
Engineer-NEC (11689 Civil A)

महोदय नगरपालिका
प्रमुख प्रशासकीय अधिकृत

बिमल अग्रवाल
नगर प्रमुख




७.५ खानेपानी सम्बन्धी फिटीङ्स सामाग्री

क्र.स.	निर्माण सामग्रीको विवरण	इकाई	१३५६ घ्याट बाहेकको दररेट (रु.)					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
	३२मि.मि व्यास	प्रति गोटा	३७३१००	३७३१००	३७३१००	४१०१३०	४१०१३०	
	४०मि.मि.व्यास	प्रति गोटा	४७५१००	४७५१००	४७५१००	५२२१५०	५२२१५०	
	५० मि.मि.व्यास	प्रति गोटा	८५०१००	८५०१००	८५०१००	९३५१००	९३५१००	
३१	सि.आई.सुईस भल्भ			०१००	०१००	०१००	०१००	
	६५मि.मि व्यास	प्रति गोटा	१४०००१००	१४०००१००	१४०००१००	१५४००१००	१५४००१००	
	८०मि.मि व्यास	प्रति गोटा	१९५००१००	१९५००१००	१९५००१००	२१४५०१००	२१४५०१००	
	१००मि.मि व्यास	प्रति गोटा	२७५००१००	२७५००१००	२७५००१००	३०२५०१००	३०२५०१००	
	१२५मि.मि व्यास	प्रति गोटा	३३५००१००	३३५००१००	३३५००१००	३६८५०१००	३६८५०१००	
	१५०मि.मि व्यास	प्रति गोटा	४१२५०१००	४१२५०१००	४१२५०१००	४५३५५१००	४५३५५१००	
३२	गन मेटल नन रिटर्न भल्भ			०१००	०१००	०१००	०१००	
	६५मि.मि व्यास	प्रति गोटा	१५०००१००	१५०००१००	१५०००१००	१६५००१००	१६५००१००	
	८०मि.मि व्यास	प्रति गोटा	२१७५०१००	२१७५०१००	२१७५०१००	२३९२५१००	२३९२५१००	
	१००मि.मि व्यास	प्रति गोटा	२६३००१००	२६३००१००	२६३००१००	२८९३०१००	२८९३०१००	
	१२५मि.मि व्यास	प्रति गोटा	३३३७५१००	३३३७५१००	३३३७५१००	३६७५२५०	३६७५२५०	
	१५०मि.मि व्यास	प्रति गोटा	३७५००१००	३७५००१००	३७५००१००	४१२५०१००	४१२५०१००	
३३	वि.पि.टि.को ब्रासको फ्लोट भल्भ			०१००	०१००	०१००	०१००	
	१५मि.मि व्यास	प्रति गोटा	२७५०१००	२७५०१००	२७५०१००	३०२५१००	३०२५१००	
	२०मि.मि व्यास	प्रति गोटा	३७५०१००	३७५०१००	३७५०१००	४१२५१००	४१२५१००	
	२५मि.मि व्यास	प्रति गोटा	४५००१००	४५००१००	४५००१००	४९५०१००	४९५०१००	
	३०मि.मि व्यास	प्रति गोटा	६५००१००	६५००१००	६५००१००	१०४५०१००	१०४५०१००	
	४०मि.मि.व्यास	प्रति गोटा	१३७५५१००	१३७५५१००	१३७५५१००	१५१५२५०	१५१५२५०	
	५० मि.मि.व्यास	प्रति गोटा	२०५७५१००	२०५७५१००	२०५७५१००	२२६३५५०	२२६३५५०	
३४	फ्लामको सेडल सकेट समेत			०१००	०१००	* ०१००	०१००	
	२५मि.मि व्यास	प्रति गोटा	३००१००	३००१००	३००१००	३३०१००	३३०१००	
	३०मि.मि व्यास	प्रति गोटा	४००१००	४००१००	४००१००	४४०१००	४४०१००	
	४०मि.मि व्यास	प्रति गोटा	५००१००	५००१००	५००१००	५५०१००	५५०१००	
	५०मि.मि व्यास	प्रति गोटा	६५०१००	६५०१००	६५०१००	७५५१००	७५५१००	
	६५मि.मि व्यास	प्रति गोटा	७००१००	७००१००	७००१००	७७०१००	७७०१००	
	८०मि.मि व्यास	प्रति गोटा	७५०१००	७५०१००	७५०१००	८२५१००	८२५१००	
३५	Stainless Steel Easy Clamp			०१००	०१००	०१००	०१००	
	90mm	प्रति गोटा	४०००१००	४०००१००	४०००१००	४४००१००	४४००१००	
	110mm	प्रति गोटा	४४००१००	४४००१००	४४००१००	४८४०१००	४८४०१००	
	125mm	प्रति गोटा	४८००१००	४८००१००	४८००१००	५२८०१००	५२८०१००	
	140mm	प्रति गोटा	५२००१००	५२००१००	५२००१००	५७२०१००	५७२०१००	
	160mm	प्रति गोटा	६४००१००	६४००१००	६४००१००	७०४०१००	७०४०१००	
	180mm	प्रति गोटा	६८००१००	६८००१००	६८००१००	७४८०१००	७४८०१००	
	200mm	प्रति गोटा	९५००१००	९५००१००	९५००१००	१०४५०१००	१०४५०१००	
	225mm	प्रति गोटा	१०५००१००	१०५००१००	१०५००१००	११५५०१००	११५५०१००	
	250mm	प्रति गोटा	१४५००१००	१४५००१००	१४५००१००	१५९५०१००	१५९५०१००	
	315mm	प्रति गोटा	१९०००१००	१९०००१००	१९०००१००	२०९००१००	२०९००१००	
	365mm	प्रति गोटा	२२६००१००	२२६००१००	२२६००१००	२४८६०१००	२४८६०१००	
३६	HDPE Reducer Socket (6kgf/cm2)			०१००	०१००	०१००	०१००	
	50mmx20mm	प्रति गोटा	६०१००	६०१००	६०१००	६६१००	६६१००	
	50mmx25mm	प्रति गोटा	६६१००	६६१००	६६१००	७२१००	७२१००	
	50mmx32mm	प्रति गोटा	९०१००	९०१००	९०१००	९९१००	९९१००	
	50mmx40mm	प्रति गोटा	१००१००	१००१००	१००१००	११०१००	११०१००	
	63mmx20mm	प्रति गोटा	९०१००	९०१००	९०१००	९९१००	९९१००	
	63mmx25mm	प्रति गोटा	११०१००	११०१००	११०१००	१२१००	१२१००	
	63mmx32mm	प्रति गोटा	१३०१००	१३०१००	१३०१००	१४३००	१४३००	
	63mmx40mm	प्रति गोटा	१३०१००	१३०१००	१३०१००	१४३००	१४३००	
	63mmx50mm	प्रति गोटा	१४०१००	१४०१००	१४०१००	१५४००	१५४००	
	75mmx32mm	प्रति गोटा	५५१००	५५१००	५५१००	६०५०	६०५०	
	75mmx40mm	प्रति गोटा	१३०१००	१३०१००	१३०१००	१४३००	१४३००	
	75mmx50mm	प्रति गोटा	१५०१००	१५०१००	१५०१००	१६५००	१६५००	
	75mmx63mm	प्रति गोटा	१५०१००	१५०१००	१५०१००	१६५००	१६५००	
	90mmx32mm	प्रति गोटा	१७०१००	१७०१००	१७०१००	१८७००	१८७००	
	90mmx40mm	प्रति गोटा	१९०१००	१९०१००	१९०१००	२०९००	२०९००	
	90mmx50mm	प्रति गोटा	२३०१००	२३०१००	२३०१००	२५३००	२५३००	

Santosh Gaire
 Engineer-NEC (11689 Civil A)

महतिराम मरासिनी
 प्रमुख प्रशासकीय अधिकृत
 विभागाध्यक्ष
 नगर प्रमुख




santosh Gaire
Engineer-NEC (11689 Civil A)

महाराज मरासिनी
प्रमुख प्रशासकीय अधिकारी
बिमला अग्रवाल
नगर प्रमुख



७.५ खानेपानी सम्बन्धी फिटीङ्स सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% भ्याट बाहेकको दर (रु.)					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
	125mmx110mm	प्रति गोटा	२११०१००	२११०१००	२११०१००	२३२११००	२३२११००	
	140mmx63mm	प्रति गोटा	२५८०१००	२५८०१००	२५८०१००	२८३८१००	२८३८१००	
	140mmx75mm	प्रति गोटा	२१६०१००	२१६०१००	२१६०१००	२३७६१००	२३७६१००	
	140mmx90mm	प्रति गोटा	२७००१००	२७००१००	२७००१००	२९७०१००	२९७०१००	
	140mmx110mm	प्रति गोटा	२८००१००	२८००१००	२८००१००	३०८०१००	३०८०१००	
	140mmx125mm	प्रति गोटा	२८४०१००	२८४०१००	२८४०१००	३१२४१००	३१२४१००	
	160mmx75mm	प्रति गोटा	३३४०१००	३३४०१००	३३४०१००	३६७४१००	३६७४१००	
	160mmx90mm	प्रति गोटा	३३९०१००	३३९०१००	३३९०१००	३७२९१००	३७२९१००	
	160mmx110mm	प्रति गोटा	३६८०१००	३६८०१००	३६८०१००	४०४८१००	४०४८१००	
	160mmx125mm	प्रति गोटा	३७००१००	३७००१००	३७००१००	४०७०१००	४०७०१००	
	160mmx140mm	प्रति गोटा	३७२०१००	३७२०१००	३७२०१००	४०९२१००	४०९२१००	
	180mmx90mm	प्रति गोटा	४५७०१००	४५७०१००	४५७०१००	४०२७१००	४०२७१००	
	180mmx110mm	प्रति गोटा	४७२०१००	४७२०१००	४७२०१००	५१९२१००	५१९२१००	
	180mmx125mm	प्रति गोटा	४८२०१००	४८२०१००	४८२०१००	५३०२१००	५३०२१००	
	180mmx140mm	प्रति गोटा	४८५०१००	४८५०१००	४८५०१००	५३३५१००	५३३५१००	
	180mmx160mm	प्रति गोटा	४९८०१००	४९८०१००	४९८०१००	५४७८१००	५४७८१००	
	200mmx75mm	प्रति गोटा	५७७०१००	५७७०१००	५७७०१००	६३४७१००	६३४७१००	
	200mmx90mm	प्रति गोटा	६२६०१००	६२६०१००	६२६०१००	६८८६१००	६८८६१००	
	200mmx110mm	प्रति गोटा	६६१०१००	६६१०१००	६६१०१००	७२७११००	७२७११००	
	200mmx125mm	प्रति गोटा	६६५०१००	६६५०१००	६६५०१००	७३१५१००	७३१५१००	
	200mmx140mm	प्रति गोटा	६६७०१००	६६७०१००	६६७०१००	७३३७१००	७३३७१००	
	200mmx160mm	प्रति गोटा	६७७०१००	६७७०१००	६७७०१००	७४४७१००	७४४७१००	
	200mmx180mm	प्रति गोटा	७०५०१००	७०५०१००	७०५०१००	७७५५१००	७७५५१००	
३८	HDPE Equal Tee (6kgf/cm ²)			०१००	०१००	०१००	०१००	०१००
	50mm	प्रति गोटा	१८०१००	१८०१००	१८०१००	१९८१००	१९८१००	
	63mm	प्रति गोटा	३६०१००	३६०१००	३६०१००	३९६१००	३९६१००	
	75mm	प्रति गोटा	५६०१००	५६०१००	५६०१००	६१६१००	६१६१००	
	90mm	प्रति गोटा	७२०१००	७२०१००	७२०१००	७९२१००	७९२१००	
	110mm	प्रति गोटा	११८०१००	११८०१००	११८०१००	१२९८१००	१२९८१००	
	125mm	प्रति गोटा	१३९०१००	१३९०१००	१३९०१००	१५२९१००	१५२९१००	
	140mm	प्रति गोटा	१९७०१००	१९७०१००	१९७०१००	२१६७१००	२१६७१००	
	160mm	प्रति गोटा	२५५०१००	२५५०१००	२५५०१००	२८०५१००	२८०५१००	
	180mm	प्रति गोटा	३५३०१००	३५३०१००	३५३०१००	३८८३१००	३८८३१००	
	200mm	प्रति गोटा	४५२०१००	४५२०१००	४५२०१००	४९७२१००	४९७२१००	
	225mm	प्रति गोटा	५६७०१००	५६७०१००	५६७०१००	६२३७१००	६२३७१००	
	250mm	प्रति गोटा	७३८०१००	७३८०१००	७३८०१००	८११८१००	८११८१००	
	280mm	प्रति गोटा	१११३०१००	१११३०१००	१११३०१००	१२२४३१००	१२२४३१००	
	315mm	प्रति गोटा	१५१००१००	१५१००१००	१५१००१००	१६६१०१००	१६६१०१००	
३९	HDPE Bend 90 (6kgf/cm ²)			०१००	०१००	०१००	०१००	०१००
	50mm	प्रति गोटा	१७०१००	१७०१००	१७०१००	१८७१००	१८७१००	
	63mm	प्रति गोटा	२३०१००	२३०१००	२३०१००	२५३१००	२५३१००	
	75mm	प्रति गोटा	५७०१००	५७०१००	५७०१००	६२७१००	६२७१००	
	90mm	प्रति गोटा	७५०१००	७५०१००	७५०१००	८२५१००	८२५१००	
	110mm	प्रति गोटा	१०५०१००	१०५०१००	१०५०१००	११५५१००	११५५१००	
	125mm	प्रति गोटा	१३९०१००	१३९०१००	१३९०१००	१५२९१००	१५२९१००	
	140mm	प्रति गोटा	१९००१००	१९००१००	१९००१००	२०९०१००	२०९०१००	
	160mm	प्रति गोटा	२६५०१००	२६५०१००	२६५०१००	२९१५१००	२९१५१००	
	180mm	प्रति गोटा	३५००१००	३५००१००	३५००१००	३८५०१००	३८५०१००	
	200mm	प्रति गोटा	४२६२०१००	४२६२०१००	४२६२०१००	४६८८२००	४६८८२००	
	225mm	प्रति गोटा	६३५०१००	६३५०१००	६३५०१००	६९८५१००	६९८५१००	
	250mm	प्रति गोटा	८५००१००	८५००१००	८५००१००	९३५०१००	९३५०१००	
	280mm	प्रति गोटा	११६७०१००	११६७०१००	११६७०१००	१२८३७००	१२८३७००	
४०	Readymade Washer			०१००	०१००	०१००	०१००	०१००
	40mm	प्रति गोटा	९०१००	९०१००	९०१००	९९१००	९९१००	
	50mm	प्रति गोटा	९०१००	९०१००	९०१००	९९१००	९९१००	
	65mm	प्रति गोटा	१००१००	१००१००	१००१००	११०१००	११०१००	
	80mm	प्रति गोटा	१२०१००	१२०१००	१२०१००	१३२१००	१३२१००	
	100mm	प्रति गोटा	१४०१००	१४०१००	१४०१००	१५४१००	१५४१००	


Santosh Gaire
 Engineer-NEC (11689)


राम नारायण
 प्रमुख प्रशासकीय अधिकृत

बिमला
 नगर प्रमुख



७.५ खानेपानी सम्बन्धी फिटीङ्स सामाग्री

क्र.स.	निर्माण सामग्रीको विवरण	इकाई	१३% भ्याट बाहेकको दररेट (रु.)					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
	140mm	प्रति गोटा	२१०१००	२१०१००	२१०१००	२३११००	२३११००	
	160mm	प्रति गोटा	५४०१००	५४०१००	५४०१००	५९४१००	५९४१००	
	200mm	प्रति गोटा	५४०१००	५४०१००	५४०१००	५९४१००	५९४१००	
	250mm	प्रति गोटा	६७०१००	६७०१००	६७०१००	७३५०००	७३५०००	
४९	Rubber Seal	प्रति गोटा	५००१००	५००१००	५००१००	५४०१००	५४०१००	


santosh Gaire
Engineer-NEC (11689 Civil A)


राम नारासिनी
प्रमुख प्रशासकीय अधिकृत


बिमला अर्याल
नगर प्रमुख



७.६ ईनार तथा ट्युबवेल सम्बन्धी

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% भ्याट बाहेकको दररेट(रु.)				
			आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	आ.व. २०७९/८० को स्वीकृत दर रेट	आ.व. २०८०/८१ को स्वीकृत दर रेट
	DEEP Tube Well						
१.	Pea Gravel	No	२५२०१००	२५२०१००	२५२०१००	२७७२१००	२७७२१००
२	Gasket	KG	४६१००	४६१००	४६१००	५०१६०	५०१६०
३	Bentonite	KG	२६१००	२६१००	२६१००	२८१६०	२८१६०
४	Barite	KG	२७१००	२७१००	२७१००	२९१७०	२९१७०
५	MS Casing pipe 10"	KG	१००१००	१००१००	१००१००	११०१००	११०१००
६	MS Casing pipe 8"	KG	९०१००	९०१००	९०१००	९९१००	९९१००
७	MS Casing pipe 6"	KG	८९१००	८९१००	८९१००	९७९०	९७९०
८	Reducer 8/6"	No	२१००१००	२१००१००	२१००१००	२३१०१००	२३१०१००
	Flange-Set 8 "	No	३६७५१००	३६७५१००	३६७५१००	४०४२१५०	४०४२१५०
९	Shallow Tube Well						
१०	MS Pipe Treaded- 4"Ø	KG	११६१००	११६१००	११६१००	१२७६०	१२७६०
११	Bottle T(Well Head-T)	No	२६२५१००	२६२५१००	२६२५१००	२८८७५०	२८८७५०
१२	Nipple 4"Ø 4" length	No	२४७००	२४७००	२४७००	२७१७०	२७१७०
१३	Heavy Socket 4"Ø	No	९९८१००	९९८१००	९९८१००	१०९७८०	१०९७८०
१४	Nipple 1.5"Ø 9" long	No	२३३१००	२३३१००	२३३१००	२५६३०	२५६३०
१५	Non-return Valve 4"Ø	No	४७२५१००	४७२५१००	४७२५१००	५१९७५०	५१९७५०
१६	CI Cap 4"Ø	No	३१५१००	३१५१००	३१५१००	३४६५०	३४६५०
१७	CI Cap 1.5"Ø	No	९७००	९७००	९७००	१०६१७०	१०६१७०
१८	PVC Screen Making Charge	RM	६८३१००	६८३१००	६८३१००	७५१३०	७५१३०
१९	MS Screen Making Charge	RM	२३१०१००	२३१०१००	२३१०१००	२५४१००	२५४१००
२०	Noke Making Charge	No	३३६०१००	३३६०१००	३३६०१००	३६९६१००	३६९६१००
२१	Nylon Net	Mtr	११६१००	११६१००	११६१००	१२७६०	१२७६०
२२	<u>Shallow Tubewell Drilling Charge(Manual)</u>						
२३	Sludge Method	RM	१४०४१००	१४०४१००	१४०४१००	१५४४१४०	१५४४१४०
२४	Hammering Method	RM	२०५११००	२०५११००	२०५११००	२२५६१०	२२५६१०
२५	Cost of Summercible PumpsTube Well						
२६	5HP Motor pump (4" Boring,Economic Head Upto 50m)	No	७८७५०१००	७८७५०१००	७८७५०१००	८६६२५१००	८६६२५१००
२७	6HP Motor pump (4" Boring,Economic Head Upto 75m)	No	८९२५०१००	८९२५०१००	८९२५०१००	९८१७५१००	९८१७५१००
२८	7.5HP Motor pump (6" Boring,Economic Head Upto 100m)	No	११०२५०१००	११०२५०१००	११०२५०१००	१२१२७५१००	१२१२७५१००
२९	10HP Motor pump (6" Boring,Economic Head Upto 150m)	No	१६२७५०१००	१६२७५०१००	१६२७५०१००	१७९०२५१००	१७९०२५१००
३०	15HP Motor pump (8" Boring,Economic Head Upto 150m)	No	२४१५००१००	२४१५००१००	२४१५००१००	२६५६५०१००	२६५६५०१००
३१	20HP Motor pump (10" Boring,Economic Head Upto 150m)	No	२५७२५०१००	२५७२५०१००	२५७२५०१००	२८२९७५१००	२८२९७५१००
३२	25-30HP Motor pump (>10" Boring,Economic Head Upto)	No	२७८२५०१००	२७८२५०१००	२७८२५०१००	३०६०७५१००	३०६०७५१००
३३	Flexible submerssible copper flat cable						
३३.१	4 sq.mm.	Mtr	६७२१००	६७२१००	६७२१००	७३९१२०	७३९१२०
३३.२	6 sq.mm.	Mtr	७६७००	७६७००	७६७००	८४३१७०	८४३१७०


Santosh Gaire
 Engineer-NEC (11689 Civil A)


मक्तिराम भरासिनी
 प्रमुख प्रशासकीय अधिकृत


बिमला अर्याल
 नगर प्रमुख



७.७ खानेपानी सम्बन्धी साधारण हाते औजारहरू

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३७० म्याट बाहेकको दररेट(रु.)					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
१	श्रममुनिम गागो (२० लिटर)	गोटा	९९८००	९९८००	९९८००	१०९७८०	१०९७८०	
२	स्थानीय बन्चरो	गोटा	६०४००	६०४००	६०४००	६६४१४०	६६४१४०	
३	बेल्ला (स्टिलको विड भएको) टाटा वा सो सरह	गोटा	४७८००	४७८००	४७८००	६३४१८०	६३४१८०	
४	कोडाको (१५० किलो) टाटा वा सो सरह	गोटा	६३०००	६३०००	६३०००	६९३०००	६९३०००	
५	गैती (२७० किलो) टाटा, लुधरा वा सो सरह	गोटा	४७८००	४७८००	४७८००	६३४१८०	६३४१८०	
६	गैती (२२० किलो) टाटा, लुधरा वा सो सरह	गोटा	४७३००	४७३००	४७३००	४२०१३०	४२०१३०	
७	कम्पल (१ २५ इन्च ५ फिट) टाटा वा सो सरह	गोटा	२३९०००	२३९०००	२३९०००	२४४१००	२४४१००	
८	छिनो (६ इन्च लामो ३२ एमएम)	गोटा	२८९००	२८९००	२८९००	३९१७९०	३९१७९०	
९	छिनो (९ इन्च लामो ३२ एमएम)	गोटा	६८३००	६८३००	६८३००	७७११३०	७७११३०	
१०	किंग पिन छिनो टाटा, लुधरा वा सो सरह	गोटा	६३०००	६३०००	६३०००	६९३०००	६९३०००	
११	फालामको घन (५ किलो) टाटा, लुधरा वा सो सरह	गोटा	१२६०००	१२६०००	१२६०००	१३६८००	१३६८००	
१२	फालामको घन (२.५ किलो) टाटा, लुधरा वा सो सरह	गोटा	७३५००	७३५००	७३५००	८०८५०	८०८५०	
१३	फालामको घन (१ किलो) टाटा, लुधरा वा सो सरह	गोटा	२८९००	२८९००	२८९००	३९१७९०	३९१७९०	
१४	तारपोलिन सित १८ बाइ २४ फिट	गोटा	२७०४००	२७०४००	२७०४००	२९७४१०	२९७४१०	
१५	कर्नि मिस्त्रीको ठुलो	गोटा	१८७००	१८७००	१८७००	२०५१७०	२०५१७०	
१६	कर्नि मिस्त्रीको सानो	गोटा	१३९००	१३९००	१३९००	१४४१०	१४४१०	
१७	प्लम्ब/घन्टी फालामको	गोटा	१८४००	१८४००	१८४००	२०२१४०	२०२१४०	
१८	मिस्त्रीको धागो ३ मि.मि.को	स्वायल	७९००	७९००	७९००	८६१९०	८६१९०	
१९	लेभर प्रारदर्श/पानीपाइप	मिटर	१७००	१७००	१७००	१८१७०	१८१७०	
२०	फन्जा (छालाको)	गोटा	४८८००	४८८००	४८८००	४३६८०	४३६८०	
२१	क्लिब व्यारो (टायर र फलामको हेण्डल भएको)	गोटा	९४५००	९४५००	९४५००	१०३९५०	१०३९५०	
२२	पम्प (हातवा खुट्टाले चलाउने)	गोटा	११८१००	११८१००	११८१००	१२९९१०	१२९९१०	
२३	सुरक्षा ब्रेकमेता (प्लाष्टिक)	गोटा	३९४००	३९४००	३९४००	४३३४०	४३३४०	
२४	मेसन हेड प्यान फलामको १८ इन्च लोकल	गोटा	२७८००	२७८००	२७८००	३०४१८०	३०४१८०	
२५	हेक्सा फेम	गोटा	२८९००	२८९००	२८९००	३९१७९०	३९१७९०	
२६	हेक्सा ब्लेड शिंगल	गोटा	११००	११००	११००	१२१०	१२१०	
२७	हेक्सा ब्लेड डवल	गोटा	११००	११००	११००	२०१०	२०१०	
२८	काठ चिर्ने आरा १८ इन्च	गोटा	१९४००	१९४००	१९४००	२१३४०	२१३४०	
२९	१० इन्चको चेन्टो रेली	गोटा	४८८००	४८८००	४८८००	४३६८०	४३६८०	
३०	१० इन्चको आधा गोलाकार रेली	गोटा	५८३००	५८३००	५८३००	६४११३०	६४११३०	
३१	स्क्यु ड्राइभर २३० मि.मि.को	गोटा	१९४००	१९४००	१९४००	२१३४०	२१३४०	
३२	डाइ सेट साधारण ०.५ देखि २ इन्च सम्म	गोटा	७२९२००	७२९२००	७२९२००	८०२१२०	८०२१२०	
३३	डाइ सेट अटोमेटिक ०.५ देखि २ इन्च सम्म	सेट	२०११००	२०११००	२०११००	२२१२१०	२२१२१०	
३४	डाइ सेट रिचेट १५ देखि २५ मि.मि. सम्म	सेट	४८३०००	४८३०००	४८३०००	४३९३००	४३९३००	
३५	डाइ सेट रिचेट ४० देखि ५० मि.मि. सम्म	सेट	१३२५६००	१३२५६००	१३२५६००	१४५८१६०	१४५८१६०	
३६	डाइ सेट रिचेट ६५ देखि ८० मि.मि. सम्म	सेट	२४६७५००	२४६७५००	२४६७५००	२७४२१४०	२७४२१४०	
३७	डाइ सेट टिथ १५ मि.मि.	प्रति सेट	७०९००	७०९००	७०९००	७७११९०	७७११९०	
३८	डाइ सेट टिथ २० मि.मि.	प्रति सेट	६९८००	६९८००	६९८००	७६७८०	७६७८०	
३९	डाइ सेट टिथ २५ मि.मि.	प्रति सेट	६९८००	६९८००	६९८००	७६७८०	७६७८०	
४०	डाइ सेट टिथ ३२ मि.मि.	प्रति सेट	८८७००	८८७००	८८७००	९७५१७०	९७५१७०	
४१	डाइ सेट टिथ ४० मि.मि.	प्रति सेट	१८४६००	१८४६००	१८४६००	२०३०६०	२०३०६०	
४२	डाइ सेट टिथ ५० मि.मि.	प्रति सेट	१८९०००	१८९०००	१८९०००	२०७९१००	२०७९१००	
४३	डाइ सेट टिथ ६५ मि.मि.	प्रति सेट	२१६९००	२१६९००	२१६९००	२३७७१०	२३७७१०	
४४	डाइ सेट टिथ ८० मि.मि.	प्रति सेट	२९१४००	२९१४००	२९१४००	३२०५१०	३२०५१०	
४५	पाइप भाइस २ इन्च सम्म	प्रति सेट	२३९०००	२३९०००	२३९०००	२५४१००	२५४१००	
४६	पाइप भाइस ३" सम्म	प्रति	३०७१००	३०७१००	३०७१००	३३७८१०	३३७८१०	
४७	पाइप भाइस ४" सम्म	प्रति	४८८०००	४८८०००	४८८०००	६४६८००	६४६८००	


Santosh Gaire
 Engineer-NEC (11689 Civil A)


भक्तिराम बान्सांनी
 प्रमुख प्रशासकीय अधिकृत
 विमला अयाल
 नगर प्रमुख



७.७ खानेपानी सम्बन्धी साधारण हाते औजारहरू

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३५६ म्याट बाहेकको दररेट(रु.)					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
४८	पाइप रेञ्च १२ इन्च	प्रति	७५११००	७५११००	७५११००	८२६१०	८२६१०	
४९	पाइप रेञ्च १४ इन्च	प्रति	८६६१००	८६६१००	८६६१००	९५२१६०	९५२१६०	
५०	पाइप रेञ्च १८ इन्च	प्रति	१६८०१००	१६८०१००	१६८०१००	१८४८१००	१८४८१००	
५१	पाइप रेञ्च २४ इन्च	प्रति	२९९३१००	२९९३१००	२९९३१००	३२९२३०	३२९२३०	
५२	एडजस्टेबल रेञ्ज १० इन्च	प्रति	४५५००	४५५००	४५५००	५०२१५०	५०२१५०	
५३	एडजस्टेबल रेञ्ज १२ इन्च	प्रति	७०९१००	७०९१००	७०९१००	७७९१०	७७९१०	
५४	एडजस्टेबल रेञ्ज १८ इन्च	प्रति	१९९११००	१९९११००	१९९११००	२१९४१५०	२१९४१५०	
५५	३६ इन्च चैन रेञ्ज	प्रति	२७०४१००	२७०४१००	२७०४१००	२९७४१५०	२९७४१५०	
५६	४८ इन्च चैन रेञ्ज	प्रति	५६७०१००	५६७०१००	५६७०१००	६२३५००	६२३५००	
५७	३ मिटरको स्टिल टेप	प्रति	१०५१००	१०५१००	१०५१००	११५१५०	११५१५०	
५८	५ मिटरको स्टिल टेप	प्रति	१९४१००	१९४१००	१९४१००	२१३१५०	२१३१५०	
५९	३० मिटरको फाइबर ग्लास टेप	प्रति	१६५११००	१६५११००	१६५११००	१८२४१०	१८२४१०	
६०	५० मिटरको फाइबर ग्लास टेप	प्रति	२३७८१००	२३७८१००	२३७८१००	२६१५१८०	२६१५१८०	
६१	हिटिड प्लेट ३ इन्च व्यासको कमो	प्रति	१०१३१००	१०१३१००	१०१३१००	१११४३०	१११४३०	
६२	हिटिड प्लेट ४ इन्च व्यासको	प्रति	१३४२१००	१३४२१००	१३४२१००	१४७६२०	१४७६२०	
६३	हिटिड प्लेट ६ इन्च व्यासको	प्रति	१६५४१००	१६५४१००	१६५४१००	१८१९१४०	१८१९१४०	
६४	हिटिड प्लेट ८ इन्च व्यासको	प्रति	२१६८१००	२१६८१००	२१६८१००	२३८४१८०	२३८४१८०	
६५	थर्मोक्रोम चेक	प्रति	८४०१००	८४०१००	८४०१००	९२४१००	९२४१००	
६६	टेफलन कमर ६"X ६"	प्रति	५४११००	५४११००	५४११००	५९५११०	५९५११०	
६७	आवश्यक औपधि समेतको प्राथमिक	प्रति	२८८८१००	२८८८१००	२८८८१००	३१७६१८०	३१७६१८०	
६८	खानेपानी मर्मतको टूल बक्स	गोटा	२८३५१००	२८३५१००	२८३५१००	३११८१५०	३११८१५०	
६९	आवश्यक औजार सहितको भोलुगेपूल मर्मतको टूल बक्स	गोटा	३४३९१००	३४३९१००	३४३९१००	३७८२१९०	३७८२१९०	
७०	१२ इन्च ३२ मी.मि. को छिन्नो	प्रति	८४०१००	८४०१००	८४०१००	९२४१००	९२४१००	
७१	चस्मा	प्रति	१५८१००	१५८१००	१५८१००	१७३१८०	१७३१८०	
७२	सेफ्टी वेल्ट	गोटा	१६८०१००	१६८०१००	१६८०१००	१८४८१००	१८४८१००	
७३	अतिसाधारण फोला	गोटा	१३११००	१३११००	१३११००	१४४११०	१४४११०	


Santosh Gaire
 Engineer-NEC (1689 Civil A)

मतिराम मरासिनी
 प्रमुख प्रशासकीय अधिकृत

बिमला अर्याल
 नगर प्रमुख



८. विद्युत सम्बन्धि सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% म्याट बाहेकको दररेट					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
१	विद्युत सम्बन्धि							
१.१	पि. मि. सि. इन्सुलेटेड कभर बायर (१०मी को)							
१.१.१	७/२२ तार	क्वाइल	२६००/००	२६००/००	२६००/००	२६६०/००	२६६०/००	
१.१.२	७/२०	क्वाइल	४२००/००	४२००/००	४२००/००	४६२०/००	४६२०/००	
१.१.३	३/२२	क्वाइल	११००/००	११००/००	११००/००	१२१०/००	१२१०/००	
१.१.४	३/२०	क्वाइल	१८५०/००	१८५०/००	१८५०/००	२०३५/००	२०३५/००	
१.१.५	१/१८	क्वाइल	९६०/००	९६०/००	९६०/००	१०५६/००	१०५६/००	
१.२	पि. मि. सि. च्यानल विट							
१.२.१	१/२"	र मी	१८१७	१८१७	१८१७	१९१८	१९१८	
१.२.२	३/४"	र मी	१८१७	१८१७	१८१७	१९१८	१९१८	
१.२.३	१"	र मी	२३१०	२३१०	२३१०	२५१४	२५१४	
१.२.४	१ १/४"	र मी	३४१२	३४१२	३४१२	३७६५	३७६५	
१.२.५	१ १/२"	र मी	४९१५	४९१५	४९१५	५४१२	५४१२	
१.२.६	२"	र मी	६८२५	६८२५	६८२५	७५१०	७५१०	
१.३	पि. मि. सि. पाइप (वायरिङको लागि)							
१.३.१	१/२"	र मी	१०१५	१०१५	१०१५	१११५	१११५	
१.३.२	१"	र मी	२१००	२१००	२१००	२३१०	२३१०	
१.४	पि. मि. सि. बोर्ड (प्लास्टिक)							
१.४.१	४" x ४"	गोटा	१४१७	१४१७	१४१७	१६१७	१६१७	
१.४.२	४" x ६"	गोटा	१९१५	१९१५	१९१५	२११५	२११५	
१.४.३	६" x ८"	गोटा	३५१७	३५१७	३५१७	३९१७	३९१७	
१.४.४	८" x १०"	गोटा	३६१५	३६१५	३६१५	४०१५	४०१५	
१.४.५	८" x १२"	गोटा	६६१५	६६१५	६६१५	७२१७	७२१७	
१.५	फाइबर प्लेट							
१.५.१	४" x ४"	गोटा	१६१८	१६१८	१६१८	१८१८	१८१८	
१.५.२	४" x ६"	गोटा	३२१५	३२१५	३२१५	३५१८	३५१८	
१.५.३	६" x ८"	गोटा	४४१६	४४१६	४४१६	४९१०	४९१०	
१.५.४	८" x १०"	गोटा	६९१७	६९१७	६९१७	७६१९	७६१९	
१.५.५	८" x १२"	गोटा		०१००	०१००	०१००	०१००	
२	मिटर बक्स पि भी सी	गोटा	१३९१३४	१३९१३४	१३९१३४	१५३२७	१५३२७	
३	सरफेस स्वीच	गोटा	३९१४०	३९१४०	३९१४०	३४६५	३४६५	
४	सरफेस बेलपुस	गोटा	३३६०	३३६०	३३६०	३६१९	३६१९	
५	एंगल होल्डर	गोटा	३२१५	३२१५	३२१५	३५१८	३५१८	
६	सिलिङ रोज	गोटा	३०४५	३०४५	३०४५	३३१०	३३१०	
७	पंखाको रेगुलेटर	गोटा	२५२१००	२५२१००	२५२१००	२७२२०	२७२२०	
८	पावर प्लग (१५ एम्पियर)	गोटा	१९९१५०	१९९१५०	१९९१५०	२१९१५५	२१९१५५	
९	थ्रि पिन प्लग (५ एम्पियर)	गोटा	४२१००	४२१००	४२१००	४६१२०	४६१२०	
१०	टु पिन प्लग (५ एम्पियर)	गोटा	२११००	२११००	२११००	२३११०	२३११०	
११	ट्युबलाइट सेट ४फिट (४० वाट)	गोटा	३२५१५०	३२५१५०	३२५१५०	३५८०५	३५८०५	
१२	ट्युबलाइट सेट २फिट (२० वाट)	गोटा	३२५१५०	३२५१५०	३२५१५०	३५८०५	३५८०५	
१३	ट्युबलाइट ४ फिट (४० वाट)	गोटा	७८१५	७८१५	७८१५	८६१३	८६१३	
१४	ट्युबलाइट २ फिट (२० वाट)	गोटा	७८१५	७८१५	७८१५	८६१३	८६१३	
१५	चोक लाइट सेट ४ फि. (४० वाट)	गोटा	१२६१००	१२६१००	१२६१००	१३६१०	१३६१०	
१६	चोक लाइट सेट ४ फि. (२० वाट)	गोटा	१२६१००	१२६१००	१२६१००	१३६१०	१३६१०	
१७	स्टाटर	गोटा	२११००	२११००	२११००	२३११०	२३११०	
१८	एम. सि. बी.							
१८.१	१० एम्पियर	गोटा	१८९१००	१८९१००	१८९१००	२०७९०	२०७९०	
१८.२	२० एम्पियर	गोटा	२१०१००	२१०१००	२१०१००	२३१००	२३१००	
१८.३	३० एम्पियर	गोटा	२६२१५०	२६२१५०	२६२१५०	२८८१५	२८८१५	
१८.४	४५ एम्पियर	गोटा	७३११००	७३११००	७३११००	८०८१५	८०८१५	
१८.५	६३ एम्पियर	गोटा	७८७१५०	७८७१५०	७८७१५०	८६६१५	८६६१५	
१८.६	९६ एम्पियर	गोटा	१९९१५०	१९९१५०	१९९१५०	२१९१५५	२१९१५५	
१८.७	१६ एम्पियर	गोटा	२१०१००	२१०१००	२१०१००	२३१००	२३१००	
१९	स्याडल	गोटा	५१२५	५१२५	५१२५	५१७८	५१७८	
२०	बेण्ड	गोटा	४१२०	४१२०	४१२०	४१६२	४१६२	
२१	सकेट	गोटा	५१२५	५१२५	५१२५	५१७८	५१७८	
२२	जक्सन	गोटा	१०१५०	१०१५०	१०१५०	१११५५	१११५५	
२३	टप पि. मि. सी.	गोटा	२११००	२११००	२११००	२३११०	२३११०	

Santosh Gaire

 Engineer-NEC (11689 Civil E)

प्रकाश प्रसाद

 प्रमुख प्रशासकीय अधिकारी



८. विद्युत सम्बन्धि सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% म्याट बाहेकको दररेट					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
२४	गिप्स	गोटा	१।०५	१।०५	१।०५	१।१६	१।१६	
२५	मेन स्वीच ३० एम्पियर	गोटा	२३६।२५	२३६।२५	२३६।२५	२४९।८८	२४९।८८	
२६	चिम (बल्ब)	गोटा	२६।२५	२६।२५	२६।२५	२८।८८	२८।८८	
२७	इन्डिकेटर	गोटा	३७।८०	३७।८०	३७।८०	४१।१८	४१।१८	
२८	फ्युज	गोटा	५७।७५	५७।७५	५७।७५	६३।३३	६३।३३	
२९	ए. सी. पाइप ४" Dia.	गोटा	८९।२५	८९।२५	८९।२५	९८।१८	९८।१८	
३०	ए. सी. केबल ३" Dia.	गोटा	५।२५०	५।२५०	५।२५०	५।७५	५।७५	
३१	ए. सी. केबल ४" Dia.	गोटा	५।७५	५।७५	५।७५	६३।३३	६३।३३	
३२	ए. सी. टि. ३" Dia.	गोटा	७८।७५	७८।७५	७८।७५	८६।६३	८६।६३	
३३	ए. सी. टि. ४" Dia.	गोटा	९९।७५	९९।७५	९९।७५	१०९।७३	१०९।७३	
३४	ए. सी. जक्सन ३" Dia.	गोटा	८९।२५	८९।२५	८९।२५	९८।१८	९८।१८	
३५	ए. सी. जक्सन ४" Dia.	गोटा	९९।७५	९९।७५	९९।७५	१०९।७३	१०९।७३	
३६	पञ्चाङ्ग रेगुलेटर समेत (IS/NS Standard)	सेट	२६२५।००	२६२५।००	२६२५।००	२८८७।००	२८८७।००	
३७	एक्जस्ट फ्यान १४" देखि १२" सम्म	गोटा	१६८०।००	१६८०।००	१६८०।००	१८४८।००	१८४८।००	
३८	डोम लाइट ४० वाट	गोटा	३५।२५	३५।२५	३५।२५	३८।४३	३८।४३	
३९	बल्ब हेड लेम्प	गोटा	२६।२५०	२६।२५०	२६।२५०	२८।८८	२८।८८	
४०	म्याजिकल बेल	गोटा	३९।१००	३९।१००	३९।१००	३४६।५०	३४६।५०	
४१	साइकल बेल	गोटा	१५।७५	१५।७५	१५।७५	१७।२५	१७।२५	
४२	सब मिटर	गोटा	७३।१००	७३।१००	७३।१००	८०।८८	८०।८८	
४३	डि. वि. मेन स्वीच ३० एम्पियर	गोटा	२५।२५	२५।२५	२५।२५	२८।२५	२८।२५	
४४	१/२" कठको लिस्टी	र मी.	१०।५०	१०।५०	१०।५०	११।५५	११।५५	
४५	१६एमएम, ७ फिट रड भएको स्टे सेट (४मि.मि.)	सेट	११५।००	११५।००	११५।००	१२७।००	१२७।००	
४६	७/१२ एस.डब्ल्यू.जी. स्टेबायर	केजी	१४।००	१४।००	१४।००	१६।००	१६।००	
४७	ACSR Conductor (wire)			०।००	०।००	०।००	०।००	
४७.१	0.03sq inch ACSR Conductor (wire)	कि.मि.	३०००।००	३०००।००	३०००।००	३३००।००	३३००।००	
४७.२	0.05sq inch ACSR Conductor (wire)	कि.मि.	५५००।००	५५००।००	५५००।००	६०५०।००	६०५०।००	
४७.३	0.1sq inch ACSR Conductor (wire)	कि.मि.	८९००।००	८९००।००	८९००।००	९७९०।००	९७९०।००	
४८	D - iron set with shackle insulator	सेट	१४१।७५	१४१।७५	१४१।७५	१५२।९३	१५२।९३	
४९	Stay-Insulator	गोटा	९४।५०	९४।५०	९४।५०	१०३।९५	१०३।९५	
५०	Binding wire (aluminium)	केजी	७४।५०	७४।५०	७४।५०	८२।०५	८२।०५	
५१	HofnM Erection of PSC pole (8m,9m)	गोटा	२६०।००	२६०।००	२६०।००	२८६।००	२८६।००	
५२	Stringing of Conductor (0.03sq inch Wire)	कि.मि.	४५००।००	४५००।००	४५००।००	४९५०।००	४९५०।००	
५३	Installation of Stay set	सेट	१२०।००	१२०।००	१२०।००	१३२।००	१३२।००	
५४	विद्युतको लाइनसँगको हागाविगा काटने	प्र. हे.	१०५।००	१०५।००	१०५।००	११५।००	११५।००	
५५	विद्युत जडान लिस्टी, क्लिप, क्ल्या, स्वीच होल्डर आदि प्रयोग गरि भित्ता सिलिगमा प्वाल पार्ने सहित तार तान्ने र सम्बन्धित स्वीच बक्स आदि जडान गर्ने			०।००	०।००	०।००	०।००	
५५.१	सामान बाहेक कन्सल बायरिंग गर्नेकार्यको ज्याला	प्वाइन्ट	४७।२५	४७।२५	४७।२५	५१।९८	५१।९८	
५५.२	सामान बाहेक सर्फस बायरिंग गर्नेकार्यको ज्याला	प्वाइन्ट	३६।७५	३६।७५	३६।७५	४०।४३	४०।४३	
५५.३	सामान सहित कन्सल बायरिंग गर्नेकार्यको ज्याला	प्वाइन्ट	५८।००	५८।००	५८।००	६४।६८	६४।६८	
५५.४	सामान सहित सर्फस बायरिंग गर्नेकार्यको ज्याला	प्वाइन्ट	५०।४०	५०।४०	५०।४०	५५।४०	५५।४०	
५५.५	मेन सभिसलाइन केबल ६मी.मी.(कन्सन्ट्रिक् केबल)	र मी.	२६।२५	२६।२५	२६।२५	२८।८८	२८।८८	
५६	PSC Pole			०।००	०।००	०।००	०।००	
५६.१	8m पातलो	No	७००।००	७००।००	७००.००	७७०।००	७७०।००	
५६.२	8 m मोटो	No			९००.००	९९०।००	९९०।००	
५६.३	9m पातलो	No	७५०।००	७५०।००	८००.००	८८०।००	८८०।००	
५६.४	9 m मोटो	No			१०००.००	११००।००	११००।००	
५६.५	11 m मोटो	No			१४२०.००	१५९५।००	१५९५।००	
५७	Transformer					०।००	०।००	
५७.१	Copper wound distribution Transformer with first filling of Oil					०।००	०।००	
५७.१.१	11/4kv,25KVA 3 Phase, 50Hz ONAN (low loss)	सेट	२६१४०।००	२६१४०।००	२६१४०।००	२८७५४।००	२८७५४।००	
५७.१.२	11/4kv,50KVA 3 Phase, 50Hz ONAN (low loss)	सेट	३७३००।००	३७३००।००	३७३००।००	४१०३०।००	४१०३०।००	
५७.१.३	11/4kv,100KVA 3 Phase, 50Hz ONAN (low loss)	सेट	५९०६०।००	५९०६०।००	५९०६०।००	६४९६६।००	६४९६६।००	
५७.१.४	11/4kv,150KVA 3 Phase, 50Hz ONAN (low loss)	सेट	८००००।००	८००००।००	८००००।००	८८०००।००	८८०००।००	
५७.१.५	11/4kv,200KVA 3 Phase, 50Hz ONAN (low loss)	सेट	१०२३९०।००	१०२३९०।००	१०२३९०।००	११२६२९।००	११२६२९।००	
५८	ELECTRICAL WORKS (Supply and fitting all complete)							
	A) LUMINAIRES (FIXTURES)							

santosh Gaire
Engineer-NEC (1689 Civil A)


भक्तिराम मणिसिनी
प्रमुख प्रशासकीय अधिकृत

बिमला अर्याल
नगर प्रमुख



८. विद्युत सम्बन्धि सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३५६ म्याट बाहेको दररेट					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
	Accessories: screws, grips, pvc tape, choke, starter, tube, bulbs, holder, flexible wire etc all complete.							
५८.०१	Dome light 8" with heavy carrier Homedec or eqvt.	set					४०५१००	
५८.०२	1*40 watt Tube light mirror optic wipro / philips HPF or eqvt.	set					३९९६१००	
५८.०३	1*40 watt Tube light box type wipro / philips HPF or eqvt.	set					११९३१००	
५८.०४	2*40 watt mirror optic Tube light wipro / philips HPF or eqvt.	set					४८६०१००	
५८.०५	Mirror light decorative philips or eqvt.	set					४३२१००	
५८.०६	Indicator light for O.T.room red & green color etc all complete.	set					१०३१००	
५८.०७	Electrical bell musical type of different sounds	set					२३२१००	
	B) FAN / EXHAUST FAN							
	Accessories: nut, bolt, hook, clamp, regulator, flexible wire etc all complete.							
५८.०८	42" ceiling fan USHA or eqvt.	set					२७२२१००	
५८.०९	9" exhaust fan Usha or eqvt.	set					२२६८१००	
५८.१०	बाल फेन-अतिरिक्त फिटिङका सामान सहित	set					३२४०१००	
	C) SOCKET, SWITCH, JUNCTION BOX							
	Accessories: metal box, screw, grips, pvc tape, etc all complete							
५८.१०	16/6 Amps combined S/ socket flush type	set					२४९१००	
५८.११	1 gang 1,2 way switch philips or eqvt	set					२००१००	
५८.१२	2 gang 1,2 way switch philips or eqvt	set					२१११००	
५८.१३	3 gang 1,2 way switch philips or eqvt	set					४८६१००	
५८.१४	4 gang 1,2 way switch philips or eqvt	set					५९८१००	
५८.१५	5 gang 1,2 way switch philips or eqvt	set					६७५१००	
५८.१६	6 gang 1,2 way switch philips or eqvt	set					७०२१००	
५८.१७	1 gang one bell push Philips or eqvt.	set					२३२१००	
५८.१८	Junction box made of metal with cover size 6" * 4" etc all complete	set					११३१००	
	D) PANEL BOARD / DB							
	Accessories: screws, grips, nut, bolt, cu bus bar, earth bus bar, neutral bus bar, fuse, porcelain base, cu strip for connection, cable shoe, phase bar, pvc tape etc all complete							
५८.१९	panel board made of mild steel sheet double cover floor mount suitable color push type lock size 12" * 36" * 48" suitable for housing the following items all complete (space for 4 no MCCB)	set					२२४५३१००	
५८.२०	100A TP MCCB of standard company	no					४८६०१००	
५८.२१	40-50A TP MCCB of standard company	no					४२९२१००	
५८.२२	Ammeter 0-500A	no					५४०१००	
५८.२३	volt meter 0-500 v	no					५४०१००	
५८.२४	CT coil of suitable ratio for panel board	no					६८०१००	
५८.२५	Indicator lamp for fuse	no					१६२१००	
५८.२६	Selector switch	set					४८६१००	
५८.२७	Distribution board 8 way TPN made of mild steel sheet double cover locable of approved compny .Flush type etc all complete	set					३९६९१००	
५८.२८	6,16, 25 Amps TP MCCB of approved company for light and power circuit	no					२४३०१००	
५८.२९	40-63 Amps TP MCCB of approved company for main	no					२९७०१००	
५८.३०	6,16,25 Amps TP MCB of approved company for main						१३०५१००	
	E) POINT WIRING							
	Accessories: HDPE polythene pipe, screws, pvc, tape, grips, circular box etc all complete							
५८.३१	2*3/20 pvc cu.wire for light and fan point 1/2" HDPE polythene pipe	point					४२७००	
५८.३२	2*7/22+1*3/22 pvc cu.wire for power point in 3/4" in HDPE polythene pipe	point					६८०१००	
५८.३३	2*7/20+1*3/22 pvc cu. Wire with A/C socket in 3/4" in HDPE polythene pipe for A/C etc all complete	point					१९२८१००	
५८.३४	10mm sq 4 core unarmoured copper cable for DB in HDPE polythene pipe or through channel etc all complete	R.M.					३४०१००	


santosh Gaire
 Engineer-NEC (11689 Civil A)


बिमला अर्याल
 प्रमुख प्रशासकीय अधिकृत
 नगर प्रमुख

८. विद्युत सम्बन्धि सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% म्याट बाहेकको दररेट					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
५८.३५	8 swg cu.wire in HDPE polythene pipe for earth continuity from panel board to DB etc all complete	R.M.					७६।००	
	F) TELECOM SYSTEM							
	Accessories;HDPE pipe screws,pvc tape grips etc all complete							
५८.३६	2 pair telephone cable for telephone point in 1/2"(20mm) polythene pipe	point					२९।००	
५८.३७	5 pair telephone cable for main in (25mm) HDPE polythene pipe from junction box to telephone DB	meter					३३।००	
५८.३८	10 pair telephone cable for mainin (25mm) HDPE polythene pipe/ cable tray	meter					४५।००	
५८.३९	15 pair telephone cable for telephone point in 1/2"(20mm) polythene pipe	point					७०।००	
५८.४०	20 pair telephone cable for telephone point in 1/2"(20mm) polythene pipe	point					८६।००	
५८.४१	Telephone socket North west or eqvt.	set					३८३।००	
५८.४२	Telephone junction boxes "B" made of mild steel sheet with connector fuse type etc all complete	set					१४०।००	
५८.४३	Main DB made of mild steel sheetwith connector fuse typeetc all complete	set					१८१।४।००	
५८.४४	Matrix portion 308 EPABX systemexpandable 3 co line 8 single line extension, automatic STD,ISD lock call duration control external call forwardingor eqvt	set					३४१२८।००	
	G) EARTHING							
५८.४५	Earthing with cu.plate size 65cm*65cm*3.15mm with G.N.8 copper wire for earth continuity from panel board to earthing site etc all complete	unit					८६४०।००	
५९.००	Transformer Installation items							
५९.०१	Disc Insulator	set					१५२३।००	
५९.०२	11 KV pin insulator with spandle	set					४९१।००	
५९.०३	9 KV Lightening Arraster	no.					१५२३।००	
५९.०४	11 KV DO Fuse Set	no.					४८७६।००	
५९.०५	MS Fabricated Channel	kg					१५१।००	
५९.०६	MS Nut Bolt different sizes(full/half thread)	kg					२११।००	
५९.०७	Earthing Rod (copper coated)	no.					३०५१।००	
५९.०८	Eartning wire (Different sizes)	kg					२१९८।००	
५९.०९	Stay set	set					१७७७।००	
५९.१०	Stay wire	kg					१५७।००	
५९.११	Stay Insulator -LT	no.					११९।००	
५९.१२	Stay insulator -HT	no.					१५१।००	
५९.१३	11 KV Link Switch (3 pieces)	set					३१५४१।००	
५९.१४	33 KV Link Switch (3 pieces)	set					४७४२८।००	
५९.१५	Super Enamelled Copper wire (Different sizes)	kg					११५६।००	
५९.१६	Paper Insulator(copper wire)	kg					११८८।००	
५९.१७	D-iton with shackel insulator	set					२३२।००	
६०.००	Multistand flexible wire for house wiring (90m per coil) Ns5 marked Eqv							
६०.०१	1.0 sq.mm PVC Insulated copper wire	coil					१०७५।००	
६०.०२	1.50 sq.mm PVC Insulated copper wire	coil					१७२१।००	
६०.०३	2.5 sq.mm PVC Insulated copper wire	coil					२५२८।००	
६०.०४	4.0 sq.mm PVC Insulated copper wire	coil					४०८८।००	
६०.०५	6.0 sq.mm PVC Insulated copper wire	coil					६४५५।००	
६०.०६	10 sq.mm PVC Insulated copper wire	coil					१०७५८।००	

Santosh Ghire
Engineer-NEC (11689 Civil A)

भक्तिराम मरासिनी
प्रमुख प्रशासकीय अधिकृत
बिमला अर्याल
नगर प्रमुख



९. लघु जल-विद्युत सम्बन्धि सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३५५ मू.अ.कर बाहेकको दररेट (रु.)					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
	Electro mechanical component for micro hydro							
	क. Mechanical Components							
१	Intake Accessories							
१.१	Coarse Trash rack (0.6m x 0.5)	व.मी.	१७७०००	१७७०००	१७७०००	१९४७००	१९४७००	
१.२	Sluice Gate (1.6 height 0.5x0.5 m opening)	सेट	१०१०००	१०१०००	१०१०००	११११००	११११००	
२	Pipe Accessories			०१००	०१००	०१००	०१००	
२.१	Penstock Pipe MS 225 mm ID, 3.5 mm thickness	र.मी.	३३५०००	३३५०००	३३५०००	३६८५००	३६८५००	
३	Turbine			०१००	०१००	०१००	०१००	
३.१	Crossflow turbine (T15) Runner Diameter 300 mm, Runner Length 75 mm, 540 RPM, Shaft power 10 kw	सेट	३०००००	३०००००	३०००००	३३००००	३३००००	
	ख. Electrical Components			०१००	०१००	०१००	०१००	
१	Generator			०१००	०१००	०१००	०१००	
१.१	Synchronous, 15 KVA, 400 V, 1500 RPM	सेट	१५००००	१५००००	१५००००	१६५०००	१६५०००	
२	Protection System			०१००	०१००	०१००	०१००	
२.१	MCCBs			०१००	०१००	०१००	०१००	
	MCCB on the generator side (32A)	गोटा	७१००००	७१००००	७१००००	७८१०००	७८१०००	
	MCCB after ELC (20 A)	गोटा	५९००००	५९००००	५९००००	६४९०००	६४९०००	
	MCB for House Holds	गोटा	३०००००	३०००००	३०००००	३३००००	३३००००	
२.२	Earthing Set (600 x 600 x 3) mm including 8 SWG copper wire	सेट	१०६०००	१०६०००	१०६०००	११६६००	११६६००	
३	Conductor			०१००	०१००	०१००	०१००	
३.१	ACSR Conductor (weasel)	र.मी.	३१००	३१००	३१००	३४१०	३४१०	
३.२	ACSR Conductor (Squirrel)	र.मी.	२४००	२४००	२४००	२६४०	२६४०	
३.३	ACSR Conductor (Rabbit)	र.मी.	४७००	४७००	४७००	५११०	५११०	
३.४	Concentric Cable 6 sq.m	र.मी.	२६००	२६००	२६००	२८६०	२८६०	

Santosh Gaire
 Engineer-NEC (11689 Civil A)

भक्तिराम मरसिनी
 प्रमुख प्रशासकीय अधिकृत

बिमला अर्याल
 नगर प्रमुख



१०. विविध निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३५५ मू.अ.कर बाहकको दररेट (रु.)					कैफियत
			आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	आ.व. २०७९/८० को स्वीकृत दर रेट	आ.व. २०८०/८१ को स्वीकृत दर रेट	
१	बासको काँटङ्ग ५ फिट लम्बाई	काँटङ	३३१००	३३१००	३३१००	३६३२०	३६३२०	
२	डोरी नरीवल	के. जी.	११६१००	११६१००	११६१००	१२७६०	१२७६०	
३	डोरी बनकस	के. जी.	७२१००	७२१००	७२१००	७९१२०	७९१२०	
४	डोरी जूटको	के. जी.	११६१००	११६१००	११६१००	१२७६०	१२७६०	
५	चटाई	व. मी.	८३१००	८३१००	८३१००	९११३०	९११३०	
६	आर.सि.पोल (काँडेतारवार/अन्यको लागि)		६१००	६१००	६१००	६६०	६६०	
क	४"X४"X६ फिट लामो (७ एमएम मोटो ठाडो ४ वटा र ४।७५ एमएम मोटो रीड १५सेमी दूरीमा फलामे डण्डी प्रयोग गरि निर्माण गरिएको)	गोटा	१०३६१००	१०३६१००	१०३६१००	११३९१६०	११३९१६०	
ख	४"X४"X७ फिट लामो फिट लामो (७ एमएम मोटो ठाडो ४ वटा र ४।७५ एमएम मोटो रीड १५सेमी दूरीमा फलामे डण्डी प्रयोग गरि निर्माण गरिएको)	गोटा	११६९१००	११६९१००	११६९१००	१२८५१९०	१२८५१९०	
७	खाली बोरा (५०के.जी. क्षमता भएको जूटको)	गोटा	४४१००	४४१००	४४१००	४८१४०	४८१४०	
क	खाली बोरा (५०के.जी. क्षमता भएको प्लास्टिकको)	गोटा	२३१००	२३१००	२३१००	२४१२०	२४१२०	
ख	खाली बोरा (१००के.जी. क्षमता भएको जूटको)	गोटा	९४१००	९४१००	९४१००	१०३१४०	१०३१४०	
ग	GEO BAGS size 102cm*72cm;50 kg capacity; 330 GSM Non woven	गोटा					२४०१००	
८	तार ब्रुस सामान्य	गोटा	४४१००	४४१००	४४१००	४८१४०	४८१४०	
९	रंग लगाउने ब्रुस	इन्च	७४१००	७४१००	७४१००	८११४०	८११४०	
१०	थुन्स/डोको	गोटा	२२६१००	२२६१००	२२६१००	२४८६६०	२४८६६०	
११	बासको टोकरी	गोटा	२२६१००	२२६१००	२२६१००	२४८६६०	२४८६६०	
१२	बेतको टोकरी	गोटा	३६४१००	३६४१००	३६४१००	४००१४०	४००१४०	
१३	कुचो (आमिसाको)	गोटा	६११००	६११००	६११००	६७११०	६७११०	
क	कुचो (बाबियाको)	गोटा	४४१००	४४१००	४४१००	४८१४०	४८१४०	
ख	नरीवलको फाडु	गोटा	६११००	६११००	६११००	६७११०	६७११०	

santosh Gaire
Engineer-NEC (1689 Civil A)

भक्तिराम मरासिनी
प्रमुख प्रशासकीय अधिकृत

बिमला अर्याल
नगर प्रमुख

११.सरकारी कार्यालयमा आवश्यक हुने अन्य माल/सामान सम्बन्धी दर

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% म.अ.कर. बालिकको दररेट (रु.)					कैफियत
			आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	आ.ब. २०७८/७९ को स्वीकृत दर रेट	आ.ब. २०७९/८० को स्वीकृत दर रेट	आ.ब. २०८०/८१ को स्वीकृत दर रेट	
क.	टिम्बर कर्पोरेशनसंग सम्बन्धित							
१.	काठ दाउरा कटान मुखान सम्बन्धी							
	काठको गोल्या काठ कटान मुखान							
	क) गोल्या तथा बल्लाबल्ली कटान, मुखान	प्रति घ.फि.	२४१००	२४१००	२४१००	२६१४०	२६१४०	
	ख) गोल्या तथा बल्लाबल्ली योडिङ	" "	२२१००	२२१००	२२१००	२४१२०	२४१२०	
	ग) गोल्या तथा बल्लाबल्ली लोडिङ	" "	२०१००	२०१००	२०१००	२२१००	२२१००	
	घ) गोल्या तथा बल्लाबल्ली अनलोडिङ	" "	६१००	६१००	६१००	६६०	६६०	
	ड) गोल्या तथा बल्लाबल्ली बोका फिक्ने र रिड कटने	" "	३१५०	३१५०	३१५०	३८५	३८५	
	च) गोल्या काठ पायलीङ	" "	७५०	७५०	७५०	८२५	८२५	
	छ) गोल्या काठ ग्रेडिङ	" "	७५०	७५०	७५०	८२५	८२५	
२.	जंगलबाट गोल्या काठ घाटगद्दीसम्म ढुवानी तर्फ			०१००			०१००	
	क) ० कि. मी. देखि ५ कि.मी. सम्म	प्रति घ.फि.	३६१००	३६१००	३६१००	३९१६०	३९१६०	
	ख) ५ कि. मी. देखि १० कि.मी. सम्म	" "	४११००	४११००	४११००	४५११०	४५११०	
	ग) १० कि. मी. देखि १५ कि.मी. सम्म	" "	४३१००	४३१००	४३१००	४७३०	४७३०	
	घ) १५ कि. मी. देखि २० कि.मी. सम्म	" "	४५१००	४५१००	४५१००	४९१५०	४९१५०	
	ड) २० कि. मी. देखि २५ कि.मी. सम्म	" "	४७१००	४७१००	४७१००	५११७०	५११७०	
	च) २५ देखि माथि	" "	४९१००	४९१००	४९१००	५३१९०	५३१९०	
३.	दाउरा कटान, मुखान तर्फ			०१००	०१००	०१००	०१००	
	क) २०XXXX फिट साइजको दाउरा कटान, मुखान	प्रति चट्टा	३३००१००	३३००१००	३३००१००	३६३०१००	३६३०१००	
	ख) २०XXXX फिट साइजको दाउरा योडिङ	" "	१७१०१००	१७१०१००	१७१०१००	१८८११००	१८८११००	
	ग) २०XXXX फिट साइजको दाउरा लोडिङ	" "	१५६०१००	१५६०१००	१५६०१००	१७६१००	१७६१००	
	घ) २०XXXX फिट साइजको दाउरा अनलोडिङ	" "	३६५१००	३६५१००	३६५१००	४०११०	४०११०	
	ड) २०XXXX फिट साइजको दाउरा चट्टा निर्माण	" "	१०७०१००	१०७०१००	१०७०१००	११७७००	११७७००	
४.	दाउरा ढुवानी तर्फ			०१००	०१००	०१००	०१००	
	क) ० कि. मी. देखि ५ कि.मी. सम्म	प्रति चट्टा	३४१०१००	३४१०१००	३४१०१००	३७११००	३७११००	
	ख) ५ कि. मी. देखि १० कि.मी. सम्म	" "	३५९०१००	३५९०१००	३५९०१००	३९४९१००	३९४९१००	
	ग) १० कि. मी. देखि १५ कि.मी. सम्म	" "	३७३०१००	३७३०१००	३७३०१००	४१०३१००	४१०३१००	
	घ) १५ कि. मी. देखि २० कि.मी. सम्म	" "	३८३०१००	३८३०१००	३८३०१००	४२१३१००	४२१३१००	
	ड) २० र सो भन्दा माथि	" "	३९८५१००	३९८५१००	३९८५१००	४३८३१०	४३८३१०	
५.	छपान खर्च	प्रति छ्ख	२११००	२११००	२११००	२३११०	२३११०	
६.	घाटगद्दीबाट मिलमा गोल्या सिपमेन्ट:			०१००	०१००	०१००	०१००	
	चिरान तर्फ :			०१००	०१००	०१००	०१००	
क.	चिरान उत्पादन, वाकल, कटपिस, भुस फाल्ने आदि	प्रति घ.फि.	७२१००	७२१००	७२१००	७९१२०	७९१२०	
ख.	अनसाइज उत्पादन	प्रति क्वी.	१००१००	१००१००	१००१००	११०१००	११०१००	
ग.	चिरान लोड	प्रति घ.फि.	१९१५०	१९१५०	१९१५०	२११४५	२११४५	
घ.	चिरान अनलोड	प्रति घ.फि.	७८०	७८०	७८०	८५८	८५८	
ड.	वाकल अनसाइज लोड	प्रति क्वी.	२६१५०	२६१५०	२६१५०	२९११५	२९११५	
च.	वाकल अनसाइज अनलोड	प्रति क्वी.	९१५०	९१५०	९१५०	१०१४५	१०१४५	
छ.	चिरान पाइलिङ	प्रति घ.फि.	६६०	६६०	६६०	७२६	७२६	
ज.	१०० मी. भन्दा टाढाबाट मिलछेउसम्म गोल्या बोक्ने कार्य	प्रति घ.फि.	७८०	७८०	७८०	८५८	८५८	
झ.	मिलमा गोल्या सिपमेन्ट (घाटगद्दीबाट लोडिङ)	प्रति घ.फि.	३३१००	३३१००	३३१००	३६३०	३६३०	
ञ.	मिलमा गोल्या सिपमेन्ट (घाटगद्दीबाट अनलोडिङ)	प्रति घ.फि.	८८०	८८०	८८०	९६८	९६८	
ट.	चिरान काठ ढुवानी			०१००	०१००	०१००	०१००	
	क) ० कि. मी. देखि ५ कि.मी. सम्म	प्रति क्वी.	२०१००	२०१००	२०१००	२२१००	२२१००	
	ख) ५ कि. मी. देखि १० कि.मी. सम्म	प्रति क्वी.	२३१००	२३१००	२३१००	२५१३०	२५१३०	
	ग) १० कि. मी. भन्दा माथि	प्रति क्वी.	२६१००	२६१००	२६१००	२८१६०	२८१६०	
ठ.	मिलमा गोल्या ढुवानी(घाटगद्दीबाट)			०१००	०१००	०१००	०१००	
	क) ० कि. मी. देखि ५ कि.मी. सम्म	प्रति घ.फि.	२७००	२७००	२७००	२९१७०	२९१७०	
	ख) ५ कि. मी. देखि १० कि.मी. सम्म	प्रति घ.फि.	३०१००	३०१००	३०१००	३३१००	३३१००	
	ग) १० कि. मी. देखि १५ कि.मी. सम्म	प्रति घ.फि.	३३१००	३३१००	३३१००	३६१३०	३६१३०	
	घ) १५ कि. मी. देखि २० कि.मी. सम्म	प्रति घ.फि.	३६१००	३६१००	३६१००	३९१६०	३९१६०	
	ड) २० र सो भन्दा माथि	प्रति घ.फि.	३८१००	३८१००	३८१००	४११८०	४११८०	
ख.	कार्यालयसंग सम्बन्धित वोट विरुवा र अन्य समग्री:							
१	वास (घना)	गोटा	२२०१००	२२०१००	२२०१००	२४२१००	२४२१००	
४	भुई कटहरको राइजम	गोटा	१८०	१८०	१८०	१९८	१९८	
५	अम्लिसो राइजम समेत	गोटा	४१०	४१०	४१०	४५०	४५०	
६	कास जरा समेत	गोटा	०६५	०६५	०६५	०७२	०७२	
७	बासको विरुवा कोटिङ (२ देखि ३ वर्ष)	गोटा	१७४१००	१७४१००	१७४१००	१९११४०	१९११४०	
८	NB-21,सेटस	सेट	२९४	२९४	२९४	३२३	३२३	
९	विभिन्न जातका घास	सेट	११७९	११७९	११७९	१२६	१२६	

santosh Gaire
Engineer-MEC (11689 Civil A)

महिराम मरासिनी
प्रमुख प्रशासकीय अधिकृत

बिमला अर्याल
नगर प्रमुख

११.सरकारी कार्यालयमा आवश्यक हुने अन्यामाल/सम्पत्ति सम्बन्धी दर

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३०० मु.अ.कर बाहेकको दररेट (रु.)					कैफियत
			आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	आ.व. २०७९/८० को स्वीकृत दर रेट	आ.व. २०८०/८१ को स्वीकृत दर रेट	
१०	आप अम्रपाली,मल्लोका आदि(२,३ वर्ष कलमी	गोटा	१७३१५०	१७३१५०	१७३१५०	१९०८८५	१९०८८५	
११	आप मालवह,दसहरी आदि(२,३ वर्ष कलमी	गोटा	१९६१००	१९६१००	१९६१००	१९७६०	१९७६०	
१२	लिच्ची	गोटा	८९१००	८९१००	८९१००	८९१००	८९१००	
१३	कटहर	गोटा	३४१७०	३४१७०	३४१७०	३८१७०	३८१७०	
१४	अनार	गोटा	१३९१००	१३९१००	१३९१००	१५२१९०	१५२१९०	
१५	कागती कलमी	गोटा	५७८०	५७८०	५७८०	६३५८	६३५८	
१६	नासपाती	गोटा	४६३०	४६३०	४६३०	५०९३	५०९३	
१७	केरा	गोटा	३४१७०	३४१७०	३४१७०	३८१७०	३८१७०	
ग. पशु सेवा कार्यालयसंग सम्बन्धित								
१	जै घासको विउ	प्रति के.जि.	६३००	६३००	६३००	६९१३०	६९१३०	
२	बर्षिम घासको विउ	प्रति के.जि.	३३६१००	३३६१००	३३६१००	३६९१६०	३६९१६०	
३	भेच	प्रति के.जि.	६३००	६३००	६३००	६९१३०	६९१३०	
४	टियोसेन्टी (घासको विउ)	प्रति के.जि.	१२६१००	१२६१००	१२६१००	१३८६०	१३८६०	
५	स्टाइलो कूकाघासको विउ)	प्रति के.जि.	६८२१५०	६८२१५०	६८२१५०	७४०१५५	७४०१५५	
६	डाले घासको वेना	गोटा	२९१००	२९१००	२९१००	२९१००	२९१००	
७	सुडान घासको विउ	प्रति के.जि.	१०५१००	१०५१००	१०५१००	११५१५०	११५१५०	
८	बाजरा घासको विउ	प्रति के.जि.	१०५१००	१०५१००	१०५१००	११५१५०	११५१५०	
९	नोपियर सेट	सेट	२१०	२१०	२१०	२१९	२१९	
१०	खन्यू	प्रति बोट	१५१५५	१५१५५	१५१५५	१५३३	१५३३	
११	इपिलइपिल	प्रति बोट	५१२५	५१२५	५१२५	५१७८	५१७८	
१२	किम्बू	प्रति बोट	५१२५	५१२५	५१२५	५१७८	५१७८	
१३	बोका प्रजननको लागि (विभिन्न उन्नत जातको)	प्रति गोटा	१३९२५१००	१३९२५१००	१३९२५१००	१४४३५५०	१४४३५५०	
१४	वाखा प्रजनन योग्य (उन्नत जातको)	प्रति गोटा	५२५०१००	५२५०१००	५२५०१००	५७७५१००	५७७५१००	
१५	बंगूर को बच्चा (उन्नत जातको ४५ दिन माथिको स्थानीय जात)	प्रति गोटा	३९५०१००	३९५०१००	३९५०१००	३४६५१००	३४६५१००	
१६	बंगूर को बच्चा (उन्नत जातको ४५ दिन माथिको उन्नत जात)	प्रति गोटा	४७२५१००	४७२५१००	४७२५१००	५९९५५०	५९९५५०	
घ. वन कार्यालयसंग सम्बन्धित								
क. बोटविरवाह								
१	वैस	गोटा	२९१००	२९१००	२९१००	२३९१०	२३९१०	
२	बांसको राइजम (घना काटी जरा समेत)	गोटा	१५६१००	१५६१००	१५६१००	१५१६०	२००१००	
३	वन विरवा (नर्सरीमा उमाने) नर्सरी नाइके बाहेक	गोटा	१०६०	१०६०	१०६०	११६६	११६६	
४	वन विरवा (नर्सरीमा उमाने) नर्सरी नाइके विरवा	गोटा	२९०१००	२९०१००	२९०१००	२३९१००	२३९१००	
५	ठूलो पोली व्यागम	गोटा	२९०१००	२९०१००	२९०१००	२३९१००	२३९१००	
६	खर (१६ मुष्ट)	बण्डल	२६२१५०	२६२१५०	२६२१५०	२८८१५५	२८८१५५	
१०	मसला	गोटा	१२६०	१२६०	१२६०	१३८६	१३८६	
११	कदम	गोटा	१२६०	१२६०	१२६०	१३८६	१३८६	
१२	टिक	गोटा	३९१५०	३९१५०	३९१५०	३४६५	३४६५	
१३	सिरिस	गोटा	१०१५०	१०१५०	१०१५०	१११५५	१११५५	
१४	सिसौ	गोटा	८१४०	८१४०	८१४०	९१२४	९१२४	
१५	वकाइनो	गोटा	८१४०	८१४०	८१४०	९१२४	९१२४	
१६	जामून	गोटा	१५१५५	१५१५५	१५१५५	१५३३	१५३३	
१७	क्यासिया	गोटा	१०१५०	१०१५०	१०१५०	१११५५	१११५५	
१८	जेटोफा	गोटा	१०१५०	१०१५०	१०१५०	१११५५	१११५५	
१९	बडहर	गोटा	१५१५५	१५१५५	१५१५५	१५३३	१५३३	
२०	अमला	गोटा	१५१५५	१५१५५	१५१५५	१५३३	१५३३	
२१	सर्पगन्धा	गोटा	२९१००	२९१००	२९१००	२३९१०	२३९१०	
२२	ईमन्नी	गोटा	१०१५०	१०१५०	१०१५०	१११५५	१११५५	
२३	निम	गोटा	१७८५	१७८५	१७८५	१९६४	१९६४	
२४	रक्तचन्दन	गोटा	५२१५०	५२१५०	५२१५०	५७७५	५७७५	
२५	एकोसिया	गोटा	२९१००	२९१००	२९१००	२३९१०	२३९१०	
२६	कुरिलो	गोटा	८१४०	८१४०	८१४०	९१२४	९१२४	
२७	तेजपात	गोटा	२९१००	२९१००	२९१००	२३९१०	२३९१०	
२८	अर्जुन	गोटा	१०१५०	१०१५०	१०१५०	१११५५	१११५५	
२९	खयर	गोटा	१२६०	१२६०	१२६०	१३८६	१३८६	
३०	बोतल ब्रस	गोटा	१२६०	१२६०	१२६०	१३८६	१३८६	
३१	बबूल	गोटा	१०१५०	१०१५०	१०१५०	१११५५	१११५५	

Santosh Gaire
Engineer-NEC (11689 Civil A)


भक्तिराम नरसिनी
प्रमुख प्रशासकीय अधिकृत
विमला अर्याल
नगर प्रमुख

११.सरकारी कार्यालयमा आवश्यक हुने अन्य माल/सामान सम्बन्धी दर

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३०० मी.व. कर बाहेकको दररेट (रु.)					कैफियत
			आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	आ.व. २०७९/८० को स्वीकृत दर रेट	आ.व. २०८०/८१ को स्वीकृत दर रेट	
३२	चाप	गोटा	१७८५	१७८५	१७८५	१९६४	१९६४	
३३	अशोका	गोटा	५२५०	५२५०	५२५०	५७७५	५७७५	
३४	शितलचिनी	गोटा	५७७५	५७७५	५७७५	६३५३	६३५३	
३५	गुलमोहर	गोटा	१५७५	१५७५	१५७५	१७३३	१७३३	
३६	विरैन्द्र फूल	गोटा	१५७५	१५७५	१५७५	१७३३	१७३३	
३७	काईयो	गोटा	१५७५	१५७५	१५७५	१७३३	१७३३	
३८	सतीसाल	गोटा	२१००	२१००	२१००	२३१०	२३१०	
३९	विजयसाल	गोटा	२१००	२१००	२१००	२३१०	२३१०	
४०	श्रीखण्ड	गोटा	२६२५	२६२५	२६२५	२८८८	२८८८	
४१	रुद्राक्ष	गोटा	४२००	४२००	४२००	४६२०	४६२०	
४२	धूपी	गोटा	२१००	२१००	२१००	२३१०	२३१०	
४३	लहरेपिपल कटिड	गोटा	५२५०	५२५०	५२५०	५७७५	५७७५	
४४	कपूर	गोटा	३१५०	३१५०	३१५०	३४६५	३४६५	
४५	बास (विउबाट)	गोटा	१५७५	१५७५	१५७५	१७३३	१७३३	
४६	पोलिथिन टयुब (३"/७") २०० गेज	केजी	२७३००	२७३००	२७३००	३००३०	३००३०	
४७	पोलिथिन टयुब (४"/७") २०० गेज	केजी	२७३००	२७३००	२७३००	३००३०	३००३०	
४८	पोलिथिन टयुब (६"/९") २०० गेज	केजी	२७३००	२७३००	२७३००	३००३०	३००३०	
४९	बहुवर्षिय (५*८ पोली व्याग) वन प्रजाति	गोटा					१००१००	
५०	बहुवर्षिय (४*७ व्याग)	गोटा					५०१००	
५१	सोन्दर्यजनक विरुवा (५*८ व्याग) ढुवानी समेत	गोटा					२००१००	
५२	सोन्दर्यजनक विरुवा (४*७ व्याग) ढुवानी समेत	गोटा					१५०१००	
५३	वेत विरुवा	गोटा					२५१००	
५४	बास (कलमी)	गोटा					२००१००	
५५	बासको पोलीव्याग (२-३ वर्षिय) ४*७ भन्दा माथि	गोटा					१५०१००	
	दोरया बुदी गोलिया तथा बल्लाबल्लि काठ/दाउरा							
ड	संकलन सम्बन्धि							
	काठ कटान मूखान	प्रति घ.फिट					२७००	
	यार्डिङ	प्रति घ.फिट					२४५०	
	लोडिङ	प्रति घ.फिट					२२५०	
	अनलोडिङ	प्रति घ.फिट					७००	
	बोका फिक्ने / रिड काटने	प्रति घ.फिट					३८५	
	पायलिङ	प्रति घ.फिट					८२५	
	ग्रेडिङ	प्रति घ.फिट					८२५	


Santosh Gaire
Engineer-NEC (1689 Civil A)


मनिक्रम मरासिनी
प्रमुख प्रशासकीय अधिकृत


बिमला अर्याल
नगर प्रमुख

१२. मेशिन, औजार तथा उपकरणको भाडा दर सम्बन्धी

Equipment Name	Equipment Identification	Capacity Category	DoR Code	आ.व. २०७९/८० को स्थित दर रेट		आ.व. २०७९/८० को स्थित दर रेट		आ.व. २०८०/८१ को स्थित दर रेट	
				Hire Rate in NRs.		Hire Rate in NRs.		Hire Rate in NRs.	
				Per Hour	Per Shift	Per Hour	Per Shift	Per Hour	Per Shift
1	2	3	4	5	6 = 7*(5)	5	6 = 7*(5)	5	6 = 7*(5)
Asphalt Plant*	Universal Spot Mix : Wylie	Up to 10 Ton	001 -	400	2800	440	3080	440	3080
Asphalt Plant*	Bram Millar	Up to 10 Ton	001 -	500	3500	550	3850	550	3850
Ashalt Paver	Blow Knox BK 165		002 -	1400	9800	1540	10780	1540	10780
Ashalt Mixer	Bel Mix		003 -	1000	7000	1100	7700	1100	7700
Broom Road	Towed		009 -	260	1820	286	2002	286	2002
Boring Rig	TONE		011 -	1200	8400	1320	9240	1320	9240
Air Compressor	Kirloskar , WR 250, SC 0707C,	150 To 275cfm	017 -	250	1750	275	1925	275	1925
Air Compressor	Holman, D250CFM, 175 MK 11		017 -	250	1750	275	1925	275	1925
Air Compressor	Maruma ES3		017 -	250	1750	275	1925	275	1925
Crane Mobile	Tadano TS 100L	5+ To 10 Ton	021 -	3100	21700	3410	23870	3410	23870
Crane Mobile	Tadano TS 150L	10+ To 15 Ton	021 -	3500	24500	3850	26950	3850	26950
Cutter Concrete	Weber SM 182R		024 -	250	1750	275	1925	275	1925
Cutter Concrete	Mikasa MCD 218 DX		024 -	250	1750	275	1925	275	1925
Dozer Wheel	Hanomag D66C, D66D	181 To 230 HP	030 -	2100	14700	2310	16170	2310	16170
Dozer Wheel	CAT 814	181 To 230 HP	030 -	2100	14700	2310	16170	2310	16170
Dozer Track	Komatsu D85ESS	181 To 230 HP	031 -	3000	21000	3300	23100	3300	23100
Dozer Track	CAT D7G	181 To 230 HP	031 -	3000	21000	3300	23100	3300	23100
Dozer Track	Shangdong TY 220	181 To 230 HP	031 -	3000	21000	3300	23100	3300	23100
Dozer Track	Hanomag D700C, D700D	181 To 230 HP	031 -	2000	14000	2200	15400	2200	15400
Dozer Track	Komatsu D85	181 To 230 HP	031 -	2000	14000	2200	15400	2200	15400
Dozer Track	Yishan TY 160	126 To 180 HP	031 -	1800	12600	1980	13860	1980	13860
Dozer Track	BEML D6SE8	126 To 180 HP	031 -	1800	12600	1980	13860	1980	13860
Dozer Track	CAT D6H	126 To 180 HP	031 -	1800	12600	1980	13860	1980	13860
Dozer Track	Komatsu D53A-17; D50A	80 To 125 HP	031 -	1800	12600	1980	13860	1980	13860
Dozer Track	Komatsu D 50A - 17	80 To 125 HP	031 -	1800	12600	1980	13860	1980	13860
Dozer Track	CAT D3B	0 To 79 HP	031 -	1000	7000	1100	7700	1100	7700
Bitumin Distributor	Bedford TJ 1090	4 To 6 KL	032 -	1300	9100	1430	10010	1430	10010
Bitumin Distributor	ETNYRE/4700; ETNTYRE/M414	4 To 6 KL	032 -	1300	9100	1430	10010	1430	10010
Bitumin Distributor	Isuzu/Hanta; Hanta/Hino FF173 K	4 To 6 KL	032 -	1300	9100	1430	10010	1430	10010
Rock Drill(Pneum)			034 -	130	910	143	1001	143	1001
Mini Dumper	Pengyuan FC 15	1 To 4 Cu. M.	035 -	250	1750	275	1925	275	1925
Mini Dumper	Changai FC 1	1 To 4 Cu. M.	035 -	250	1750	275	1925	275	1925
Mini Dumper	Jiangsu F 15	1 To 4 Cu. M.	035 -	250	1750	275	1925	275	1925
Mini Dumper	Stott & Pitt SD 011	1 To 4 Cu. M.	035 -	250	1750	275	1925	275	1925
Mini Dumper	Thawaties	1 To 4 Cu. M.	035 -	550	3850	605	4235	605	4235
Excavator Track	Daewoo Solar 130LC - V	1 To 110 HP	042 -	1200	8400	1320	9240	1320	9240
Excavator Track	Kobelco SK 115 SR-1E	1 To 110 HP	042 -	1200	8400	1320	9240	1320	9240
Excavator Track	Daewoo SL 220	111 To 150 HP	042 -	1800	12600	1980	13860	1980	13860
Excavator Track	Komatsu PC 150-5A	111 To 150 HP	042 -	1800	12600	1980	13860	1980	13860
Excavator Track	Hitachi EX 200 - 3	111 To 150 HP	042 -	1800	12600	1980	13860	1980	13860
Excavator Track	JCB - 820 Super; JCB - 820	111 To 150 HP	042 -	1800	12600	1980	13860	1980	13860
Excavator+ Breaker	Daewoo SL220 With SOOSAN 20	111 To 150 HP	042 -	2100	14700	2310	16170	2310	16170
Forklift Truck	Mitsubishi	< 2.5 Ton	049 -	400	2800	440	3080	440	3080
Generator*	Kubota ASK-R 350	Up to 10 KVA	054 -	150	1050	165	1155	165	1155
Generator*	Denyo DBF-3Y; DBF 7.5Y	Up to 10 KVA	054 -	150	1050	165	1155	165	1155
Generator*	Robin	Up to 10 KVA	054 -	150	1050	165	1155	165	1155
Generator*	Caterpillar	Up to 10 KVA	054 -	150	1050	165	1155	165	1155
Generator*	Kirloskar RB 33	Up to 10 KVA	054 -	150	1050	165	1155	165	1155
Generator*	Osaka/Seimeitsu SAS - 130Y	10 To 30 KVA	054 -	150	1050	165	1155	165	1155
Generator*	Kirloskar	30+ To 50 KVA	054 -	350	2450	385	2695	385	2695
Grader Motor	Komatsu GD 511R - 1	135 HP	055 -	1600	11200	1760	12320	1760	12320
Grader Motor	Chapion 710 ; 710R	135 HP	055 -	1600	11200	1760	12320	1760	12320
Grader Motor	CAT 120G	125 HP	055 -	1600	11200	1760	12320	1760	12320

santosh Gaire
Engineer-NEC (11689 Civil A)

महिराम गैरसिको
प्रमुख प्रशासकीय अधिकारी
बिमला अर्याल
नगर प्रमुख

१२. मेशिन, औजार तथा उपकरणको भाडा दर सम्बन्धी



Equipment Name	Equipment Identification	Capacity Category	DoR Code	आ.व. २०७८/०७९ को स्थित दर रेट		आ.व. २०७९/८० को स्थित दर रेट		आ.व. २०८०/८१ को स्थित दर रेट	
				Hire Rate in NRs.		Hire Rate in NRs.		Hire Rate in NRs.	
				Per Hour	Per Shift	Per Hour	Per Shift	Per Hour	Per Shift
1	2	3	4	5	6 = 7*(5)	5	6 = 7*(5)	5	6 = 7*(5)
Grader Motor	Mitubishi MG 350R	135 HP	055 -	1600	11200	1760	12320	1760	12320
Grader Motor	BEML BG605 - 6216	145 HP	055 -	1600	11200	1760	12320	1760	12320
Grader Motor	Aveling Barford ASG 12G; TG 01	135 HP	055 -	1200	8400	1320	9240	1320	9240
Grader Motor	Niigata N530 PSA	135 HP	055 -	1200	8400	1320	9240	1320	9240
Grader Motor	Komatsu 405A - 1	90 HP	055 -	1200	8400	1320	9240	1320	9240
Chips Spreader	Phoenix/Tail Gate Mounted		057 -	300	2100	330	2310	330	2310
Bitumin Heater	Span Eng.	Up to 2 KL	062 -	180	1260	198	1386	198	1386
Loader Wheel	JCB 425	1.75 Cu M	068 -	1000	7000	1100	7700	1100	7700
Loader Wheel	Aveling Barford	1.75 Cu M	068 -	1000	7000	1100	7700	1100	7700
Loader Wheel	EJCB - 430	1.7 Cu M	068 -	1000	7000	1100	7700	1100	7700
Loader Wheel	Komatsu WA 100 - 1	1.2 Cu M	068 -	1000	7000	1100	7700	1100	7700
Loader Wheel	Komatsu WA 180 - 3	1.8 Cu M	068 -	1200	8400	1320	9240	1320	9240
Loader Wheel	Furukawa FL 200; FL 230 - I	1.9 - 2.3 Cu M	068 -	1200	8400	1320	9240	1320	9240
Loader Wheel	Furukawa FL 200 - I	1.9 - 2.3 Cu M	068 -	1200	8400	1320	9240	1320	9240
Loader Wheel	Kawasaki KSS 70; KLD 70	1.9 - 2.2 Cu M	068 -	1200	8400	1320	9240	1320	9240
Loader Wheel	CAT 950	> 1.8 Cu M	068 -	1200	8400	1320	9240	1320	9240
Loader Wheel	Michigan Clark 75 - IIIA	> 1.8 Cu M	068 -	1200	8400	1320	9240	1320	9240
Loader Wheel	Huandai HL 757 - 7	2.5 Cu M	068 -	1500	10500	1650	11550	1650	11550
Loader Wheel	Kawasaki 70ZIV - 2	2.2 Cu M	068 -	1500	10500	1650	11550	1650	11550
Loader Wheel	Kawasaki 70ZIV; WL03 - 70Z	2.2 Cu M	068 -	1500	10500	1650	11550	1650	11550
Loader Wheel	Kawasaki 70Z - IV Hino	2.2 Cu M	068 -	1500	10500	1650	11550	1650	11550
Back Hoe Loader	JCB 3CX - 4	< 90 HP	070 -	1000	7000	1100	7700	1100	7700
Water Pump (Engine)	Sykes Univac	Up To 4"	085 -	150	1050	165	1155	165	1155
Water Pump (Engine)	Yanmar/ YKS - 3DW	Up To 4"	085 -	150	1050	165	1155	165	1155
Water Pump (Engine)	Sykes Univac	4 To 6 "	085 -	200	1400	220	1540	220	1540
Water Pump (Engine)	Yanmar/ YKS - 6DFA	4 To 6"	085 -	200	1400	220	1540	220	1540
Water Pump (Elect.)		5 HP	085 -	150	1050	165	1155	165	1155
Water Pump (Elect.)		7.5 HP	085 -	150	1050	165	1155	165	1155
Pile Driver*		10 Ton	086 -	3000	21000	3300	23100	3300	23100
Roller 3 Wheel	Aveling Barford DC 011	Up to 12 Ton	094 -	500	3500	550	3850	550	3850
Roller 3 Wheel	Johs Moller Rambo	Up to 12 Ton	094 -	500	3500	550	3850	550	3850
Roller 3 Wheel	Speedcraft DRR 10 - S	Up to 12 Ton	094 -	500	3500	550	3850	550	3850
Roller 3 Wheel	Luoyang 3Y8 / 10	Up to 12 Ton	094 -	500	3500	550	3850	550	3850
Roller 3 Wheel	Aveling Barford DC 012	Up to 12 Ton	094 -	500	3500	550	3850	550	3850
Roller 3 Wheel	Albaret TR - 10	Up to 12 Ton	094 -	500	3500	550	3850	550	3850
Roller 3 Wheel	Kawasaki KMRH - 12	Up to 12 Ton	094 -	500	3500	550	3850	550	3850
Roller 3 Wheel	Sakai 7608	Up to 12 Ton	094 -	500	3500	550	3850	550	3850
Roller Pneumatic	Dynapac CP 15	Up to 20 Ton	096 -	1200	8400	1320	9240	1320	9240
Roller Pneumatic	Hamm GRW - 10	Up to 20 Ton	096 -	1200	8400	1320	9240	1320	9240
Roller Pneumatic	Stavostroj VP 200	Up to 20 Ton	096 -	1200	8400	1320	9240	1320	9240
Roller Pneumatic	Dynapac CP 20	Up to 20 Ton	096 -	1200	8400	1320	9240	1320	9240
Roller Pneumatic	Sakai TS7409	Up to 20 Ton	096 -	1000	7000	1100	7700	1100	7700
Roller Vib. Pedestrian	Bomag BW 71E - 2	Up to 0.5 Ton	098 -	400	2800	440	3080	440	3080
Roller Vib. Pedestrian	Bomag BW 71E	Up to 0.5 Ton	098 -	400	2800	440	3080	440	3080
Roller Vib. Pedestrian	Benford 1 - 71L / 2 - 75B	Up to 0.5 Ton	098 -	300	2100	330	2310	330	2310
Roller Vib. Pedestrian	Holman / Com CS 71	Up to 0.5 Ton	098 -	300	2100	330	2310	330	2310
Roller Vib. Pedestrian	Mortimor CPM/71	Up to 0.5 Ton	098 -	300	2100	330	2310	330	2310
Roller Vib. Pedestrian	Bomag BW 55E	Up to 0.5 Ton	098 -	300	2100	330	2310	330	2310
Roller Vib. Pedestrian	Benford 1 - 71EEP/1 - 71 B	Up to 0.5 Ton	098 -	300	2100	330	2310	330	2310
Roller Vib. Pedestrian	Benford	Up to 0.5 Ton	098 -	300	2100	330	2310	330	2310
Roller Vib. Pedestrian	Benford 1 - 71BPL	Up to 0.5 Ton	098 -	300	2100	330	2310	330	2310
Roller Vib. Sheepfoot	Tampo	Up to 10 Ton	099 -	700	4900	770	5390	770	5390
Roller Vib. Self Prop.	Johs Moller VT 13 / VT 21	Up to 5 Ton	101 -	550	3850	605	4235	605	4235

santosh Gaire
Engineer-NEC (11689 Civil A)

महोदय प्रशासकीय अधिकृत

विमला अर्याल
नगर प्रमुख

१२. मेशिन, औजार तथा उपकरणको भाडा दर सम्बन्धी



Equipment Name	Equipment Identification	Capacity Category	DoR Code	जा.व. २०७८/०७९ को स्थित दर रेट		जा.व. २०७९/८० को स्थित दर रेट		जा.व. २०८०/८१ को स्थित दर रेट	
				Hire Rate in NRs.		Hire Rate in NRs.		Hire Rate in NRs.	
				Per Hour	Per Shift	Per Hour	Per Shift	Per Hour	Per Shift
1	2	3	4	5	6 = 7*(5)	5	6 = 7*(5)	5	6 = 7*(5)
Roller Vib. Self Prop.	Sakai SG 500	3 + Upto 6 Ton	101 -	800	5600	880	6160	880	6160
Roller Vib. Self Prop.	Larsen & Turbo W1104	3 + Upto 6 Ton	101 -	800	5600	880	6160	880	6160
Roller Vib. Self Prop.	Bomag BG 605	3 + Upto 6 Ton	101 -	800	5600	880	6160	880	6160
Roller Vib. Self Prop.	Bomag BW 172D - 2	6.3 Ton	101 -	900	6300	990	6930	990	6930
Roller Vib. Self Prop.	Bomag	6.3 Ton	101 -	900	6300	990	6930	990	6930
Roller Vib. Self Prop.	Kawasaki KVR 7	6 Ton	101 -	700	4900	770	5390	770	5390
Spreader Chip S/P	Phoenix MK 4		109 -	1500	10500	1650	11550	1650	11550
Spayer Emulsion	Hotta ESC - 10 E	Up to 1 KL	112 -	260	1820	286	2002	286	2002
Truck Flatbed/Crane	Dong Feng/AEDLUS	Up to 7 Ton	114 -	800	5600	880	6160	880	6160
Truck Flatbed/Crane	Tata SE 1210/42	Up to 7 Ton	114 -	800	5600	880	6160	880	6160
Truck Flatbed/Crane	Tata Usha 1210B/42	Up to 7 Ton	114 -	800	5600	880	6160	880	6160
Truck Flatbed/Crane	Isuzu HTR	Up to 7 Ton	114 -	800	5600	880	6160	880	6160
Truck Flatbed	Ashok Leyland CS 42	Up to 150 HP	115 -	450	3150	495	3465	495	3465
Truck Flatbed	Hino FF 173KA	Up to 150 HP	115 -	450	3150	495	3465	495	3465
Truck Flatbed	Isuzu HTR 114-03	Up to 150 HP	115 -	450	3150	495	3465	495	3465
Truck Flatbed	Isuzu TXD 50	Up to 150 HP	115 -	450	3150	495	3465	495	3465
Truck Tipper	Tata SK 1210/36	Up to 150 HP	116 -	450	3150	495	3465	495	3465
Truck Tipper	A/Leyland Commet 3/15;	Up to 150 HP	116 -	450	3150	495	3465	495	3465
Truck Tipper	Tata SE 1210 /36	Up to 150 HP	116 -	450	3150	495	3465	495	3465
Truck Tipper	A/ Leyland Commet 3/21	Up to 150 HP	116 -	450	3150	495	3465	495	3465
Truck Tipper	A/ Leyland Commet	Up to 150 HP	116 -	450	3150	495	3465	495	3465
Truck Tipper	A/Leyland Commet	Up to 150 HP	116 -	450	3150	495	3465	495	3465
Truck Tipper	Isuzu HTR 113-03	Up to 150 HP	116 -	450	3150	495	3465	495	3465
Truck Tipper	Hino KR 120 E	Up to 150 HP	116 -	450	3150	495	3465	495	3465
Truck Tipper	Isuzu SBR 322; TXD 40	Up to 150 HP	116 -	450	3150	495	3465	495	3465
Truck Tipper	Nissan CPC 14E	From 150+ HP	116 -	1100	7700	1210	8470	1210	8470
Truck Tipper	Isuzu TDJ	From 150+ HP	116 -	1100	7700	1210	8470	1210	8470
Truck Tipper	Nissan CKB 450EDN	From 150+ HP	116 -	1100	7700	1210	8470	1210	8470
Mini Truck	Mah & Mah Cab 576		117 -	300	2100	330	2310	330	2310
Mini Truck	Tata 407		117 -	300	2100	330	2310	330	2310
Mini Truck	Mah. Nis. Allw. Cab 576		117 -	300	2100	330	2310	330	2310
Mini Truck	Mits. Can. Eich./ FE444		117 -	300	2100	330	2310	330	2310
Mini Truck	Mitsu. Eicher EE 44EXR		117 -	300	2100	330	2310	330	2310
Trailer Tractor	Isuzu CXZ81Q	10 + to 25 Ton	118 -	2200	15400	2420	16940	2420	16940
Trailer Tractor	Foden 5106T	10 + to 25 Ton	118 -	2200	15400	2420	16940	2420	16940
Trailer Tractor	Hino HE 335	10 + to 25 Ton	118 -	2200	15400	2420	16940	2420	16940
Trailer Tractor	Hino HE 335	10 + to 25 Ton	118 -	2200	15400	2420	16940	2420	16940
Trailer Tractor	Mitsubishi FV 515 HRR	10 + to 25 Ton	118 -	2200	15400	2420	16940	2420	16940
Trailer Tractor	Nissan CW - 50 GTN	10 + to 25 Ton	118 -	2200	15400	2420	16940	2420	16940
Trailer Tractor	Mitsubishi FV 515 HRR	From 25 +Ton	118 -	2700	18900	2970	20790	2970	20790
Water Tanker	AL/ Commet; ALCO- 3/15	Up to 8 KL	119 -	550	3850	605	4235	605	4235
Water Tanker	Tata/SE 1210/48	Up to 8 KL	119 -	550	3850	605	4235	605	4235
Water Tanker	A/ Leyland Commet CS 42	Up to 8 KL	119 -	550	3850	605	4235	605	4235
Water Tanker	Hino	Up to 8 KL	119 -	550	3850	605	4235	605	4235
Water Tanker	Isuzu HTR	Up to 8 KL	119 -	550	3850	605	4235	605	4235
Water Tanker	Isuzu SBR 312; TXD 50	Up to 8 KL	119 -	550	3850	605	4235	605	4235
Trailer	MAECO / Nepal		122 -	140	980	154	1078	154	1078
Tractor	HMT 4511	Up to 85 HP	123 -	300	2100	330	2310	330	2310
Tractor	International Sona. DI 745 III	Up to 85 HP	123 -	300	2100	330	2310	330	2310
Tractor	Tractor & Farm MF 245 DI-J	Up to 85 HP	123 -	300	2100	330	2310	330	2310
Tractor	Hindustan G 453 - DI	Up to 85 HP	123 -	300	2100	330	2310	330	2310
Tractor	Escort E 355 N	Up to 85 HP	123 -	300	2100	330	2310	330	2310
Tractor	Mahendra 545	Up to 85 HP	123 -	300	2100	330	2310	330	2310

santosh Gaire
Engineer-NEC (11689 Civil A)

मक्तिराम गरासिनी
प्रमुख प्रशासकीय अधिकृत

बिमला अर्याल
नगर प्रमुख

१२. मेशिन, औजार तथा उपकरणको भाडा दर सम्बन्धी

Equipment Name	Equipment Identification	Capacity Category	DoR Code	आ.व. २०७८/०७९ को स्विक्त दर रेट		आ.व. २०७९/८० को स्विक्त दर रेट		आ.व. २०८०/८१ को स्विक्त दर रेट	
				Hire Rate in NRs.		Hire Rate in NRs.		Hire Rate in NRs.	
				Per Hour	Per Shift	Per Hour	Per Shift	Per Hour	Per Shift
1	2	3	4	5	6 = 7*(5)	5	6 = 7*(5)	5	6 = 7*(5)
Tractor	Ford 3610	Up to 85 HP	123 -	300	2100	330	2310	330	2310
Tractor	Kubota	Up to 85 HP	123 -	300	2100	330	2310	330	2310
Tractor	Ford New Holland	Up to 85 HP	123 -	300	2100	330	2310	330	2310
Tractor with trailer	Ford 6610	Up to 85 HP	123 -	440	3080	484	3388	484	3388
Tractor with trailer	Massey Ferguson MF 20B	Up to 85 HP	123 -	440	3080	484	3388	484	3388
Vibrator Engine	Mikasa; Mikasa MVI-GE		136 -	120	840	132	924	132	924
Vibrator Needle	BP 25; BP 35		136 -	100	700	110	770	110	770
Vibrator Needle	V 635; V 654		136 -	100	700	110	770	110	770
Compactor H/Towed	Jaypee	Up to 450 KG	138 -	130	910	143	1001	143	1001
Compactor H/Towed	MIKASA MVC -110D	Up to 450 KG	138 -	130	910	143	1001	143	1001
Welding Arc		30 + KVA	143 -	1150	8050	1265	8855	1265	8855
Bridge inspection Equipment	Brain Italy AB 9s with Truck			7650	53550	8415	58905	8415	58905

*EXCLUDING COST OF ERECTION/ COMMISSIONING/ DISMANTLING AND MECHANICAL CREW.

santosha Ghire
Engineer-NEC (1169 Civil A)

मक्तिराम मरासिनी
प्रमुख प्रशासकीय अधिकृत

बिमला मर्याल
नगर प्रमुख




१३. ग्लास फाइबर सम्वन्धी स्वीकृत दर रेट (१३% भ्याट बाहेक)

S. N.	Description	Unit	Rate 074/75	Rate 075/76	Rate 076/77	Rate 077/78	Rate 078/79	Rate 079/80	Rate 080/81	Remarks
A.	Corrugated Sheet width of 32"(1.2 mmthick)									
1	3.00 Ft long	pc	675.00	675.00	675.00	675.00	675.00	742.50	742.50	
2	4.00 Ft long	pc	901.00	901.00	901.00	901.00	901.00	991.10	991.10	
3	5.00 Ft long	pc	1125.00	1125.00	1125.00	1125.00	1125.00	1237.50	1237.50	
4	6.00 Ft long	pc	1351.00	1351.00	1351.00	1351.00	1351.00	1486.10	1486.10	
5	7.00 Ft long	pc	1576.00	1576.00	1576.00	1576.00	1576.00	1733.60	1733.60	
6	8.00 Ft long	pc	1801.00	1801.00	1801.00	1801.00	1801.00	1981.10	1981.10	
7	9.00 Ft long	pc	2026.00	2026.00	2026.00	2026.00	2026.00	2228.60	2228.60	
8	10.00 Ft long	pc	2252.00	2252.00	2252.00	2252.00	2252.00	2477.20	2477.20	
9	12.00 Ft long	pc	2702.00	2702.00	2702.00	2702.00	2702.00	2972.20	2972.20	
B	Corrugated Sheet width of 32"(0.6 mmthick)							0.00	0.00	
1	3.00 Ft long	pc	427.00	427.00	427.00	427.00	427.00	469.70	469.70	
2	4.00 Ft long	pc	569.00	569.00	569.00	569.00	569.00	625.90	625.90	
3	5.00 Ft long	pc	711.00	711.00	711.00	711.00	711.00	782.10	782.10	
4	6.00 Ft long	pc	854.00	854.00	854.00	854.00	854.00	939.40	939.40	
5	7.00 Ft long	pc	996.00	996.00	996.00	996.00	996.00	1095.60	1095.60	
6	8.00 Ft long	pc	1139.00	1139.00	1139.00	1139.00	1139.00	1252.90	1252.90	
7	9.00 Ft long	pc	1281.00	1281.00	1281.00	1281.00	1281.00	1409.10	1409.10	
8	10.00 Ft long	pc	1424.00	1424.00	1424.00	1424.00	1424.00	1566.40	1566.40	
9	12.00 Ft long	pc	1708.00	1708.00	1708.00	1708.00	1708.00	1878.80	1878.80	
C	Plain Sheet							0.00	0.00	
	1.2mm thick	Sq. ft.	90.00	90.00	90.00	90.00	90.00	99.00	99.00	
1	2.00mm thick	Sq. ft.	133.00	133.00	133.00	133.00	133.00	146.30	146.30	
2	3.00mm thick	Sq. ft.	193.00	193.00	193.00	193.00	193.00	212.30	212.30	
3	4.00mm thick	Sq. ft.	250.00	250.00	250.00	250.00	250.00	275.00	275.00	
	5.00mm thick		285.00	285.00	285.00	285.00	285.00	313.50	313.50	
D	Corrugated Advestor Sheet	Sq. ft.					0.00	0.00	0.00	
	0.8mm thick	Sq. ft.	75.00	75.00	75.00	75.00	75.00	82.50	82.50	
	1.20mm thick	Sq. ft.	96.00	96.00	96.00	96.00	96.00	105.60	105.60	
	2.00mm thick	Sq. ft.	150.00	150.00	150.00	150.00	150.00	165.00	165.00	

Santosh Gaire
Engineer-NEC (11689 Civil A)

भक्तिराम मरासिनी
प्रमुख प्रशासकीय अधिकृत

बिमला अर्याल
नगर प्रमुख



१४. मेसिन उपकरणबाट गरीने कार्यको दररेट आ.व.०७९/८०


क्र.सं.	कामको विवरण	इकाई	१३% मू.व.कर बाहेकको दररेट (रु.)					कैफियत
			आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	आ.व. २०७८/७९ को स्वीकृत दर रेट	आ.व. २०७९/८० को स्वीकृत दर रेट	आ.व. २०८०/८१ को स्वीकृत दर रेट	
क	डोजर/एक्साभेटर प्रयोग गरी माटो खन्ने काम (मोबिलाइजेसन, डिमोवीलाइजेसन, इन्धन र अप्रेटर खर्च समेत)							
१	साधारण माटो	घमी	५८१००	५८१००	६०१००	६११००	६११००	
२	ग्राभेल/बाल्डर मिसिएको माटो	घमी	८५१००	८५१००	८७१००	१००१०५	१००१०५	
३	नरम प्रकारको चट्टान	घमी	१७५१००	१७५१००	१७७१००	२०३१५५	२०३१५५	
४	मध्यम प्रकारको चट्टान	घमी	४००१००	४००१००	४०२१००	४६२१३०	४६२१३०	
५	कडा प्रकारको चट्टान	घमी	१०७०१००	१०७०१००	१०७२१००	१२३२१८०	१२३२१८०	
ख	पैरो हटाउन/सफा गर्ने काम	घमी	५०१००	५०१००	५२१००	५९१८०	५९१८०	

Santosh Gaire
Engineer-MEC (11689 Civil A)

मतिराम मरासिनी
प्रमुख प्रशासकीय अधिकृत

बिमला अर्याल
नगर प्रमुख

१५. विद्युतिय सोलार सम्बन्धी सामग्रीहरूको दररेट (१३% भ्याट बाहेक)



क्रस	सामग्रीको नाम	क्षमता	ईकाइ	आ.व. ०७६/७७	आ.व. ०७७/७८	आ.व. ०७८/७९	आ.व. ०७९/८०	आ.व. ०८०/८१	कैफियत
A	Solar Modulators(Vikram,Andromeda or euivalent)	10wp/12	गोटा	८५०००	८५०००	८५०००	९३५००	९३५००	
	Solar Modulators	20wp/13	गोटा	१३००००	१३००००	१३००००	१४३०००	१४३०००	
	Solar Modulators	40wp/14	गोटा	३२००००	३२००००	३२००००	३५२०००	३५२०००	
	Solar Modulators	50wp/15	गोटा	३५००००	३५००००	३५००००	३८५०००	३८५०००	
	Solar Modulators	75wp/16	गोटा	६०००००	६०००००	६०००००	६६००००	६६००००	
	Solar Modulators	100wp/17	गोटा	६५००००	६५००००	६५००००	७५००००	७५००००	
	Solar Modulators	150wp/18	गोटा	९७५०००	९७५०००	९७५०००	१०७२५००	१०७२५००	
	Solar Modulators	210wp/19	गोटा	१२६००००	१२६००००	१२६००००	१३८६०००	१३८६०००	
						०१०	०१०	०१०	
B	Battery Exide or equivalant						०१०	०१०	
	12v/ 20 AH SOLAR TUB BATTERY	12V20AH@C10	गोटा	४६५०००	४६५०००	४६५०००	५११५००	५११५००	
	12v/ 20 AH SOLAR TUB BATTERY	12V40AH@C11	गोटा	७८००००	७८००००	७८००००	८५८०००	८५८०००	
	12v/ 20 AH SOLAR TUB BATTERY	12V40AH@C12	गोटा	८५००००	८५००००	८५००००	९३५०००	९३५०००	
	12v/ 20 AH SOLAR TUB BATTERY	12V60AH@C13	गोटा	११५००००	११५००००	११५००००	१२६५०००	१२६५०००	
	12v/ 20 AH SOLAR TUB BATTERY	12V75AH@C14	गोटा	१४५००००	१४५००००	१४५००००	१५९५०००	१५९५०००	
	12v/ 20 AH SOLAR TUB BATTERY	12V100AH@C15	गोटा	१६५००००	१६५००००	१६५००००	१८१५०००	१८१५०००	
	12v/ 20 AH SOLAR TUB BATTERY	12V150AH@C16	गोटा	२६५००००	२६५००००	२६५००००	२९१५०००	२९१५०००	
	12v/ 20 AH SOLAR TUB BATTERY	12V200AH@C17	गोटा	३१५००००	३१५००००	३१५००००	३४६५०००	३४६५०००	
C	Charge Controler Luminus or equivalant								
	6AMP/12V CONTROLER	6A /12V	गोटा	३००००	३००००	३००००	३३०००	३३०००	
	6AMP/12V AUTO CONTROLER	10A /12V-24V	गोटा	६५०००	६५०००	६५०००	७५०००	७५०००	
	6AMP/12V AUTO CONTROLER	20A /12V-24	गोटा	१२००००	१२००००	१२००००	१३२०००	१३२०००	

Santosh Gaire
Engineer-NEC (11689 Civil A)

मन्तिराम मरासिनी
प्रमुख प्रशासकीय अधिकृत

बिमला अर्याल
नगर प्रमुख

16. Machine Made Precast Brick /Interlocks/Slabs/Kerbstones				2079/80		2080/81	
Sunwal Municipality Rate for 2080-81							
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)	MRP Per Cubic Meter (Ex VAT)	MRP Per Cubic Meter (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)
1	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	17.65	9966.4	19.42	10963.04	19.42	10963.04
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	19.51	11015.81	21.46	12117.39	21.46	12117.39
2	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	15.8	11356.45	17.38	12492.1	17.38	12492.1
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	16.73	12020.48	18.40	13222.53	18.40	13222.53
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
3	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	115.5	1558.7	127.05	1714.57	127.05	1714.57
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	136.5	1842.11	150.15	2026.321	150.15	2026.321
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
4	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	92.4	1246.96	101.64	1371.656	101.64	1371.656
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	110.25	1487.85	121.28	1636.635	121.28	1636.635
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
5	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	80.85	1091.09	88.94	1200.199	88.94	1200.199
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	92.4	1246.96	101.64	1371.656	101.64	1371.656


santosh Gaire
Engineer-NEC (11689 Civil A)

महेश्वराम ठरसिनी
प्रमुख प्रशासकीय अधिकृत

बिमला अर्याल
नगर प्रमुख

S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
7.	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 234*203*60 (NS Standard)					31.00	867.26
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 234*203*60 (NS Standard)					33.00	923.21
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 234*203*60 (NS Standard)					35.00	979.16
8	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 234*203*80 (NS Standard)					46.15	1291.09
9	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 234*203*80 (NS Standard)					48.07	1344.8
10	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 234*203*80 (NS Standard)					50.00	1398.8
11	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)					36.82	1093.47
	Hexagon Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)					43.82	1301.35
	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)					47.92	1423.11
12	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	27.83	826.34	30.61	908.974	30.61	908.974
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	34.13	1013.43	37.54	1114.773	37.54	1114.773
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	36.23	1075.8	39.85	1133.38	39.85	1183.38
13	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	33.6	997.84	36.96	1097.624	36.96	1097.624
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	39.9	1184.93	43.89	1303.423	43.89	1303.423
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	42	1247.3	46.20	1372.03	46.20	1372.03
14	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	39.9	1184.93	43.89	1303.423	43.89	1303.423
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	46.2	1372.03	50.82	1509.233	50.82	1509.233
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	48.3	1434.39	53.13	1577.829	53.13	1577.829
15	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	48.3	1434.39	53.13	1577.829	53.13	1577.829
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	54.6	1621.49	60.06	1783.639	60.06	1783.639


santosh Gaire
 Engineer-NEC (17689 Civil A)

 भतिराम मारसिनी
 प्रमुख प्रशासकीय अधिकारी

बिमला अर्याल
 नगर प्रमुख

	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	56.7	1683.85	62.37	1852.235	62.37	1852.235
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
16	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	27.83	1392.2	30.61	1531.42	30.61	1531.42
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	33.08	1654.87	36.39	1820.357	36.39	1820.357
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	35.18	1759.95	38.70	1935.945	38.70	1935.945
17	Rectangular Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*100*80 (NS Standard)						
18	Rectangular Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*100*80 (NS Standard)						
19	Rectangular Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*100*80 (NS Standard)						
20	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100 (NS Standard)	64.2	3212.18	70.62	3533.398	70.62	3533.398
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100 (NS Standard)	70.89	3546.79	77.98	3901.469	77.98	3901.469
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100 (NS Standard)	73.56	3680.63	80.92	4048.693	80.92	4048.693
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
21	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50 (NS Standard)	31.5	1159.51	34.65	1275.461	34.65	1275.461
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50 (NS Standard)	37.8	1391.42	41.58	1530.562	41.58	1530.562
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50 (NS Standard)	39.9	1468.72	43.89	1615.592	43.89	1615.592
22	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*165*80 (NS Standard)	46.2	1700.62	50.82	1870.682	50.82	1870.682
	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*165*80 (NS Standard)	52.5	1932.52	57.75	2125.772	57.75	2125.772
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*165*80 (NS Standard)	54.6	2009.82	60.06	2210.802	60.06	2210.802
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)				
	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 240*120*60 (NS Standard)	32.55	1127.77	35.81	1240.547	35.81	1240.547


Santosh Gaire
 Engineer-NEC (1689 Civil &)


 भक्तिराम नारायणी
 प्रमुख प्रशासकीय अधिकृत


बिमला अर्याल
 नगर प्रमुख


23	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	38.85	1346.04	42.74	1480.644	42.74	1480.644
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	40.95	1418.8	45.05	1560.68	45.05	1560.68
24	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	46.2	1824.9	50.82	2007.39	50.82	2007.39
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	52.5	2073.75	57.75	2281.125	57.75	2281.13
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	54.6	2156.7	60.06	2372.37	60.06	2372.37
25	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	81.32	3232.14	89.45	3555.354	89.45	3555.35
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	89.79	3546.56	98.77	3901.216	98.77	3901.22
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	93.18	3680.75	102.50	4048.825	102.50	4048.83
26	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)					125.50	4957.23
	Zigzag Interlock Pavers Single Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)					135.50	5352.23
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)					146.50	5786.73
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
27	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	42	1239.62	46.20	1363.582	46.20	1363.58
	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	48.3	1425.56	53.13	1568.116	53.13	1568.12
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	50.4	1487.54	55.44	1636.294	55.44	1636.29
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
28	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)					65.33	1632.83
	Square interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)					79.36	1983.61
	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)					101.35	2533.41
	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	54.6	1364.75	60.06	1501.225	60.06	1501.23

Santosh Gaire
Engineer-NEC (11689 Civil A)

महेश्वर मरासिनी
प्रमुख प्रशासकीय अधिकृत
बिमला अग्रवाल
नगर प्रमुख

29	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	60.9	1522.22	66.99	1674.442	66.99	1674.44
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	63	1574.72	69.30	1732.192	69.30	1732.19
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)				
30	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	12.6	1260.04	13.86	1386.044	13.86	1386.04
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	14.7	1470.05	16.17	1617.055	16.17	1617.06
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	17.33	1732.56	19.06	1905.816	19.06	1905.82
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)				
31	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	52.5	1399.82	57.75	1539.802	57.75	1539.80
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	57.75	1539.8	63.53	1693.78	63.53	1693.78
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	59.85	1595.8	65.84	1755.38	65.84	1755.38
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)				
32	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	55.65	1391	61.22	1530.1	61.22	1530.10
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	61.95	1548.47	68.15	1703.317	68.15	1703.32
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	64.05	1600.96	70.46	1761.056	70.46	1761.06
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)				
33	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	170.1	1063.39	187.11	1169.729	187.11	1169.73
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	189	1181.54	207.90	1299.694	207.90	1299.69
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	212.1	1325.96	233.31	1458.556	233.31	1458.56


Santosh Gaire
 Engineer-NEC (11689 Civil A)


राम प्रसाद
 प्रमुख प्रशासकीय अधिकृत


बिमला अर्याल
 नगर प्रमुख

34	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)					375.40	2346.84
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)					425.40	2659.41
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)					475.40	2971.99
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
35	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	1023.75	1068.51	1,126.13	1175.361	1126.13	1175.36
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	1,128.75	1,178.10	1,241.63	1295.91	1241.63	1295.91
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	1,275.75	1,331.53	1,403.33	1464.683	1403.33	1464.68
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
36	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	2310	2220.67	2,541.00	2442.737	2541.00	2442.74
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	2572.5	2473.02	2,829.75	2720.322	2829.75	2720.32
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	2782.5	2674.9	3,060.75	2942.39	3060.75	2942.39
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)				
37	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm (NS Standard)	367.50	1,530.31	404.25	1683.341	404.25	1683.34
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per RM (Ex VAT)				

Santosh Gaire
Engineer-NEC (11689 Civil A)

महोदय मरासिनी
प्रमुख प्रशासकीय अधिकृत

Bmf.
बिमला अयाल
नगर प्रमुख

38	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	294	979.02	323.40	1076.922	323.40	1076.92
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	305	1013.99	334.95	1115.389	334.95	1115.39
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	326	1083.92	358.05	1192.312	358.05	1192.31
39	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	252	839.16	277.20	923.076	277.20	923.08
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	273	909.09	300.30	999.999	300.30	1000.00
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	294	979.02	323.40	1076.922	323.40	1076.92
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per RM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per RM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per RM (Ex VAT)
40	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	394.00	1,176.00	433.40	1293.6	433.40	1293.60
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	304.50	1,218.00	334.95	1339.8	334.95	1339.80
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	325.50	1,302.00	358.05	1432.2	358.05	1432.20
41	Half batterd Kerbstone Grey Color with compressive strength M20 or above. Thickness: 380mm, Dimension: 250*165*380 (LxBxH) (NS Standard)					220.00	880.00
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 380mm, Dimension: 250*165*380 (LxBxH) (NS Standard)					230.00	920.00
42	Splayed kerb stone Gray colour with Compressive strength Of M20 or above (NS Standard). Dimension 250*165*380mm (L*B*H)					240.00	960.00
43	Splayed Battered kerb stone Gray colour with Compressive strength Of M25 or above (NS Standard). Dimension 250*165*380mm (L*B*H)					250.00	1000.00
S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per RM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per RM (Ex VAT)	MRP Per Pcs (Ex VAT)	MRP Per RM (Ex VAT)
44	Bullnose Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	315	1048.95	346.50	1153.845	346.50	1153.85
	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	341.25	1136.36	375.38	1249.996	375.38	1250.00
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	357	1188.81	392.70	1307.691	392.70	1307.69
S.No	Description of Items	MRP Per Set (Ex VAT)	MRP Per RM (Ex VAT)				
45	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	371.91	1,238.46	409.10	1362.306	409.10	1362.31

santosh Gaire
Engineer-NEC (11689 CWA)

नगरपालिका
प्रमुख प्रशासकीय अधिकृत


बिमला अग्रवाल
नगर प्रमुख


S.No	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)			MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
46	I-shaped Interlock Pavers Gray colour with Compressive Strength M35 or above. Thickness 60mm. Dimension 200*160*60mm					30.30	1075.89
	I-shaped Interlock Pavers Single colour with Compressive Strength M35 or above. Thickness 60mm. Dimension 200*160*60mm					33.33	1183.48
	I-shaped Interlock Pavers Blended colour with Compressive Strength M35 or above. Thickness 60mm. Dimension 200*160*60					34.9	12229.22
47	S-lock Interlock Pavers Gray colour with Compressive Strength M35 or above. Thickness 60mm. Dimension 236*100*60mm					22.83	1129.99
	S-lock Interlock Pavers Single colour with Compressive Strength M35 or above. Thickness 60mm. Dimension 236*100*60mm					24.5	1212.65
	S-lock Interlock Pavers Blended colour with Compressive Strength M35 or above. Thickness 60mm. Dimension 236*100*60mm					25.6	1267.1
S.No	Description of Items						
1	AAC Block Joining Mortar(Sand Base) for AAC Block and Fly Ash Bricks.120 sq. ft. per 40kg bag (considering joint thickness of 3-6mm)					770.00	
2	AAC Block Joining Mortar(Lime Base) for AAC Block and Fly Ash Bricks.170 sq. ft. per 40kg bag (considering joint thickness of 2-5mm)					870.00	
3	Brick Joining Mortar for Clay , Red, Concrete block/bricks.40 sq. ft. per 40kg bag (considering joint thickness of 3-5mm)					395.00	
4	Ready-Mix Plaster-for all wall type.(AAC Block, Concrete block, Clay Bricks). 15-20 sq. ft. per 40kg bag (considering joint thickness of 10-12mm)					350.00	
5	Water proof Plaster-for all wall type.(AAC Block, Concrete block, Clay Bricks). 15-20 sq. ft. per 40kg bag (considering joint thickness of 10-12mm)					430.00	
6	Water proof Master-for Tarace, Bathroom , Water Tanks, Exterior walls Sunshades, Canal Linings. 240sq. ft. per 20kg bag (for 0.6-0.8mm thick coat)					3500.00	
7	Tile Adhesive-for Ceramic/vitrified tiles, wall/flooring, external/internal Bathroom. 30-40 sq. ft. per 20kg bag (for 3-6mm thick)					425.00	
8	Tile Adhesive 100 Ceramic and clay tiles/cement based backgrounds. Internal dry area application. 30-40 sq. ft. per 20kg bag (for 3-6mm thick)					400.00	
9	Tile powerfix 200 vitrified,semi vetrified and natural stones. Suitable for Internal(floor and wall)+External Floors 30-40 sq. ft. per 20kg bag (for 3-6mm thick)					500.00	
10	Tile powerfix 300 vitrified,semi vetrified,glass mosaic tiles and all stones. Suitable for Internal(floor and wall)+External Floors suitable for wet area 30-40 sq. ft. per 20kg bag (for 3-6mm thick)					700.00	
11	TILE MASTER 400- all types of tyles and stones, suitable for internal exteranl (floor and wall), suitable for wet area 30-40 sq. ft. per 20kg bag (for 3-6mm thick)					900.00	
12	TILE MASTER 500- all types of tyles and stones, suitable for internal and external(floor and wall), suitable for wet area 30-40 sq. ft. per 20kg bag (for 3-6mm thick)					1200.00	
S.No	Description of Items					MRP Per Pcs (Ex VAT)	MRP Per sqft (Ex VAT)

Santosh Gaire
Engineer-NEC (11689 Civil A)

महेश्वरी मगरासिनी
प्रमुख प्रशासकीय अधिकारी
बिमला आर्याल
नगर प्रमुख

1	Precast Boundary Wall, Approx Weight/sqft 24.71kg.						275.00
2	CSEB Interlocking brick (Dimension: 30*15*10 cm)					45.00	
3	Concrete Brick dimension: 23*11*7.5 cm					18.00	
4	Pavor Block Hexagon- 20.6*20.6 cm Thickness: 60mm					30.00	
5	Pavor Block Hexagon- 20.6*20.6 cm Thickness: 80mm					40.00	


Santosh Gaire
 Engineer-NEC (11689 Civil E)




महिराम मरासिनी
 प्रमुख प्रशासकीय अधिकृत
बिमला आर्या
 नगर प्रमुख

१७. आ.ब २०८० /०८१ को लागि सिंचाइ गेट तथा स्टिल स्ट्रक्चर कार्यको दररेट

क्र.स	सामग्रीको नाम	इकाई	दर
१	Steel Gates	प्रति के.जी	२७५.००
१.१	ISMC 100	प्रति के.जी	२७५.००
१.२	ISMC 125	प्रति के.जी	२७५.००
१.३	ISMC 150	प्रति के.जी	२७५.००
१.४	ISA 7575	प्रति के.जी	२७५.००
१.५	ISA 5050	प्रति के.जी	२७५.००
२	Spindle for gates		
२.१	Bright round bars for gate size greater than 1mx1m with threading of spindle bars	प्रति फिट	५५००.००
२.२	Supply and Fixing of Steel Gate Including Spindle all complete.	प्रति के.जी	३१५
३	Gear box for (including nut, bolt, bearing, grease housing, body, etc. all complete)		
३.१	गेट गियर सेट ५-१० टन क्षमता भएको	प्रति सेट	११०००.००
३.२	गेट गियर सेट १०-१५ टन क्षमता भएको	प्रति सेट	२७४००.००
३.३	गेट गियर सेट १५-२० टन क्षमता भएको	प्रति सेट	४१०००.००
३.४	गेट गियर सेट २०-२५ टन क्षमता भएको	प्रति सेट	५४५००.००
४	Thrust Bearing	प्रति सेट	१२००.००
५.	Middle Type Cast Iron Gear Nut	प्रति गोटा	११६००.००
६.	Slide Roller	प्रति गोटा	५१००.००
७.	Middle Type Cast Iron Gear	प्रति गोटा	११२००.००
८.	PVC Water stopper (water bar) for canal lining		
८.१	230 mm wide with 25mm dia centre bulb	प्रति र.मि	११००.००
८.२	150 mm wide with 25mm dia centre bulb	प्रति र.मि	७५०.००
९.	Rubber Seal		
९.१	For canal		
९.१.१		६" प्रति र.मि	७५५.००
९.१.२		९" प्रति र.मि	११५५.००
९.२	for irrigation gates		
९.२.१		४"-५" प्रति र.मि	१०००.००
९.२.२		६"-८" प्रति र.मि	१५००.००
९.२.३	Type - flat		१६५०.००
९.२.४	Type - P (bulb at one end)		२२००.००
९.२.५	Type - Double stem (single bulb at center)		२२००.००
९.२.६	Type - Double bulb (bulb at both ends)		२७५०.००
९.२.७	Type - L or Z		३०२५.००
९.२.८	Type - corner		३०२५.००
१०	Cone shaped bearing, bearing plate and nut		
१०.१	For cross regulator gate	प्रति सेट	१००००.००
१०.२	For Tertiary Gate	प्रति सेट	७०००.००
११	Supply and Fixing of cone bearing		

Santosh Gaire
Engineer-NEC (11689 Civil A)

महेश्वर नगरपालिका
प्रमुख प्रशासकीय अधिकृत
बिमला अग्रवाल
नगर प्रमुख



११.१	No: 30208	प्रति सेट	२०००.००
११.२	No: 30310	प्रति सेट	३५००.००
१२	Supply and Fixing of High Tensile nut bolt	प्रति के.जी	३००.००
१३	Rope 20-25mm (Tochan)	प्रति र.मि	२०००.००
१४	Sheet Pile	प्रति के.जी	१८९.००

Santosh Gaire
Engineer-NEC (11689 Civil E)


सुनसरी नगरपालिका
नगर कार्यपालिकाको कार्यालय
चौमाल, नवलपरासी (बि.सु.प.)
लुम्बिनी प्रदेश, नेपाल

अतिराम मरासिनी
प्रमुख प्रशासकीय अधिकारी
बिमला आर्याल
नगर प्रमुख

क्र स	निर्माण सामग्रीको विवरण	इकाइ	०७९-८० को स्वीकृत नगर दर रेट (भ्याट बाहेक)	०८०-८१ को स्वीकृत नगर दर रेट (भ्याट बाहेक)	कैफियत
क	Aluminium Section				
	90 Series				
1	Providing and Fixing Single Panel Casement (hinged) Door of aluminium section in natural or color anodized/powder coated color section (87x56x1.2mm) fit with 5mm clear glass or 9mm both side laminated board (excluding the Cost of handle and door closer)	SQFT	६००।००	६००।००	
2	Providing and Fixing Double Panel Casement (hinged) Door of aluminium section in natural or color anodized/powder coated color section (87x56x1.2mm) fit with 5mm clear glass or 9mm both side laminated board (excluding the Cost of handle and door closer)	SQFT	७२०।००	७२०।००	
3	Providing and Fixing 2 or 3 Panel Sliding Window of aluminium section in naturally anodized or Black anodized/powder coated color section (87x56x1.2mm) fit with 5mm clear glass without Fly mesh Shutter (Window Size 6'x5' or Avg.Area 30Sqft per Window)	SQFT	४२०।००	४२०।००	
4	Providing and Fixing 2 or 3 Panel Sliding Window with Top Fix glass of aluminium section in naturally anodized or Black anodized/powder coated color section (87x56x1.2mm) fit with 5mm clear glass without Fly mesh Shutter (Window Size 6'x5' or Avg.Area 30Sqft per Window)	SQFT	४५०।००	४५०।००	
5	Providing and Fixing Fixed Window of aluminium section in naturally anodized or Black anodized/powder coated color section (87x56x1.2mm) fit with 8mm clear glass without Fly mesh Shutter (Avg.Area 5Sqft per Panel)	SQFT	३२०।००	३२०।००	
6	Providing and Fixing Fly Mesh Shutter With Aluminium Fly Mesh in 87x56x1.2mm Series Sliding Window Section Thickness 1mm	SQFT	१८८।००	१८८।००	
7	(Fix Partation With aluminium composite Pannel) Aluminium Fix Section Size 87x56x1.2mm net Aluminium Frame With 4mm thick aluminium Composite Pannel With all necessary Fittings.	SQFT	६००।००	६००।००	
	64 Series				
1	Aluminium Partation with naturally anodized aluminium (section 62x38x1.5mm) with 5mm thick clear glass including materials & Labour & Fixing & fitting all complete.	SQFT	३८०।००	३८०।००	
2	(Fix Partation With aluminium composite Pannel) Aluminium Fix Section Size 65x38x1.2mm net Aluminium Frame With 4mm thick aluminium Composite Pannel With all necessary Fittings.	SQFT	५६०।००	५६०।००	
ख	Granite				
१	12mm thick	SQFT	२७९।००	२७९।००	
२	16mm thick	SQFT	३६६।००	३६६।००	
३	18mm thick	SQFT	४२९।००	४२९।००	
ग	छाना छाउने क्ले टायल				
१	मेसिन बाट उत्पादित टायल	गोटा		१९.००	
२	चिम्नी भट्टा बाट उत्पादित टायल	गोटा		१७.००	
३	मेसिन बाट उत्पादित धुरी	गोटा		३४.००	
	चिम्नी भट्टा बाट उत्पादित धुरी	गोटा		२८	
घ	Fiber Plain Sheet				
	(Thickness-1.2mm)-Red,Blue,Green and clear	SQFT		106	
	(Thickness-1.5mm)-Red,Blue,Green and clear	SQFT		127	
	(Thickness-1.8mm)-Red,Blue,Green and clear	SQFT		154	
	(Thickness-2mm)-Red,Blue,Green and clear	SQFT		165	
	(Thickness-2.5mm)-Red,Blue,Green and clear	SQFT		207	
	(Thickness-3mm)-Red,Blue,Green and clear	SQFT		255	
घ	Fiber Corrugated Sheet				
	Fiber S Span thickness-2mm thick, Width-42"	R.Ft		682	
	Normal Corrugation (Thickness-0.6mm)-Clear	R.Ft		133	
	Normal Corrugation (Thickness-0.8mm)-Clear	R.Ft		181	
	Fiber Heritage sheet Span thickness-2mm thick, Width-34"	R.Ft		517	

Rupandehi district rate reference

Kathmandu district Rate Reference



Santosh Gaire
Engineer-NEC (11689 Civil A)

विमला अर्याल
नगर प्रमुख

ड	Air Conditioning System			
	Single split (1:1) wall mounted/ceiling cassette type Air conditioner (heat Pump) with complete silence, Powerful operation, intelligent control, filter cleaning indicator, PMV control & power saving features included wireless remote controller, installation between indoor & outdoor unit with all required materials like copper tube, insulation tube, electrical wiring should also be included with in the cost			
1.1	Wall mounted inverter type split units with wireless remote controller			
	0.75 Ton	Set		81000.00
	1.0 Ton	Set		56900.00
	1.5 Ton	Set		76500.00
	2.0 Ton	Set		99400.00
1.2	Ceiling Cassete inverter type split units with wireless remote controller			
	1.0 Ton	Set		118800.00
	1.5 Ton	Set		145800.00
	2.0 Ton	Set		162000.00
	3.0 Ton	Set		261950.00
	4.0 Ton (3hp)	Set		265500.00
1.3	Wall mounted Non-inverter type split type AC with wireless display remote controller			
	0.75 Ton	Set		52200.00
	1.0 Ton	Set		51550.44
	1.5 Ton	Set		68050.44
	2.0 Ton	Set		82250.44
1.4	Ceiling Cassete Non-inverter type split type AC with wireless display remote controller			
	1.0 Ton	Set		86600.00
	1.5 Ton	Set		99300.00
	2.0 Ton	Set		128600.00
	3.0 Ton	Set		176000.00

Kathmandu district Rate Reference

Santosh Gaire
Engineer-NEC (11699 Civil A)

महिराम मरासिमा
प्रमुख प्रशासकीय अधिकृत
बिमला नगर प्रमुख



२०८०-८१ को लागि निर्धारित यस दर रेटमा उल्लेख भएकाको हकमा यसै बमोजिम र यसमा उल्लेख नभएका को हकमा प्रचलित स्थानीय बजार भाउ अनुसारको दर रेटलाई आधार मान्ने निर्णय गरियो ।

santosh Gaire
Engineer-NEC (11689 Civil E)

भक्तिराम मरसिनी
प्रमुख प्रशासकीय अधिकृत

बिमला अर्याल
नगर प्रमुख