



सुनवल नगरपालिका
Sunwal Municipality
नगर कार्यपालिकाको कार्यालय
OFFICE OF THE MUNICIPAL EXECUTIVE

सुनवल, नवलपरासी (बर्दघाट सुस्ता पश्चिम)
Sunwal, Nawalparasi (West of Bardaghat Susta)
लुम्बिनी प्रदेश, नेपाल
Lumbini Province, Nepal

मिति: २०८२।११।१७



दररेट पेश गर्ने सभबन्धमा ।

उपरोक्त सभबन्धमा सुनवल नगरपालिकाको आ.व. २०८२।८३ लागि स्वीकृत कार्यक्रम अनुसार सुनवल नगरपालिका भित्रका सामुदायिक विद्यालयमा अध्ययनरत छात्राहरुका लागि सेनेटरी प्याड खरिद गर्नु पर्ने भएकाले, सेनेटरी प्याड वितरण तथा व्यवस्थापन कार्यविधि, २०७६ को अनुसूची १-(दफा ३ को उपदफा (४) संग सम्बन्धित स्थानीय प्याडको न्यूनतम मापदण्ड) तथा सोही कार्यविधिको अनुसूची -२ (दफा २० को उपदफा (२) सँग सम्बन्धित) स्थानीय स्तरमा उत्पादित सेनेटरी प्याडको न्यूनतम मापदण्ड बमोजिम यो सूचना प्रकाशित भएको मितिले ७ (सात) दिन भित्र दररेट पेश गर्नु हुन सो सभबन्धी काम गर्न मान्यता प्राप्त फर्म/कम्पनीहरु तथा सप्लायर्स तथा सम्बन्धित सबैको जानकारीका लागि यो सूचना प्रकाशन गरिएको छ ।

(शेषकान्त पौडेल)

प्रमुख प्रशासकीय अधिकृत

शेषकान्त पौडेल
प्रमुख प्रशासकीय अधिकृत

अनुसूची-१
(दफा ३ को उपदफा (४) संग सम्बन्धित)
स्यानीटरी प्याडको न्यूनतम मापदण्ड

1.	Type and physical finishing: Regular with wing, napkin with uniform thickness throughout without any wrinkles and distortion. The sanitary napkins shall have a soft feel and when worn shall not chafe or give any uncomfortable feeling. They shall be free from all sorts of foreign matter.
2.	Raw Material permitted: a. Absorbent filter: plant-based raw materials such as wood pulp, cellulose pulp, bamboo fiber, banana fiber and corn which have natural sterilization effects, tissue paper, pure cotton, shall be free from lumps, oil spots, dirt or foreign material. b. Covering: The covering of the absorbent filter shall be of a good quality cotton or rayon knitted sleeving, gauze or non-woven fabric with sufficient porosity to permit the assembled pad to meet absorbency requirements.
3.	Size: size including minimum (240±20 mm length and 60 to 75 mm width, thickness 15mm ±2 mm).
4.	Absorbency: the sanitary pad shall absorb at least 30 ml of colored distilled water and it shall not show leakage at the bottom or sides of the sanitary napkin.
5.	Disposability: disposable pad with the covering removed, shall be immersed in 15 liters of water and stirred. The pad shall disintegrate in the water in not more than 5 minutes.
6.	Colour: The product shall be white in colour and shall be almost odourless.
7.	PH value: free from acid and alkali, pH of absorbent material shall be 6-8.5 (tested as per the method given in Indian Standard 1390)
8.	Hygiene testing requirement: Total viable count (total number of bacteria and fungi) shall be not more than 1000 cfu/gm and absence of Staphylococcus aureus. The napkin shall be tested for the presence of staphylococcus aureus in accordance with IS 5887

	(Part 2).
9.	The manufacturer shall declare that all ingredients used in the product are safe for human use based on its known toxicological characteristics at intended use.
10	Packaging type: at least 90% Compostable pack, protecting package to product
11	Packaging size: minimum 8 pads per pack
12	Biodegradability or Composability requirements: At least 90% degrade within 6 months (testing is performed and conformed from recognized and approved laboratory)

[Handwritten signature]



अनुसूची-२

(दफा २० को उपदफा (२) सँग सम्बन्धित)

स्थानीयस्तरमा उत्पादित सेनिटरी प्याडको न्यूनतम मापदण्ड

१. प्याडमा प्रयोग हुने कपडा सेतो रङको सुती वा मलमलको हुनु पर्नेछ र कपडाको लम्बाई कम्तीमा दुई हात र चौडाई आधा हात हुनु पर्नेछ ।
२. प्याडको गुणस्तर सुनिश्चितताका लागि पन्चानव्वे प्रतिशत सूती कपडा प्रयोग गरिएको हुनु पर्नेछ ।
३. कपडा अड्काउन प्रयोग हुने खोल (वीङ्ग) प्रयोग हुने कपडा कम रंग, डाइ प्रयोग भएको र सोसिने किसिमको कपडा हुनु पर्नेछ ।
४. वीङ्गको वनावट पीधवाट नचुहिने (वटम साइड लीक प्रुफ) गरी तयार गर्नु पर्नेछ ।
५. वीङ्गमा प्रयोग हुने टाँक वा अन्य सामग्री र वनावट प्रयोगकर्तालाई सहज हुने किसिमको हुनु पर्नेछ ।



